

Halco®

LIGHTING TECHNOLOGIES

LED Retrofit
Downlights

Incandescent
Appliance/
Fan

LED Direct Fit
Slim Downlights

Traditional
Incandescent Decorative

Linear Hybrid,
Emergency,
Hybrid
T8

Next Generation
A19, BR, PAR Lamps

ProLED Select Gimbal
Downlight

LED SekTor
Area Lights

LED Volumetric Panels

LED Backlit
Panels

LED Edgelit Panels

Traditional Fluorescents

LED Commercial Downlights

LED SekTor
Flood Lights

Traditional Metal Halide

LED HID Retrofits

LED Wallpacks

2', 3',
4', 8' LED T8s

LED Round Highbays

Traditional
CFL Lamps

LED Linear Highbays

SEE OUR NEW
BALLAST
SECTION




Scan to view
the digital guide

Spring 2025

Look for This Icon to
See Our New Products!



LAMPS 8THS INCHES





A19 example



Questions about lighting?
Please call

1-800-677-3334

Customer Service is Ready to Help



How To Measure A Lamp

DIA: The diameter of a bulb at its widest point, measured in eighths of an inch.

MOL: Maximum Overall Length from the top of the bulb to the bottom of the base, measured in inches.

LCL: Distance from the center of the light source to the bottom of the base, measured in inches.

Filament Lamp Construction

Special chemicals are applied inside lamp and on the filament to protect against premature failure.


Long life lamps utilize five filament supports to enhance longevity and guard against filament sagging and breakage.

Argon and Nitrogen gases are used for washing and filling lamps.

Lamp bases made with brass A or nickel-plated brass do not freeze or corrode in the socket.

H

F



G Long life lamps utilize long, thick coiled filaments.

C Stem type is matched to lamp type to enable exact positioning of filament.

B Tempered glass stem provides strength and durability.

E Fused lead - wire carries electricity from the base to the filament and guards against potential fire hazards.

OUTDOOR FIXTURES

LED Adjustable Jelly Jar	5
LED Adjustable Jelly Jar - Selectable and Lamp Ready Options	5
LED Canopy - Slim Selectable Color Temp ...	5
Area Lights - SekTor.....	6
LED Flood - Color Selectable	8
LED Flood - Mini Bullet.....	8
LED Flood - Patrol Security	8
LED Flood - SekTor Color Selectable	9
LED Flood - SekTor Dusk to Dawn	10
LED Flood - Sektor Lumen and Color Select with Adjustable Beam Angle	10
LED Mini Wallpack - SekurPak Color Selectable	11
LED Wallpack - Adjustable & Selectable Color Temp & Watts	11
LED Wallpack - Low Profile Color & Lumen Selectable	12
LED Wallpack - Standard	12
LED Wallpack - Watt & Color Selectable with Photocell	13

INDOOR FIXTURES

Downlight - Commercial Retrofit Selectable Watts & Color Temp	15
Downlight - Commercial Retrofit Baffle J-Box.....	15
Downlight - Commercial Slim LED Lumen & Color Selectable	16
Downlight - Fire Rated Slim Color Selectable.....	17
Downlight - Gimbal Direct Fit Color Selectable.....	18
Downlight - Gimbal Retrofit Color Selectable.....	18
Downlight - Recessed Direct Fit Slim Baffle Trim Selectable Color Temp	18
Downlight - Recessed Slim Color Selectable	20
Downlight - Retrofit Series Color Selectable Baffle & Smooth	21
Downlight - Retrofit Series Wet Location	21
Downlight - Surface Disk Color Selectable Multiple Trim Accessories	22
Downlight - Surface Mount New Gen Multiple Trim Accessories	23
Downlight - Surface Wet Location.....	24
Downlight - Surface Wet Location Color Selectable.....	24
Residential Ceiling Fixture - Double Ring	24

Residential Ceiling Fixture - Mushroom	25
Linear Highbay - Compact Essential Series .	25
Linear Highbay - Compact Series Selectable Watts & Color Temp	26
Linear Highbay - Premier Series.....	28
Linear Highbay - Selectable Wattage	28
Round Highbay - Essential Series	30
Round Highbay - Hoverbay Color Selectable	31
LED Center Basket Troffer - Controls Ready Color & Lumens Selectable	32
LED Center Basket Troffer Retrofit Kit Controls Ready, Color & Lumen Selectable..	33
LED Edgelit Flat Panel	34
LED Edgelit Flat Panel - Color Selectable ...	34
LED Flat Panels Including Control Ready Panels	35
LED Volumetric Panel - Color & Watts Selectable	36
LED Linear - Lamp Ready Strip	36
LED Linear Strip.....	36
LED Linear Strip Watts & Color Selectable ..	37
LED Linear Wrap Architectural Color & Watt Selectable	38
LED Linear Wrap Architectural Lens.....	38
LED Linear Vaportight.....	39
LED Linear Vaportight Selectable Watts & Color Temp	39

EXIT & EMERGENCY

LED Exit Sign - Emergence Series Red-Green	42
LED Exit Sign - Emergence Series Die-Cast Series.....	42
LED Exit Sign - Emergence Series Edgelit Red-Green	43
LED Exit Sign - Emergence Wet-Location Series.....	43
LED Exit & EM Combination Unit - Emergence Series.....	43
Emergency Unit - Emergence Wet Location EM Light	44
Emergency Unit Round Head - Evade Series	44
Emergency Wallpack - Evade Outdoor	45

LED LAMPS

LED Chandelier Bullet lamp	47
LED Decorative Chandelier Series	47
LED Filament A19 & A15 Clear and Amber..	47

LED Filament B11 Torpedo Gen 2.....	48
LED Filament Chandelier CA10 Clear and Frosted E12 Base	48
LED Filament Globe Clear and Frosted E26 & E12 Bases.....	48
LED Filament S14 String Lights Clear and Amber	49
LED Filament ST19 Bulbs Clear and Amber .	49
LED Filament Tubular Clear	50
LED Globe G25 Lamp	50
LED A15 Contractor & Performance Series Single Pack E26 Base.....	50
LED A19 Contractor & Performance Series Single Pack	51
LED A19 Contractor Series Single Pack	51
LED A19 Performance Series Single Pack Title 20 Compliant	52
LED A19 Six Packs.....	53
LED A19 GU24 Base Single Packs.....	53
LED A19 6-Packs	53
LED A19 Single Packs.....	53
LED A21 Single Packs Title 20 Compliant...	54
LED BR30 Essential Series	54
LED BR30 Performance Series Title 20 Compliant	55
LED BR30 Pink	55
LED BR40 Essential Series	55
LED BR40 Performance Series Title 20 Compliant	56
LED MR11 Commercial Series GU4 Base.....	56
LED MR11 Flood - GU4 and Bayonet Base..	56
LED MR16 Commercial Series Black Housing	57
LED MR16 Commercial Series White	57
LED MR16 GU10 Base Standard Flood 40-Degrees	57
LED MR16 Narrow Flood 20-Degrees	58
LED MR16 Standard Flood 40-Degrees.....	58
LED MR16 Wide Flood 60-Degrees	59
LED PAR20 Essential Series	59
LED PAR20 Performance Series Title 20 Compliant	59
LED PAR30 Essential Series - White Housing	60
LED PAR30 Performance Series - Title 20 Compliant - White & Black Housing	60
LED PAR36 / AR111 Floods.....	61

LED PAR36 Outdoor Wide Flood - Waterproof IP67 Rated.....	62
LED PAR38 Essential Series - White Housing.....	62
LED PAR38 Performance Series - Title 20 Compliant - White & Black Housing.....	62
LED PAR38-PAR30-PAR20	63
LED R12 Elevator Series.....	63
LED R20 Essential Series.....	64
LED R20 Performance Series - Title 20 Compliant.....	64
LED Linear T5 Type A Direct 4FT Replacement.....	64
LED Linear T5 Type B Bypass 4 FT Replacement.....	64
LED Linear T8 Hybrid Color Selectable 2FT, 3FT and 4FT	65
LED Linear T8 Type A Series 2FT and 3FT..	65
LED Linear T8 Type A Series (4FT) - NSF-2 Food Equipment Rated	65
LED Linear T8 Type B (Bypass) 8FT Single- end and Double Recessed End Series.....	66
LED Linear T8 Type B (Bypass) Color Selectable in 2FT, 3FT and 4FT.....	66
LED Linear T8 Type B (Bypass) Series (2FT and 3FT) Double/Single Ended.....	67
LED Linear T8 Type B (Bypass) Series (4FT) Double or Single Ended - High Efficiency....	67
LED Linear T8 Type B (Bypass) Series (4FT) Double or Single Ended - High Output & NSF-2 Food Equipment Rated	67
LED Linear T8 Type B (Bypass) Series (4FT) Double or Single Ended PET Coated - NSF-2 Food Equipment Rated	68
LED Linear T8 Type B Emergency Backup ..	68
LED Linear T8 U-Bend Hybrid (Type A Direct & B Bypass).....	68
LED Linear T8 Versa Connect 96in Type B Color Selectable.....	69
LED JC Bayonet BA15S Base.....	69
LED JC Omni-directional Bi-Pin.....	69
LED JC Omni-directional Wedge Light	70
LED JC2 & JC2S Outdoor Pathway Lighting	70
LED JC3 Puck Light.....	70
LED Sign Lamps S11-S14	70
LED Linear Plug-in Series (Type A & Type B)	71
LED Plug-in Horizontal & Vertical Hybrid Color Selectable 2-Pin.....	71

LED Plug-in Hybrid Horizontal (Magnetic CFL ballast compatible or bypass).....	72
LED Plug-in Omni Directional (Horizontal or Vertical) Hybrid- Type A Magnetic Ballast + Type B Non-Dimmable.....	72
LED Plug-in PL Horizontal and Vertical Type B Bypass	72
LED Plug-in PLT Horizontal and Vertical Type A & B.....	73
LED HID Highbay Retrofit Lamp	73
LED HID Replacement / Retrofit Lamp - Wallpack or Flood.....	74
LED HID Retrofit A-Shape Omni Directional Lamps.....	74
LED HID Retrofit High Output Filament Lamps	74
LED HID Retrofit Lamps - Color Selectable..	75
LED HID Temporary Work Light.....	76

CONVENTIONAL LAMPS

Compact Fluorescent Lamps Spiral	78
Compact Fluorescent Lamps 2 Pin/4 Pin.....	79
Compact Fluorescent Lamps High Lumen 4-Pin	80
Compact Fluorescent Lamps Tube 2 Pin/4 Pin	80
Covershield Linear T5/T8 Tubes.....	81
Covershield BR40 Lamps	81
Covershield R40 Flood Lamps.....	82
Covershield MH Lamps.....	82
MH11 Halogen Flood Lamps.....	82
MH16 Halogen Flood Lamps.....	83
Covershield JC Halogen Lamps	83
HID Lamps	85
HID High Pressure Sodium Lamps	86
HID MH Coated	86
HID MH Pulse Start Lamps	86
HID MH Double/Single/Standard	88
Incandescent Lamps A15/A19.....	89
Incandescent Lamps R40	90
Incandescent Lamps BR30.....	90
Incandescent Lamps BR38.....	90
Incandescent Lamps PS30 Elongated.....	91
Incandescent Lamps G25 Globe	91
Incandescent Lamps R14/R20 Flood.....	91
Incandescent Lamps S11/14 Sign/Appliance	92
Incandescent Lamps S6 Candelabra.....	92

Incandescent T10/T6/T6.5/T7/T8 Tubes.....	93
Fluorescent Tube F18 T8 Appliance/F32T8 Blacklight	93
Fluorescent Tube Circleline.....	94
Fluorescent Tube F T5/T12	94
Fluorescent Tube FX T5.....	95
Fluorescent Tube U-Bend T12/T8.....	98
Incandescent Miniature Bayonet/Wedge	99
Incandescent Decorative Clear Flame Tip...	99
Incandescent Decorative Globe.....	100
Incandescent Decorative Torpedo	100

ELECTRONICS

Compact Fluorescent Ballast	102
Electromagnetic Ballast HID High Pressure Sodium Lamps	102
Electromagnetic Ballast - HID Metal Halide Pulse Start	103
Electromagnetic Ballast - HID Metal Halide Standard	103
Electronic Sign Ballast	104
Electronic Fluorescent Ballast - T12.....	104
Electronic Fluorescent Ballast - T5	104
Electronic Fluorescent Ballast - T8	105
Ballast Guide	106

BULB & BASE IDENTIFICATION

LED.....	113
Compact Fluorescent.....	114
Incandescent.....	115
Halogen	116
HID	117
Specialty.....	118
Linear Fluorescent	119
Ballast Sample List	Inside Back Cover

About Halco Lighting Technologies

Established in 1974, Halco Lighting Technologies is a leader in lamp, luminaire and ballast solutions. We are dedicated to providing you with the latest in energy efficient technologies, illustrated by our ProLED luminaires and full offering of ProLED lamps. Halco's luminaire offering features indoor recessed solutions such as ProLED Panel, Volumetric Panel and Downlight Retrofit luminaires. Our broad selection of long life, energy efficient ProLED lamps is available in popular shapes with an array of color temperatures and beam spreads. Halco is your single source for LED lamps for replacement and retrofit applications.

Service

We measure our success by one standard - your satisfaction. Halco carries deep inventory of a broad SKU offering to assure we have what you need when you need it. With strategically located warehouses in Atlanta, Chicago, Cleveland, Houston, Los Angeles and Phoenix, orders placed by 2:00 PM local warehouse time ship the same day. Will-call and courier service is also available for your convenience.



How to Read Ordering Information

Product Number

Use this product number when placing an order

Color Temp.

A term used to describe the color of a light source and is expressed in degrees Kelvin (K)

Useful Life

Rated at L70

MOL

Indicates maximum overall length in inches

Description

Light Distribution or other important information

Base

Indicates base type

Lumens

Represents average light output

Package Quantity

Indicates minimum sell quantity and smallest shipping carton

ENERGY STAR®/DLC Qualified

Designates a qualified product

Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	CBCP	Useful Life ¹	Dimmable ²	Pkg. Qty.	Beam Spread	MOL	Eq. Wattage	ENERGY STAR®/DLC Qualified ³
81074	PAR36WFL4/827/IP67/LED	Wide Flood	4.5W	MP Term	10-15V	2700K	82	300	700	40,000	Yes	1/6	32°	2.40"	20W	No
81075	PAR36WFL6/827/IP67/LED	Wide Flood	6.5W	MP Term	10-15V	2700K	82	450	1100	40,000	Yes	1/6	32°	2.40"	35W	No
81076	PAR36WFL12/827/IP67/LED	Wide Flood	12.5W	MP Term	10-15V	2700K	82	800	2000	40,000	Yes	1/6	32°	2.40"	50W	No

SPEC SHEET AVAILABLE HERE.

Spec Sheet

Available Here.
Link to corresponding product spec sheet.

Product Code

Abbreviated product description can also be used for ordering

Wattage

Indicates the power consumed by the lamp during operation

CRI

Lamps ability to render an object's color

CBCP

Luminous intensity at the center of the beam

Voltage

Indicates the product's design voltage of operation

Dimmable

Designates if product can be dimmed

Beam Spread

Indicates the beam angle or beam spread of a bulb, measured in degrees

Eq. Wattage

Typical wattage of Incandescent or Halogen lamp of comparable light output



NEW PRODUCT

Indicates product has been added to inventory

Customer Support

Our customer support team is available to assist for project and volume pricing. Contact your local rep for more information 1-800-677-3334.

¹ Useful Life is defined as the point in time at which the LED will maintain at least 70% of its initial lumens. The LED will continue to operate past this point at decreased light levels.

² May not be compatible with all Dimming systems, Dimming performance may vary by system. Please check www.halcolighting.com for up-to-date dimmer compatibility information. Use on incompatible systems may shorten lamp life.

³ To view our DLC qualified products, please consult the DLC Qualified Products List at www.designlights.org/qpl.

OUTDOOR FIXTURES



ProLED Select WPFS
Wallpack Series



ProLED High Lumen
Floodlight



ProLED SekTor
Area Light Series



ProLED Select
Slim Canopy





Garage & Canopy Lighting

[View Family Spec](#)

LED Adjustable Jelly Jar (While supplies Last)



Product#	Product Code	Watts	Color Temp	Lumens	Volts	Dimmable	Equiv Watts
10455	VPT-20-4K-U	20W	4000K	2000	120-277V	No	100W CFL/HID

Note - Vaportight Fixture Wet Location Rated

[View Family Spec](#)

LED Adjustable Jelly Jar - Selectable (Watts & Color Temp) and Lamp Ready Options



Product#	Product Code	Watts	Color Temp	Lumens	Volts	Dimmable	Equiv Watts
12555	VPTAJR-E26-U-GR				120-277V	N/A	
12556	VPTAJR-LS-CS-U-GR	10W or 20W	Select (4-5K)	1150-2300	120-277V	Yes (0-10V)	

Note - Product 12555 is a Lamp Ready Fixture (lamp sold separately). Product 12556 has an LED that is Watts and Color Selectable. Vaportight Wet Location Fixtures.

[View Family Spec](#)

LED Canopy - Slim Selectable Color Temp



Product#	Product Code	Watts	Color Temp	Lumens	Volts	Dimmable	Equiv Watts
39900	CSP-28-CS-U-BZ	28W	30/40/50K	3500-3780	120-347V	Yes (0-10V)	150W
39904	CSP-28-CS-U-WH	28W	30/40/50K	3500-3780	120-347V	Yes (0-10V)	150W
39901	CSP-40-CS-U-BZ	40W	30/40/50K	5000-5400	120-347V	Yes (0-10V)	175W
39905	CSP-40-CS-U-WH	40W	30/40/50K	5000-5400	120-347V	Yes (0-10V)	175W
39902	CSP-60-CS-U-BZ	60W	30/40/50K	7500-8100	120-347V	Yes (0-10V)	250W
39906	CSP-60-CS-U-WH	60W	30/40/50K	7500-8100	120-347V	Yes (0-10V)	250W

Note - BZ = Bronze, WH = White (in product code)



View Family Spec

View Selector Guide



Area Lights - SekTor

Product#	Product Code	Watts	Color Temp	Lumens	Volts	Dimmable	Equiv Watt
100050	SAL-100-T2-40-U	100W	4000K	14,644	120-277V	Yes	250W
100051	SAL-100-T2-50-U	100W	5000K	14,725	120-277V	Yes	250W
24850	SAL-100-T3-40-U	100W	4000K	14,556	120-277V	Yes	250W
24852	SAL-100-T3-50-U	100W	5000K	14,556	120-277V	Yes	250W
100060	SAL-100-T4-40-U	100W	4000K	14,837	120-277V	Yes	250W
100061	SAL-100-T4-50-U	100W	5000K	14,851	120-277V	Yes	250W
24851	SAL-100-T5-40-U	100W	4000K	14,556	120-277V	Yes	250W
24853	SAL-100-T5-50-U	100W	5000K	14,556	120-277V	Yes	250W
100052	SAL-150-T2-40-U	150W	4000K	21,641	120-277V	Yes	400W
100053	SAL-150-T2-50-U	150W	5000K	21,793	120-277V	Yes	400W
24854	SAL-150-T3-40-U	150W	4000K	21,641	120-277V	Yes	400W
24856	SAL-150-T3-50-U	150W	5000K	21,641	120-277V	Yes	400W
100062	SAL-150-T4-40-U	150W	4000K	21,834	120-277V	Yes	400W
100063	SAL-150-T4-50-U	150W	5000K	21,935	120-277V	Yes	400W
24855	SAL-150-T5-40-U	150W	4000K	21,641	120-277V	Yes	400W
24857	SAL-150-T5-50-U	150W	5000K	21,641	120-277V	Yes	400W
100054	SAL-200-T2-40-U	200W	4000K	29,243	120-277V	Yes	400W
100055	SAL-200-T2-50-U	200W	5000K	29,237	120-277V	Yes	400W
24858	SAL-200-T3-40-U	200W	4000K	29,112	120-277V	Yes	400W
24860	SAL-200-T3-50-U	200W	5000K	29,112	120-277V	Yes	400W
100064	SAL-200-T4-40-U	200W	4000K	29,112	120-277V	Yes	400W
100065	SAL-200-T4-50-U	200W	5000K	29,231	120-277V	Yes	400W
24859	SAL-200-T5-40-U	200W	4000K	29,112	120-277V	Yes	400W
24861	SAL-200-T5-50-U	200W	5000K	29,112	120-277V	Yes	400W
100056	SAL-240-T2-40-U	240W	4000K	34,601	120-277V	Yes	750W
100057	SAL-240-T2-50-U	240W	5000K	34,828	120-277V	Yes	750W
24862	SAL-240-T3-40-U	240W	4000K	34,601	120-277V	Yes	750W
24864	SAL-240-T3-50-U	240W	5000K	34,601	120-277V	Yes	750W
100066	SAL-240-T4-40-U	240W	4000K	34,766	120-277V	Yes	750W
100067	SAL-240-T4-50-U	240W	5000K	34,829	120-277V	Yes	750W
24863	SAL-240-T5-40-U	240W	4000K	34,601	120-277V	Yes	750W
24865	SAL-240-T5-50-U	240W	5000K	34,601	120-277V	Yes	750W
100058	SAL-300-T2-40-U	300W	4000K	43,788	120-277V	Yes	1000W

[View Family Spec](#) [View Selector Guide](#)



Area Lights - SekTor

Product#	Product Code	Watts	Color Temp	Lumens	Volts	Dimmable	Equiv Watt
100059	SAL-300-T2-50-U	300W	5000K	43,884	120-277V	Yes	1000W
24866	SAL-300-T3-40-U	300W	4000K	43,734	120-277V	Yes	1000W
24868	SAL-300-T3-50-U	300W	5000K	43,734	120-277V	Yes	1000W
100068	SAL-300-T4-40-U	300W	4000K	43,760	120-277V	Yes	1000W
100069	SAL-300-T4-50-U	300W	5000K	43,766	120-277V	Yes	1000W
24867	SAL-300-T5-40-U	300W	4000K	43,734	120-277V	Yes	1000W
24869	SAL-300-T5-50-U	300W	5000K	43,734	120-277V	Yes	1000W

Note - Small Size Image = 100W & 150W, Larger Size = 200W, 240W & 300W. Lens T2 and T4 are available for all wattages on a made-to-order items (expect longer lead time). Average Life: 100,000 hours. Other made to order options include 7PR-See Spec.

Accessories

Product #	Product Code	Description
24870	SEK-SF	SekTor Slipfit Knuckle Mounting Bracket
24871	SEK-QM	SekTor Straight Quick Mount Arm
24872	SEK-TR	SekTor Trunnion Mount
24908	SEK-PM	SekTor Adjustable Pole Mount
24877	SAL-7PR	SekTor Area 7PR Receptacle & Shorting Cap
10231	PC/JL205C	Photocell Twist Lock 120 - 277VAC JL 205C
20260	PC/TW480V	Photocell Twist Lock 480V
24975	DCMSPIR	DC Bi-Level PIR (Passive Infrared) Motion Sensor
24876	DCMS-REM	DC Motion Bi-Level Motion Sensor Remote
24878	SAL-BLS-SM	SekTor Backlight Shield 100W 150W
24879	SAL-BLS-L	SekTor Backlight Shield 200W 240W 300W
24880	SAL-SS-SM	SekTor Side Shield 100W 150W
24881	SAL-SS-L	SekTor Side Shield 200W 240W 300W

Flood Lighting

[View Family Spec](#)



LED Flood - Color Selectable (while Supplies Last)

Product#	Product Code	Watts	Color Temp	Lumens	Volts	Dimmable	Equiv Watts
10347	FLFS100/3CCTU/SF	100W	30/40/50K	13837	120-277V	No	250W MH
10348	FLFS100/3CCTU/YK	100W	30/40/50K	13837	120-277V	No	250W MH
10342	FLFS30/3CCTU/YK	30W	30/40/50K	3597	120-277V	No	100W MH
10344	FLFS50/3CCTU/YK	50W	30/40/50K	6645	120-277V	No	150W MH
10345	FLFS70/3CCTU/SF	70W	30/40/50K	10252	120-277V	No	175W PSMH
10346	FLFS70/3CCTU/YK	70W	30/40/50K	10252	120-277V	No	175W PSMH

Note - SF=Slipfitter, YK=Yoke, KN= Knuckle Mount (in Product Code). Products 10349 & 10350 are High Lumens and Not Color Selectable Avg Life: 100,000 Hours

Accessories

Product #	Product Code	Description
10141	PC/120277	Button Photocell 120-277V for Outdoor Fixtures

[View Family Spec](#)



LED Flood - Mini Bullet

Product#	Product Code	Watts	Color Temp	Lumens	Volts	Dimmable	Equiv Watts
24951	MBUL-10-30-U-BL	10W	3000K	1239	120-277V	No	50W MH
24950	MBUL-10-30-U-BZ	10W	3000K	1239	120-277V	No	50W MH
24953	MBUL-10-50-U-BL	10W	5000K	1284	120-277V	No	50W MH
24952	MBUL-10-50-U-BZ	10W	5000K	1284	120-277V	No	50W MH

Note - Average Life: 30,000 hours

[View Family Spec](#)



LED Flood - Patrol Security

Product#	Product Code	Watts	Color Temp	Lumens	Volts	Dimmable	Equiv Watts
24954	PFL-20-30-U-BZ	20W	3000K	2717	120-277V	No	100W MH
24955	PFL-20-30-U-WH	20W	3000K	2717	120-277V	No	100W MH
24956	PFL-20-50-U-BZ	20W	5000K	2854	120-277V	No	100W MH



[View Family Spec](#)



LED Flood - Patrol Security

Product#	Product Code	Watts	Color Temp	Lumens	Volts	Dimmable	Equiv Watts
24957	PFL-20-50-U-WH	20W	5000K	2854	120-277V	No	100W MH

Note - WH=White, BZ=Bronze (in Product Code). Average life: 30,000 hours

[View Family Spec](#)



LED Flood - SekTor Color Selectable

Product#	Product Code	Watts	Color Temp	Lumens	Volts	Dimmable	Equiv Watts
24901	SFL-150-CS-U-KN	150W	30/40/50K	18,236 -20,406	120-277V	Yes (0-10V)	400W
24900	SFL-150-CS-U-TR	150W	30/40/50K	18,236 -20,552	120-277V	Yes (0-10V)	400W
24903	SFL-200-CS-U-KN	200W	30/40/50K	25,162 -28,382	120-277V	Yes (0-10V)	750W
24902	SFL-200-CS-U-TR	200W	30/40/50K	25,162-28,382	120-277V	Yes (0-10V)	750W
24905	SFL-300-40-U-KN	300W	4000K	42,761	120-277V	Yes (0-10V)	1000W
24904	SFL-300-40-U-TR	300W	4000K	42,761	120-277V	Yes (0-10V)	1000W
24907	SFL-300-50-U-KN	300W	5000K	43,184	120-277V	Yes (0-10V)	1000W
24906	SFL-300-50-U-TR	300W	5000K	43,184	120-277V	Yes (0-10V)	1000W

Note - KN = SlipFitter Knuckle Mount, TR = Trunnion Mount (in Product Code). Average life: 50,000 hours.

Accessories

Product #	Product Code	Description
24915	SFL-VSR-M	SekTor Visor 150W 200W Fixture
24916	SFL-VSR-L	SekTor Visor 300W Fixture
24917	SFL-WGD-M	SekTor WireGuard 150W 200W Fixture
24918	SFL-WGD-L	SekTor WireGuard 300W Fixture
10231	PC/JL205C	Photocell Twist Lock 120 - 277VAC JL 205C
24910	SEK-SPD	SekTor 10 KVA Surge Protection Device for Flood Lights & Dusk to Dawn
24911	SFL-3PR	SekTor Flood 3 Pin Receptacle and Photocell for SekTor Floods



[View Family Spec](#)

LED Flood - SekTor Dusk to Dawn



Product#	Product Code	Watts	Color Temp	Lumens	Volts	Dimmable	Equiv Watts
24846	SDD-40-50-U-GR-3PR	40W	5000K	5400	120-277V	Yes (0-10V)	175 MH
24845	SDD-WS-CS-U-GR-3PR	28, 40 or 60W	30/40/50K	3640-8700	120-277V	Yes (0-10V)	125-200W MH

Note - Average Life: 50,000 hours

Accessories

Product #	Product Code	Description
10261	SDD-90	Sektor Dusk To Dawn 90 Degree Mounting Arm Gray Aluminum

[View Family Spec](#)

LED Flood - Sektor Lumen and Color Select with Adjustable Beam Angle (Lens Shift Technology)



Product#	Product Code	Watts	Color Temp	Lumens	Volts	Dimmable	Equiv Watts
22900	SFLD-15-CS-U-BZ-PC	15W	30/40/50K	1,950-2,220	120-277VAC	Yes (0-10V)	
22901	SFLD-15-CS-U-WH-PC	15W	30/40/50K	1,950-2,220	120-277VAC	Yes (0-10V)	
22902	SFLD1-LS-CS-U-BZ-PC	15, 20 or 30W	30/40/50K	1,950-4,440	120-277VAC	Yes (0-10V)	
22903	SFLD1-LS-CS-U-WH-PC	15, 20 or 30W	30/40/50K	1,950-4,440	120-277VAC	Yes (0-10V)	
22906	SFLD2-HLS-CS-U-BZ-PC	50, 60 or 80W	30/40/50K	6,500-11,840	120-277VAC	Yes (0-10V)	
22907	SFLD2-HLS-CS-U-WH-PC	50, 60 or 80W	30/40/50K	6,500-11,840	120-277VAC	Yes (0-10V)	
22904	SFLD2-LS-CS-U-BZ-PC	35, 45 or 55W	30/40/50K	4,550-8,140	120-277VAC	Yes (0-10V)	
22905	SFLD2-LS-CS-U-WH-PC	35, 45 or 55W	30/40/50K	4,550-8,140	120-277VAC	Yes (0-10V)	
22911	SFLD3-HLS-CS-H-BZ-3PR	100, 125 or 150W	30/40/50K	13,000-22,200	277-480V	Yes (0-10V)	
22909	SFLD3-HLS-CS-U-BZ-3PR	100, 125 or 150W	30/40/50K	13,000- 22,200	120-277VAC	Yes (0-10V)	
22910	SFLD3-LS-CS-H-BZ-3PR	60, 80 or 100W	30/40/50K	7,800-14,800	277-480V	Yes (0-10V)	
22908	SFLD3-LS-CS-U-BZ-3PR	60, 80 or 100W	30/40/50K	7,800-14,800	120-277VAC	Yes (0-10V)	

Note - WH = White, BZ = Bronze (in product code). Product has Dimming, Adj Beam Angle 55 75 or 90 Deg, Integrated On/Off Photocell and two mounts (vary by product). Average life: 100,000 hours.

Accessories

Product #	Product Code	Description
22912	SFLD-1-WG	Wire Guard For Sektor LED Flood with Lens Shift Technology - Product SFLD-15 and SFLD1
22914	SFLD-2-WG	Wire Guard For Sektor LED Flood with Lens Shift Technology - Product SFLD2 and SFLD2-H
22915	SFLD-3-WG	Wire Guard For Sektor LED Flood with Lens Shift Technology - Products SFLD3 and SFLD3-H



LED Flood - Sektor Lumen and Color Select with Adjustable Beam Angle (Lens Shift Technology)

Accessories

Product #	Product Code	Description
22916	SFLD-1-WPM	Yoke Wall Mount Bronze For Sektor LED Flood with Lens Shift Technology - Product SFLD-15 and SFLD-1
22922	SFLD-2-WPM	Yoke Wall Mount Bronze For Sektor LED Flood with Lens Shift Technology - Product SFLD2 and SFLD2-H
22917	SFLD-3-WPM	Yoke Wall Mount Bronze For Sektor LED Flood with Lens Shift Technology - Product SFLD3 and SFLD3-H
22918	SFLD-1-SHROUD	Shroud / Shield Bronze For Sektor LED Flood with Lens Shift Technology - Product SFLD-15 and SFLD-1
22919	SFLD-2-SHROUD	Shroud / Shield Bronze For Sektor LED Flood with Lens Shift Technology - Product SFLD2 and SFLD2-H
22920	SFLD-3-SHROUD	Shroud / Shield Bronze For Sektor LED Flood with Lens Shift Technology - Products SFLD3 and SFLD3-H
10231	PC/JL205C	Photocell Twist Lock 120 - 277VAC JL 205C
20260	PC/TW480V	Photocell Twist Lock 480V

Wallpacks

[View Family Spec](#)

LED Mini Wallpack - SekurPak Color Selectable



Product#	Product Code	Watts	Color Temp	Lumens	Volts	Dimmable	Equiv Watts
10450	SKWP-15-FS-U	15W	30/40/50K	1650-2025	120-277V	No	100W PSMH
10451	SKWP-20-FS-U	20W	30/40/50K	2200-2700	120-277V	No	100W PSMH
10452	SKWP-26-FS-U	26W	30/40/50K	2860-3510	120-277V	No	100W PSMH

[View Family Spec](#)

LED Wallpack - Adjustable & Selectable Color Temp & Watts (except for AWP-1)



Product#	Product Code	Watts	Color Temp	Lumens	Volts	Dimmable	Equiv Watts
39874	AWP-1-15-CS-U-PC	15W	30/40/50K	1761-1904	120-277V	Yes (0-10V)	50W
39875	AWP-2-WS-CS-U-PC	15, 20 or 30W	30/40/50K	2138-3902	120-277V	Yes (0-10V)	50-100W
39876	AWP-3-WS-CS-U-PC	30, 40 or 50W	30/40/50K	3877-7016	120-277V	Yes (0-10V)	100-175W
39877	AWP-4-WS-CS-U-PC	60, 70 or 80W	30/40/50K	8034-11144	120-277V	Yes (0-10V)	175-250W
39878	AWP-5-WS-CS-U-PC	100, 110 or 120W	30/40/50K	31110-16738	120-277V	Yes (0-10V)	250-400W

Note - Includes Photocell-Enable/Disable. Just AWP-1 is not wattage selectable.



[View Family Spec](#)



LED Wallpack - Low Profile Color & Lumen Selectable

Product#	Product Code	Watts	Color Temp	Lumens	Volts	Dimmable	Equiv Watts
39860	LPWP-1-LS-CS-U-BZ	15, 20 or 25W	30/40/50K	1940 -3250	120-277V	Yes (0-10V)	
39862	LPWP-2-HLS-CS-U-BZ	70, 80, 90 or 100W	30/40/50K	9000-13000	120-277V	Yes (0-10V)	
39861	LPWP-2-LS-CS-U-BZ	30, 40, 50 or 60W	30/40/50K	3980-7800	120-277V	Yes (0-10V)	
39863	LPWP-3-LS-CS-U-BZ	100, 120 or 140W	30/40/50K	13000-19000	120-277V	Yes (0-10V)	

Accessories

Product #	Product Code	Description
24876	DCMS-REM	DC Motion Bi-Level Motion Sensor Remote
39884	LPWP-1-SHLD-BZ	Low Profile Wall Pack Shield for Size 1 (LPWP-1) Bronze
39885	LPWP-2-SHLD-BZ	Low Profile Wall Pack Shield for Size 2 (LPWP-2 & LPWP-2HLS) Bronze
39886	LPWP-3-SHLD-BZ	Low Profile Wall Pack Shield for Size 3 (LPWP-3) Bronze
39887	LPWP-1-WG-BZ	Low Profile Wall Pack Wire Guard for Size 1 (LPWP-1) Bronze
39888	LPWP-2-WG-BZ	Low Profile Wall Pack Wire Guard for Size 2 (LPWP-2 & LPWP-2HLS) Bronze
39889	LPWP-3-WG-BZ	Low Profile Wall Pack Wire Guard for Size 3 (LPWP-3) Bronze
39880	DCMS-OUT	DC Bi-Level Microwave Motion Sensor Outdoor Rated (for LPWP-1 & AWP Adjustable wallpacks) with Adjustable Arm, Bronze Bracket (Requires Remote 24876 to Program)
39881	DCMS-OUT-BZ-23	DC Bi-Level Microwave Motion Sensor Outdoor Rated (for LPWP-2, LPWP-2HLS and LPWP-3) with Adjustable Arm, Bronze Bracket (Requires Remote 24876 to Program)
39882	DCPIR-OUT-BZ	DC Bi-Level PIR Motion Sensor Outdoor Rated (for LPWP-1) with Adjustable Arm, Bronze Bracket (Requires Remote 24876 to Program)
39883	DCPIR-OUT-BZ-23	DC Bi-Level PIR Motion Sensor Outdoor Rated (for LPWP-2, LPWP-2HLS and LPWP-3) with Adjustable Arm, Bronze Bracket (Requires Remote 24876 to Program)

[View Family Spec](#)



LED Wallpack - Standard (While Supplies Last)

Product#	Product Code	Watts	Color Temp	Lumens	Volts	Dimmable	Equiv Watts
10397	WPS-120-5K-U	120W	5000K	14465	120-277V	No	400W
10390	WPS-28-4K-U	25W	4000K	3514	120-277V	No	75W
10391	WPS-28-5K-U	25W	5000K	3609	120-277V	No	75W
10393	WPS-40-5K-U	40W	5000K	4948	120-277V	No	150W
10394	WPS-80-4K-U	80W	4000K	9797	120-277V	No	250W
10395	WPS-80-5K-U	80W	5000K	9865	120-277V	No	250W




LED Wallpack - Standard (While Supplies Last)

Accessories

Product #	Product Code	Description
10141	PC/120277	Button Photocell 120-277V for Outdoor Fixtures

[View Family Spec](#)

LED Wallpack - Watt & Color Selectable with Photocell



Product#	Product Code	Watts	Color Temp	Lumens	Volts	Dimmable	Equiv Watts
23532	WPFS1-WS-CS-U-PC	30, 40, 50 or 60W	30/40/50K	4110-7866	120-347V	No	150W-250W
23533	WPFS2-WS-CS-U-PC	70, 80, 90 or 100W	30/40/50K	9656-13344	120-347V	No	300W - 400W
23534	WPFS3-WS-CS-U-PC	100, 120 or 140W	30/40/50K	12,500-17,500	120-347V	No	400W-550W

INDOOR FIXTURES



ProLED Select Commercial
Downlights



ProLED Linear Strip



ProLED Select Backlit Panel



ProLED Select
Flushmount Fixtures



Downlights

[View Family Spec](#)

Downlight - Commercial Retrofit Selectable
Watts & Color Temp



Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
88987	CDL10-WS-CS-U	10in	20, 30 or 40W	27/30/35/40/50K	1914-3477	Yes (0-10V)
88984	CDL4-WS-CS-U	4in	7, 10 or 13W	27/30/35/40/50K	650-1163	Yes (0-10V)
88985	CDL6-WS-CS-U	6in	10, 15 or 22W	27/30/35/40/50K	971-2000	Yes (0-10V)
88986	CDL8-WS-CS-U	8in	12, 20 or 30W	27/30/35/40/50K	1207-2638	Yes (0-10V)

Note - Smooth Baffle Trim

Accessories

Product #	Product Code	Description
90313	BBU/EM9WU	Battery Backup Emergency 9W 120-277V 90 Minute 0-10V Dimming
89142	ACC-NCP-ABH-4R	LED Slim Downlight 4in Round New Construction Rough In Pan with Adjustable Bar Hangers for Drywall & Grid Ceilings
89143	ACC-NCP-ABH-6R	LED Slim Downlight 6in Round New Construction Rough In Pan with Adjustable Bar Hangers for Drywall & Grid Ceilings

[View Family Spec](#)

Downlight - Commercial Retrofit Baffle J-Box



Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
99611	CDL4FR10/930/RTJB/LED	4in	10W	3000K	700	No
99614	CDL6FR15/927/RTJB/LED	6in	15W	2700K	1000	No
99615	CDL6FR15/930/RTJB/LED	6in	15W	3000K	1000	No
99616	CDL6FR15/940/RTJB/LED	6in	15W	4000K	1000	No
99617	CDL6FR15/950/RTJB/LED	6in	15W	5000K	1000	No
99618	CDL8FR30/927/RTJB/LED	8in	30W	2700K	2000	No
99619	CDL8FR30/930/RTJB/LED	8in	30W	3000K	2000	No
99620	CDL8FR30/940/RTJB/LED	8in	30W	4000K	2000	No
99621	CDL8FR30/950/RTJB/LED	8in	30W	5000K	2000	No

Note - 4in Product while supplies last



[View Family Spec](#)



Downlight - Commercial Slim LED Lumen & Color Selectable (Smooth & Baffle)

Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
89171	CSDL-4-LS-CS-BT-DDV	4in	8, 10 or 13W	27/30/35/40/50K	660-1075	Yes (Triac/ELV or 0-10V)
89168	CSDL-4-LS-CS-ST-DDV	4in	8, 10 or 13W	27/30/35/40/50K	660-1075	Yes (Triac/ELV or 0-10V)
89172	CSDL-6-LS-CS-BT-DDV	6in	10, 13 or 15W	27/30/35/40/50K	820-1230	Yes (Triac/ELV or 0-10V)
89169	CSDL-6-LS-CS-ST-DDV	6in	10, 13 or 15W	27/30/35/40/50K	820-1230	Yes (Triac/ELV or 0-10V)
89173	CSDL-8-LS-CS-BT-DDV	8in	13, 15 or 18W	27/30/35/40/50K	1100-1500	Yes (Triac/ELV or 0-10V)
89170	CSDL-8-LS-CS-ST-DDV	8in	13, 15 or 18W	27/30/35/40/50K	1100-1500	Yes (Triac/ELV or 0-10V)

Note - BT=Baffle, ST=Smooth (in product code)

Accessories

Product #	Product Code	Description
89166	FSDLS/RP3RD	ProLED Select Direct Fit Slim Downlight Rough In Pan 3in
89104	FSDLS/RP4RD	ProLED Select Direct Fit Slim Downlight Rough In Pan 4in Round
89105	FSDLS/RP6RD	ProLED Direct Fit Slim Downlight Rough In Pan 6in Round
89129	DFDLS-RP-468-RD	ProLED Select Direct Fit Slim Downlight Adjustable Rough In Pan 4inch 6inch 8inch
89142	ACC-NCP-ABH-4R	LED Slim Downlight 4in Round New Construction Rough In Pan with Adjustable Bar Hangers for Drywall & Grid Ceilings
89120	DFDLS4-RT-RD-BK	Flat Smooth Replacement Trim 4in Black for Slim Downlights (CSDL, FSDLS)
89126	DFDLS4-RT-RD-BZ	Flat Smooth Replacement Trim 4in Bronze for Slim Downlights (CSDL, FSDLS)
89123	DFDLS4-RT-RD-SN	Flat Smooth Replacement Trim 4in Satin Nickel for Slim Downlights (CSDL, FSDLS)
89121	DFDLS6-RT-RD-BK	Flat Smooth Replacement Trim 6in Black for Slim Downlights (CSDL, FSDLS)
89127	DFDLS6-RT-RD-BZ	Flat Smooth Replacement Trim 6in Bronze for Slim Downlights (CSDL, FSDLS)
89124	DFDLS6-RT-RD-SN	Flat Smooth Replacement Trim 6in Satin Nickel for Slim Downlights (CSDL, FSDLS)
89122	DFDLS8-RT-RD-BK	Flat Smooth Replacement Trim 8in Black for Slim Downlights (CSDL, FSDLS)
89128	DFDLS8-RT-RD-BZ	Flat Smooth Replacement Trim 8in Bronze for Slim Downlights (CSDL, FSDLS)
89125	DFDLS8-RT-RD-SN	Flat Smooth Replacement Trim 8in Satin Nickel for Slim Downlights (CSDL, FSDLS)
89130	DFDLS4-RT-RD-BT-BK	Recessed Baffle Replacement Trim 4in Black for Slim Downlights (CSDL, DFDLS)
89136	DFDLS4-RT-RD-BT-BZ	Recessed Baffle Replacement Trim 4in Bronze for Slim Downlights (CSDL, DFDLS)
89133	DFDLS4-RT-RD-BT-SN	Recessed Baffle Replacement Trim 4in Satin Nickel for Slim Downlights (CSDL, DFDLS)
89131	DFDLS6-RT-RD-BT-BK	Recessed Baffle Replacement Trim 6in Black for Slim Downlights (CSDL, DFDLS)
89137	DFDLS6-RT-RD-BT-BZ	Recessed Baffle Replacement Trim 6in Bronze for Slim Downlights (CSDL, DFDLS)
89134	DFDLS6-RT-RD-BT-SN	Recessed Baffle Replacement Trim 6in Satin Nickel for Slim Downlights (CSDL, DFDLS)
89132	DFDLS8-RT-RD-BT-BK	Recessed Baffle Replacement Trim 8in Black for Slim Downlights (CSDL, DFDLS)
89138	DFDLS8-RT-RD-BT-BZ	Recessed Baffle Replacement Trim 8in Bronze for Slim Downlights (CSDL, DFDLS)



Downlight - Commercial Slim LED Lumen & Color Selectable (Smooth & Baffle)

Accessories

Product #	Product Code	Description
89135	DFDLS8-RT-RD-BT-SN	Recessed Baffle Replacement Trim 8in Satin Nickel for Slim Downlights (CSDL, DFDLS)
89111	DFDLS4-RT-RD-RC-BK	Recessed Smooth Replacement Trim 4in Black for Slim Downlights (CSDL, DFDLS)
89117	DFDLS4-RT-RD-RC-BZ	Recessed Smooth Replacement Trim 4in Bronze for Slim Downlights (CSDL, DFDLS)
89114	DFDLS4-RT-RD-RC-SN	Recessed Smooth Replacement Trim 4in Satin Nickel for Slim Downlights (CSDL, DFDLS)
89112	DFDLS6-RT-RD-RC-BK	Recessed Smooth Replacement Trim 6in Black for Slim Downlights (CSDL, DFDLS)
89118	DFDLS6-RT-RD-RC-BZ	Recessed Smooth Replacement Trim 6in Bronze for Slim Downlights (CSDL, DFDLS)
89115	DFDLS6-RT-RD-RC-SN	Recessed Smooth Replacement Trim 6in Satin Nickel for Slim Downlights (CSDL, DFDLS)
89113	DFDLS8-RT-RD-RC-BK	Recessed Smooth Replacement Trim 8in Black for Slim Downlights (CSDL, DFDLS)
89119	DFDLS8-RT-RD-RC-BZ	Recessed Smooth Replacement Trim 8in Bronze for Slim Downlights (CSDL, DFDLS)
89116	DFDLS8-RT-RD-RC-SN	Recessed Smooth Replacement Trim 8in Satin Nickel for Slim Downlights (CSDL, DFDLS)

[View Family Spec](#)



Downlight - Fire Rated Slim Color Selectable
(BT=Baffle, ST=Smooth Trim)

Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
89201	FRSDL-3-CS-BT-120V	3in	6.5W	27/30/35/40/50K	555-595	Yes (Triac)
89200	FRSDL-3-CS-ST-120V	3in	6.5W	27/30/35/40/50K	555-595	Yes (Triac)
89203	FRSDL-4-CS-BT-120V	4in	11W	27/30/35/40/50K	900	Yes (Triac)
89202	FRSDL-4-CS-ST-120V	4in	11W	27/30/35/40/50K	900	Yes (Triac)
89205	FRSDL-6-CS-BT-120V	6in	15W	27/30/35/40/50K	1250	Yes (Triac)
89204	FRSDL-6-CS-ST-120V	6in	15W	27/30/35/40/50K	1250	Yes (Triac)
89207	FRSDL-8-CS-BT-120V	8in	19W	27/30/35/40/50K	1600	Yes (Triac)
89206	FRSDL-8-CS-ST-120V	8in	19W	27/30/35/40/50K	1600	Yes (Triac)

Note - "BT" = Baffle, "ST" = Smooth Trim (in product code)

Accessories

Product #	Product Code	Description
89166	FSDLS/RP3RD	ProLED Select Direct Fit Slim Downlight Rough In Pan 3in
89104	FSDLS/RP4RD	ProLED Select Direct Fit Slim Downlight Rough In Pan 4in Round
89105	FSDLS/RP6RD	ProLED Direct Fit Slim Downlight Rough In Pan 6in Round
89129	DFDLS-RP-468-RD	ProLED Select Direct Fit Slim Downlight Adjustable Rough In Pan 4inch 6inch 8inch
89142	ACC-NCP-ABH-4R	LED Slim Downlight 4in Round New Construction Rough In Pan with Adjustable Bar Hangers for Drywall & Grid Ceilings
89143	ACC-NCP-ABH-6R	LED Slim Downlight 6in Round New Construction Rough In Pan with Adjustable Bar Hangers for Drywall & Grid Ceilings



[View Family Spec](#)



Downlight - Gimbal Direct Fit Color Selectable

Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
82115	DFDLG3-8-CS	3in	6W	27/30/35/40/50K	581-598	Yes (Triac)
82116	DFDLG4-12-CS	4in	10W	27/30/35/40/50K	870-896	Yes (Triac)

Note - Title 20 & JA-8

Accessories

Product #	Product Code	Description
89166	FSDLS/RP3RD	ProLED Select Direct Fit Slim Downlight Rough In Pan 3in
89104	FSDLS/RP4RD	ProLED Select Direct Fit Slim Downlight Rough In Pan 4in Round
89102	FSDLS/EXT12	ProLED Select Direct Fit Slim Downlight Extension Cable 12in

[View Family Spec](#)



Downlight - Gimbal Retrofit Color Selectable
(4in-Friction, 6In-Torsion)

Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
83986	FSDLG4FR8/CCT/LED	4in	8W	27/30/35/40/50K	700	Yes
83987	FSDLG6FR10/CCT/LED	6in	10W	27/30/35/40/50K	900	Yes
83988	FSDLG6FR11/CCT/LED	6in	11W	27/30/35/40/50K	1100	Yes

Note - 4in has Friction Clip Installation, 6in has Torsion Spring Installation. Title 20 & JA-8

[View Family Spec](#)



Downlight - Recessed Direct Fit Slim Baffle
Trim Selectable Color Temp

Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
89150	DFDLS3-8-CS-BT	3in	6W	27/30/35/40/50K	503-534	Yes (Triac)
89107	DFDLS4-10-CS-BT	4in	8W	27/30/35/40/50K	665-710	Yes (Triac)
89151	DFDLS5-12-CS-BT	5in	10W	27/30/35/40/50K	826-865	Yes (Triac)
89108	DFDLS6-12-CS-BT	6in	11W	27/30/35/40/50K	977-1019	Yes (Triac)
89109	DFDLS6-15-CS-BT	6in	13W	27/30/35/40/50K	1117-1166	Yes (Triac)
89110	DFDLS8-18-CS-BT	8in	18W	27/30/35/40/50K	1714-1765	Yes (Triac)



Downlight - Recessed Direct Fit Slim Baffle Trim Selectable Color Temp

Accessories

Product #	Product Code	Description
89156	DFDLS3-RT-RD-BT-BK	Recessed Baffle Replacement Trim 3in Black for Slim Downlights (CSDL, DFDLS)
89164	DFDLS3-RT-RD-BT-BZ	Recessed Baffle Replacement Trim 3in Bronze for Slim Downlights (CSDL, DFDLS)
89160	DFDLS3-RT-RD-BT-SN	Recessed Baffle Replacement Trim 3in Satin Nickel for Slim Downlights (CSDL, DFDLS)
89130	DFDLS4-RT-RD-BT-BK	Recessed Baffle Replacement Trim 4in Black for Slim Downlights (CSDL, DFDLS)
89136	DFDLS4-RT-RD-BT-BZ	Recessed Baffle Replacement Trim 4in Bronze for Slim Downlights (CSDL, DFDLS)
89133	DFDLS4-RT-RD-BT-SN	Recessed Baffle Replacement Trim 4in Satin Nickel for Slim Downlights (CSDL, DFDLS)
89157	DFDLS5-RT-RD-BT-BK	Recessed Baffle Replacement Trim 5in Black for Slim Downlights (CSDL, DFDLS)
89165	DFDLS5-RT-RD-BT-BZ	Recessed Baffle Replacement Trim 5in Bronze for Slim Downlights (CSDL, DFDLS)
89161	DFDLS5-RT-RD-BT-SN	Recessed Baffle Replacement Trim 5in Satin Nickel for Slim Downlights (CSDL, DFDLS)
89131	DFDLS6-RT-RD-BT-BK	Recessed Baffle Replacement Trim 6in Black for Slim Downlights (CSDL, DFDLS)
89137	DFDLS6-RT-RD-BT-BZ	Recessed Baffle Replacement Trim 6in Bronze for Slim Downlights (CSDL, DFDLS)
89134	DFDLS6-RT-RD-BT-SN	Recessed Baffle Replacement Trim 6in Satin Nickel for Slim Downlights (CSDL, DFDLS)
89132	DFDLS8-RT-RD-BT-BK	Recessed Baffle Replacement Trim 8in Black for Slim Downlights (CSDL, DFDLS)
89118	DFDLS6-RT-RD-RC-BZ	Recessed Smooth Replacement Trim 6in Bronze for Slim Downlights (CSDL, DFDLS)
89138	DFDLS8-RT-RD-BT-BZ	Recessed Baffle Replacement Trim 8in Bronze for Slim Downlights (CSDL, DFDLS)
89135	DFDLS8-RT-RD-BT-SN	Recessed Baffle Replacement Trim 8in Satin Nickel for Slim Downlights (CSDL, DFDLS)
89111	DFDLS4-RT-RD-RC-BK	Recessed Smooth Replacement Trim 4in Black for Slim Downlights (CSDL, DFDLS)
89117	DFDLS4-RT-RD-RC-BZ	Recessed Smooth Replacement Trim 4in Bronze for Slim Downlights (CSDL, DFDLS)
89114	DFDLS4-RT-RD-RC-SN	Recessed Smooth Replacement Trim 4in Satin Nickel for Slim Downlights (CSDL, DFDLS)
89112	DFDLS6-RT-RD-RC-BK	Recessed Smooth Replacement Trim 6in Black for Slim Downlights (CSDL, DFDLS)
89118	DFDLS6-RT-RD-RC-BZ	Recessed Smooth Replacement Trim 6in Bronze for Slim Downlights (CSDL, DFDLS)
89115	DFDLS6-RT-RD-RC-SN	Recessed Smooth Replacement Trim 6in Satin Nickel for Slim Downlights (CSDL, DFDLS)
89113	DFDLS8-RT-RD-RC-BK	Recessed Smooth Replacement Trim 8in Black for Slim Downlights (CSDL, DFDLS)
89119	DFDLS8-RT-RD-RC-BZ	Recessed Smooth Replacement Trim 8in Bronze for Slim Downlights (CSDL, DFDLS)
89116	DFDLS8-RT-RD-RC-SN	Recessed Smooth Replacement Trim 8in Satin Nickel for Slim Downlights (CSDL, DFDLS)
89166	FSDLS/RP3RD	ProLED Select Direct Fit Slim Downlight Rough In Pan 3in
89167	FSDLS/RP5RD	ProLED Select Direct Fit Slim Downlight Rough In Pan 5in
89104	FSDLS/RP4RD	ProLED Select Direct Fit Slim Downlight Rough In Pan 4in Round
89105	FSDLS/RP6RD	ProLED Direct Fit Slim Downlight Rough In Pan 6in Round
89102	FSDLS/EXT12	ProLED Select Direct Fit Slim Downlight Extension Cable 12in



[View Family Spec](#)



Downlight - Recessed Slim Color Selectable

Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
89152	FSDLS3FR8/CCT/LED	3in	6W	27/30/35/40/50K	504-537	Yes (Triac)
89093	FSDLS4FR10/CCT/LED	4in	8W	27/30/35/40/50K	749-777	Yes (Triac)
89140	FSDLS4FR10/CCT/LED/4PK	4in	8W	27/30/35/40/50K	749-777	Yes (Triac)
89096	FSDLS4FR10/SQ/CCT/LED	4in	8W	27/30/35/40/50K	649-730	Yes (Triac)
89153	FSDLS5FR12/CCT/LED	5in	10W	27/30/35/40/50K	863-907	Yes (Triac)
89094	FSDLS6FR12/CCT/LED	6in	11W	27/30/35/40/50K	927-978	Yes (Triac)
89141	FSDLS6FR12/CCT/LED/4PK	6in	11W	27/30/35/40/50K	927-978	Yes (Triac)
89097	FSDLS6FR12/SQ/CCT/LED	6in	11W	27/30/35/40/50K	1040-1089	Yes (Triac)
89095	FSDLS6FR15/CCT/LED	6in	13W	27/30/35/40/50K	1105-1163	Yes (Triac)
89098	FSDLS6FR15/SQ/CCT/LED	6in	13W	27/30/35/40/50K	1159-1199	Yes (Triac)
89106	FSDLS8FR18/CCT/LED	8in	18W	27/30/35/40/50K	1712-1768	Yes (Triac)

Note - Product ID's 89140 & 89141 are 4-Packs, 89096, 89097, 89098 are Square (SQ in product code)

Accessories

Product #	Product Code	Description
89154	DFDLS3-RT-RD-BK	Flat Smooth Replacement Trim 3in Black for Slim Downlights (CSDL, FSDLS)
89162	DFDLS3-RT-RD-BZ	Flat Smooth Replacement Trim 3in Bronze for Slim Downlights (CSDL, FSDLS)
89158	DFDLS3-RT-RD-SN	Flat Smooth Replacement Trim 3in Satin Nickel for Slim Downlights (CSDL, FSDLS)
89120	DFDLS4-RT-RD-BK	Flat Smooth Replacement Trim 4in Black for Slim Downlights (CSDL, FSDLS)
89126	DFDLS4-RT-RD-BZ	Flat Smooth Replacement Trim 4in Bronze for Slim Downlights (CSDL, FSDLS)
89123	DFDLS4-RT-RD-SN	Flat Smooth Replacement Trim 4in Satin Nickel for Slim Downlights (CSDL, FSDLS)
89155	DFDLS5-RT-RD-BK	Flat Smooth Replacement Trim 5in Black for Slim Downlights (CSDL, FSDLS)
89163	DFDLS5-RT-RD-BZ	Flat Smooth Replacement Trim 5in Bronze for Slim Downlights (CSDL, FSDLS)
89159	DFDLS5-RT-RD-SN	Flat Smooth Replacement Trim 5in Satin Nickel for Slim Downlights (CSDL, FSDLS)
89121	DFDLS6-RT-RD-BK	Flat Smooth Replacement Trim 6in Black for Slim Downlights (CSDL, FSDLS)
89127	DFDLS6-RT-RD-BZ	Flat Smooth Replacement Trim 6in Bronze for Slim Downlights (CSDL, FSDLS)
89124	DFDLS6-RT-RD-SN	Flat Smooth Replacement Trim 6in Satin Nickel for Slim Downlights (CSDL, FSDLS)
89122	DFDLS8-RT-RD-BK	Flat Smooth Replacement Trim 8in Black for Slim Downlights (CSDL, FSDLS)
89128	DFDLS8-RT-RD-BZ	Flat Smooth Replacement Trim 8in Bronze for Slim Downlights (CSDL, FSDLS)
89125	DFDLS8-RT-RD-SN	Flat Smooth Replacement Trim 8in Satin Nickel for Slim Downlights (CSDL, FSDLS)



[View Family Spec](#)



Downlight - Retrofit Series Color Selectable
Baffle & Smooth

Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
87983	RDL4-8-CS-BT	4in	8W	27/30/35/40/50K	700	Yes
87986	RDL4-8-CS-ST	4in	8W	27/30/35/40/50K	700	Yes
87984	RDL6-10.5-CS-BT	6in	10W	27/30/35/40/50K	900	Yes
87987	RDL6-10.5-CS-ST	6in	10W	27/30/35/40/50K	900	Yes
87985	RDL6-14-CS-BT	6in	14W	27/30/35/40/50K	1200	Yes
87988	RDL6-14-CS-ST	6in	14W	27/30/35/40/50K	1200	Yes

Note - "BT" = Baffle, "ST" = Smooth Trim (in product code). 4in has Friction Clip Installation, 6in has Torsion Spring Installation

Accessories

Product #	Product Code	Description
87960	RDL4-RT-BT-BK	ProLED Select Retrofit Downlight 4 Round Replaceable Baffle Trim Black
87961	RDL6-RT-BT-BK	ProLED Retrofit Downlight 6 Round Replacable Baffle Trim Black
87962	RDL4-RT-ST-BK	ProLED Select Retrofit Downlight 4 Round Replacable Smooth Trim Black
87963	RDL6-RT-ST-BK	ProLED Select Retrofit Downlight 6 Round Replacable Smooth Trim Black
87964	RDL4-RT-BT-BN	ProLED Select Retrofit Downlight 4 Round Replacable Baffle Trim Brushed Nickel
87965	RDL6-RT-BT-BN	ProLED Select Retrofit Downlight 6 Round Replacable Baffle Trim Brushed Nickel
87966	RDL4-RT-ST-BN	ProLED Select Retrofit Downlight 4 Round Replacable Smooth Trim Brushed Nickel
87967	RDL6-RT-ST-BN	ProLED Select Retrofit Downlight 6Round Replacable Smooth Trim Brushed Nickel
87968	RDL4-RT-BT-BZ	ProLED Select Retrofit Downlight 4 Round Replacable Baffle Trim Bronze
87969	RDL6-RT-BT-BZ	ProLED Select Retrofit Downlight 6 Round Replacable Baffle Trim Bronze
87970	RDL4-RT-ST-BZ	ProLED Select Retrofit Downlight 4 Round Replacable Smooth Trim Bronze
87971	RDL6-RT-ST-BZ	ProLED Select Retrofit Downlight 6 Round Replacable Smooth Trim Bronze
87972	RDL6-RB	ProLED Select Retrofit Downlight 6 Friction Installation Band
87973	RDL4-GR	ProLED Select Retrofit Downlight 4 Goof Ring 4-6
87974	RDL6-GR	ProLED Select Retrofit Downlight 6 Goof Ring 6 8

[View Family Spec](#)



Downlight - Retrofit Series Wet Location (4in-
Friction, 6in-Torsion)

Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
99733	DL4FR9/927/LED3	4in	9W	2700K	765	Yes
99734	DL4FR9/930/LED3	4in	9W	3000K	765	Yes
99735	DL4FR9/940/LED3	4in	9W	4000K	765	Yes



[View Family Spec](#)



Downlight - Retrofit Series Wet Location (4in-Friction, 6in-Torsion)

Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
99736	DL4FR9/950/LED3	4in	9W	5000K	765	Yes
99745	DL6FR12/927/LED3	6in	13W	2700K	1100	Yes
99746	DL6FR12/930/LED3	6in	13W	3000K	1100	Yes
99747	DL6FR12/940/LED3	6in	13W	4000K	1100	Yes
99748	DL6FR12/950/LED3	6in	13W	5000K	1100	Yes
99741	DL6FR9/927/LED3	6in	9W	2700K	810	Yes
99742	DL6FR9/930/LED3	6in	9W	3000K	810	Yes
99743	DL6FR9/940/LED3	6in	9W	4000K	810	Yes
99744	DL6FR9/950/LED3	6in	9W	5000K	810	Yes

Note - 4in has Friction Clip Installation, 6in has Torsion Spring Installation - While Supplies Last

[View Family Spec](#)



Downlight - Surface Disk Color Selectable Multiple Trim Accessories

Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
83900	DSK-12-CS-120V	12in	22W	27/30/35/40/50K	1650	Yes (Triac)
83897	DSK-5.5-CS-120V	5.5in	10W	27/30/35/40/50K	820	Yes (Triac)
83898	DSK-7-CS-120V	7in	14W	27/30/35/40/50K	1150	Yes (Triac)
83899	DSK-9-CS-120V	9in	18W	27/30/35/40/50K	1480	Yes (Triac)

Note - New Flat Slim Disk Surface Mount to J-box Wet Location Rated

Accessories

Product #	Product Code	Description
83924	DSK-5.5-TRM-BK	Surface Mount Disk 5.5in Round Trim Black
83925	DSK-5.5-TRM-BN	Surface Mount Disk 5.5in Round Trim Brushed Nickel
83926	DSK-5.5-TRM-BC	Surface Mount Disk 5.5in Round Trim Brushed Copper
83927	DSK-5.5-TRM-DB	Surface Mount Disk 5.5in Round Trim Dark Bronze
83928	DSK-7-TRM-BK	Surface Mount Disk 7in Round Trim Black
83929	DSK-7-TRM-BN	Surface Mount Disk 7in Round Trim Brushed Nickel
83930	DSK-7-TRM-BC	Surface Mount Disk 7in Round Trim Brushed Copper
83931	DSK-7-TRM-DB	Surface Mount Disk 7in Round Trim Dark Bronze
83932	DSK-9-TRM-BK	Surface Mount Disk 9in Round Trim Black
83933	DSK-9-TRM-BN	Surface Mount Disk 9in Round Trim Brushed Nickel



Downlight - Surface Disk Color Selectable Multiple Trim Accessories

Accessories

Product #	Product Code	Description
83934	DSK-9-TRM-BC	Surface Mount Disk 9in Round Trim Brushed Copper
83935	DSK-9-TRM-DB	Surface Mount Disk 9in Round Trim Dark Bronze
83936	DSK-12-TRM-BK	Surface Mount Disk 12in Round Trim Black
83937	DSK-12-TRM-BN	Surface Mount Disk 12in Round Trim Brushed Nickel
83938	DSK-12-TRM-BC	Surface Mount Disk 12in Round Trim Brushed Copper
83939	DSK-12-TRM-DB	Surface Mount Disk 12in Round Trim Dark Bronze

[View Family Spec](#)

Downlight - Surface Mount New Gen
(Integrated PIR & Multi-Pack Options) Multiple Trim Accessories



Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
83890	SMD-4-CS-120V	4in	10W	27/30/35/40/50K	850	Yes (Triac)
83893	SMD-4-CS-120V-PIR	4in	10W	30/40/50K	820	Yes (Triac)
83895	SMD-6-930-120V-24PK	6in	15W	3000K	1230	Yes (Triac)
83891	SMD-6-CS-120V	6in	15W	27/30/35/40/50K	1230	Yes (Triac)
83896	SMD-6-CS-120V-24PK	6in	15W	27/30/35/40/50K	1230	Yes (Triac)
83894	SMD-6-CS-120V-PIR	6in	15W	30/40/50K	1250	Yes (Triac)
83892	SMD-8-CS-120V	8in	18W	27/30/35/40/50K	1500	Yes (Triac)

Note - Product Code ending in -PIR have integrated PIR Sensor. -24PK are 24-Packs (Color Selectable or 3000K options). E26 Adaptors available -see Accessories. Wet Location

Accessories

Product #	Product Code	Description
83922	SMD-4-E26-KIT	Surface Mount Downlight 4in E26 Adapter Mounting Kit with Friction Clips
83923	SMD-6-8-E26-KIT	Surface Mount Downlight 6in and 8in E26 Adapter Mounting Kit with Torsion Springs
83910	SMD-4-TRM-BK	Surface Mount Downlight 4in Round Trim Black
83911	SMD-4-TRM-BN	Surface Mount Downlight 4in Round Trim Brushed Nickel
83912	SMD-4-TRM-BC	Surface Mount Downlight 4in Round Trim Brushed Copper
83913	SMD-4-TRM-DB	Surface Mount Downlight 4in Round Trim Dark Bronze
83914	SMD-6-TRM-BK	Surface Mount Downlight 6in Round Trim Black
83915	SMD-6-TRM-BN	Surface Mount Downlight 6in Round Trim Brushed Nickel
83916	SMD-6-TRM-BC	Surface Mount Downlight 6in Round Trim Brushed Copper
83917	SMD-6-TRM-DB	Surface Mount Downlight 6in Round Trim Dark Bronze
83918	SMD-8-TRM-BK	Surface Mount Downlight 8in Round Trim Black




Downlight - Surface Mount New Gen (Integrated PIR & Multi-Pack Options) Multiple Trim Accessories

Accessories

Product #	Product Code	Description
83919	SMD-8-TRM-BN	Surface Mount Downlight 8in Round Trim Brushed Nickel
83920	SMD-8-TRM-BC	Surface Mount Downlight 8in Round Trim Brushed Copper
83921	SMD-8-TRM-DB	Surface Mount Downlight 8in Round Trim Dark Bronze

[View Family Spec](#)

Downlight - Surface Wet Location (While Supplies Last)



Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
82989	SDL6FR15/927/LED3	6in	15W	2700K	1200	Yes (Triac)
82990	SDL6FR15/930/LED3	6in	15W	3000K	1200	Yes (Triac)
82991	SDL6FR15/940/LED3	6in	15W	4000K	1200	Yes (Triac)
82992	SDL6FR15/950/LED3	6in	15W	5000K	1200	Yes (Triac)

[View Family Spec](#)

Downlight - Surface Wet Location Color Selectable (While Supplies Last)



Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
82993	SDL4-10-CS	4in	10W	27/30/35/40/50K	612 - 744	Yes (Triac)
82994	SDL6-15-CS	6in	15W	27/30/35/40/50K	1188 - 1290	Yes (Triac)

Note - Product IS 82996 comes with a Motion Sensor installed.

Residential Ceiling Fixtures

[View Family Spec](#)

Residential Ceiling Fixture - Double Ring



Product#	Product Code	Size	Watts	Color Temp	Lumens	dimmable	Avg Life
90260	FM-DR12-16-CS	12in	16W	27/30/35/40/50K	1120	Yes	50,000
90261	FM-DR14-20-CS	14in	20W	27/30/35/40/50K	1500	Yes	50,000
90262	FM-DR16-24-CS	16in	24W	27/30/35/40/50K	1680	Yes	50,000



[View Family Spec](#)

Residential Ceiling Fixture - Mushroom



Product#	Product Code	Size	Watts	Color Temp	Lumens	dimmable	Avg Life
90263	FM-M11-16-CS	11in	16W	27/30/35/40/50K	1200	Yes	50,000
90264	FM-M14-24-CS	14in	24W	27/30/35/40/50K	1800	Yes	50,000

Highbay Lighting

[View Family Spec](#)

Linear Highbay - Compact Essential Series



Product#	Product Code	Watts	Color Temp	Lumens	Dimmable	Equiv Watts
36104	ECLHB-110-50-U	110W	5000K	14960	Yes (0-10V)	
36105	ECLHB-220-50-U	220W	5000K	29920	Yes (0-10V)	

Note - When using CLHB-BBU-9 or 16 and DCMS Motion Sensor, DCMS Sensor must be set to standby time on the motion sensor remote. This setting allows the fixture to not turn off in EM Mode

Accessories

Product #	Product Code	Description
24875	DCMS	DC Bi-Level Microwave Motion Sensor
24975	DCMSPIR	DC Bi-Level PIR (Passive Infrared) Motion Sensor
24876	DCMS-REM	DC Motion Bi-Level Motion Sensor Remote
99986	LHB/MC	Line Voltage PIR Motion Control Sensor (0-10V dimming) LSXR 610 HL
36148	CLHB-1-A-WG	Compact Linear Highbay Wire Guard Size 1 for ECLHB-110/CLHB-1
36150	CLHB-34-A-WG	Compact Linear Highbay Wire Guard Size 3 & 4 for ECLHB-220/CLHB-3&4
36151	CLHB-12-M-PEND	Compact Linear Highbay Pendant Mount Size 1 & 2 for ECLHB-110/CLHB-1&2
36152	CLHB-12-M-SURF	Compact Linear Highbay Surface Mount Size 1 & 2 for ECLHB-110/CLHB-1&2 sold as pair
36153	CLHB-34-M-PEND	Compact Linear Highbay Pendant Mount Size 2 & 4 for ECLHB-220/CLHB-3&4
36154	CLHB-34-M-SURF	Compact Linear Highbay Surface Mount Size 3 & 4 for ECLHB-220/CLHB-3&4 sold as pair
36155	CLHB-BBU-9	Compact Linear Highbay Battery Backup (9W/90Min) for all ECLHB/CLHB (YH36A-09WL-300)
36156	CLHB-12-DR-480V	Compact Linear Highbay High Voltage Driver 277-480VAC Size 1 & 2 for ECLHB-110/CLHB-1&2
36157	CLHB-3-DR-480V	Compact Linear Highbay High Voltage Driver 277-480VAC Size 3 for ECLHB-220/CLHB-3

Non-Stock Items

Product #	Product Code	Description
36137	ECLHB-110-50-H	ProLED Essential Compact Linear Highbay 110W 14960 Lumen 5000K HV 277-480VAC Chain Mount
36139	ECLHB-110-50-H-EM	ProLED Essential Compact Linear Highbay 110W 14960 Lumen 5000K HV 277-480VAC Chain Mount with Emergency Battery Backup



Linear Highbay - Compact Essential Series

Non-Stock Items

Product #	Product Code	Description
36139	ECLHB-110-50-H-EM	ProLED Essential Compact Linear Highbay 110W 14960 Lumen 5000K HV 277-480VAC Chain Mount with Emergency Battery Backup
36138	ECLHB-110-50-H-PIRMS	ProLED Essential Compact Linear Highbay 110W 14960 Lumen 5000K HV 277-480VAC Chain Mount with PIR Motion Sensor
36135	ECLHB-110-50-U-EM	ProLED Essential Compact Linear Highbay 110W 14960 Lumen 5000K 120-277VAC Chain Mount with Emergency Battery Backup
36134	ECLHB-110-50-U-PIRMS	ProLED Essential Compact Linear Highbay 110W 14960 Lumen 5000K 120-277VAC Chain Mount with PIR Motion Sensor
36144	ECLHB-220-50-H	ProLED Essential Compact Linear Highbay 220W 29920 Lumen 5000K HV 277-480VAC Chain Mount
36146	ECLHB-220-50-H-EM	ProLED Essential Compact Linear Highbay 220W 29920 Lumen 5000K HV 277-480VAC Chain Mount with Emergency Battery Backup
36145	ECLHB-220-50-H-PIRMS	ProLED Essential Compact Linear Highbay 220W 29920 Lumen 5000K HV 277-480VAC Chain Mount with Cable Mount with PIR Motion Sensor
36142	ECLHB-220-50-U-EM	ProLED Essential Compact Linear Highbay 220W 29920 Lumen 5000K 120-277VAC Chain Mount with Emergency Battery Backup
36141	ECLHB-220-50-U-PIRMS	ProLED Essential Compact Linear Highbay 220W 29920 Lumen 5000K 120-277VAC Chain Mount with PIR Motion Sensor

[View Family Spec](#)

Linear Highbay - Compact Series Selectable Watts & Color Temp



Product#	Product Code	Watts	Color Temp	Lumens	Dimmable	Equiv Watts
36100	CLHB-1-WS-CS-U	90, 110 or 130W	40K/50K	12,010-17,588	Yes (0-10V)	
36101	CLHB-2-WS-CS-U	140, 150 or 165W	40K/50K	19,859-23,736	Yes (0-10V)	
36102	CLHB-3-WS-CS-U	180, 200 or 220W	40K/50K	24,540-31,023	Yes (0-10V)	
36103	CLHB-4-WS-CS-U	240, 280 or 320W	40K/50K	32,450-45,237	Yes (0-10V)	

Note - When using CLHB-BBU-9 or 16 and DCMS Motion Sensor, DCMS Sensor must be set to standby time on the motion sensor remote. This setting allows the fixture to not turn off in EM Mode

Accessories

Product #	Product Code	Description
24875	DCMS	DC Bi-Level Microwave Motion Sensor
24975	DCMSPIR	DC Bi-Level PIR (Passive Infrared) Motion Sensor
24876	DCMS-REM	DC Motion Bi-Level Motion Sensor Remote
99986	LHB/MC	Line Voltage PIR Motion Control Sensor (0-10V dimming) LSXR 610 HL
36148	CLHB-1-A-WG	Compact Linear Highbay Wire Guard Size 1 for ECLHB-110/CLHB-1
36149	CLHB-2-A-WG	Compact Linear Highbay Wire Guard Size 2 for CLHB-2
36150	CLHB-34-A-WG	Compact Linear Highbay Wire Guard Size 3 & 4 for ECLHB-220/CLHB 3&4
36151	CLHB-12-M-PEND	Compact Linear Highbay Pendant Mount Size 1 & 2 for ECLHB-110/CLHB-1&2
36152	CLHB-12-M-SURF	Compact Linear Highbay Surface Mount Size 1 & 2 for ECLHB-110/CLHB-1&2 sold as pair
36153	CLHB-34-M-PEND	Compact Linear Highbay Pendant Mount Size 2 & 4 for ECLHB-220/CLHB-3&4



Linear Highbay - Compact Series Selectable Watts & Color Temp

Accessories

Product #	Product Code	Description
36154	CLHB-34-M-SURF	Compact Linear Highbay Surface Mount Size 3 & 4 for ECLHB-220/CLHB-3&4 sold as pair
36155	CLHB-BBU-9	Compact Linear Highbay Battery Backup (9W/90Min) for all ECLHB/CLHB (YH36A-09WL-300)
36156	CLHB-12-DR-480V	Compact Linear Highbay High Voltage Driver 277-480VAC Size 1 & 2 for ECLHB-110/CLHB-1&2
36157	CLHB-3-DR-480V	Compact Linear Highbay High Voltage Driver 277-480VAC Size 3 for ECLHB-220/CLHB-3
36158	CLHB-4-DR-480V	Compact Linear Highbay High Voltage Driver 277-480VAC Siaxe 4 for CLHB-4

Non-Stock Items

Product #	Product Code	Description
36109	CLHB-1-WS-CS-H	ProLED Select Compact Linear Highbay 1 Watts Selectable 130W-110W-90W, Color Selectable 4000K-5000K HV 277-480VAC with Cable Mount
36111	CLHB-1-WS-CS-H-EM	ProLED Select Compact Linear Highbay 1 Watts Selectable 130W-110W-90W, Color Selectable 4000K-5000K HV 277-480VAC with Cable Mount with Emergency Battery Backup
36110	CLHB-1-WS-CS-H-PIRMS	ProLED Select Compact Linear Highbay 1 Watts Selectable 130W-110W-90W, Color Selectable 4000K-5000K HV 277-480VAC with Cable Mount with PIR Motion Sensor
36107	CLHB-1-WS-CS-U-EM	ProLED Select Compact Linear Highbay 1 Watts Selectable 90W-110W-130W (12010-17588 Lumen) Color Selectable 4000K-5000K 120-277VAC Chain Mount with Emergency Battery Backup
36106	CLHB-1-WS-CS-U-PIRMS	ProLED Select Compact Linear Highbay 1 Watts Selectable 90W-110W-130W (12010-17588 Lumen) Color Selectable 4000K-5000K 120-277VAC Chain Mount with PIR Motion Sensor
36116	CLHB-2-WS-CS-H	ProLED Select Compact Linear Highbay 2 Watts Selectable 140W-150W-165W (19859-23736 Lumens) Color Selectable 4000K-5000K HV 277-480VAC with Cable Mount
36118	CLHB-2-WS-CS-H-EM	ProLED Select Compact Linear Highbay 2 Watts Selectable 140W-150W-165W (19859-23736 Lumens) Color Selectable 4000K-5000K HV 277-480VAC Cable Mount with Emergency Battery Backup
36117	CLHB-2-WS-CS-H-PIRMS	ProLED Select Compact Linear Highbay 2 Watts Selectable 140W-150W-165W (19859-23736 Lumens) Color Selectable 4000K-5000K HV 277-480VAC Cable Mount with PIR Motion Sensor
36114	CLHB-2-WS-CS-U-EM	ProLED Select Compact Linear Highbay 2 Watts Selectable 140W-150W-165W (19859-23736 Lumens) Color Selectable 4000K-5000K 120-277VAC Chain Mount with Emergency Battery Backup
36113	CLHB-2-WS-CS-U-PIRMS	ProLED Select Compact Linear Highbay 2 Watts Selectable 140W-150W-165W (19859-23736 Lumens) Color Selectable 4000K-5000K 120-277VAC Chain Mount with PIR Motion Sensor
36123	CLHB-3-WS-CS-H	ProLED Select Compact Linear Highbay 3 Watts Selectable 180W-200W-220W (24540-31023 Lunens) Color Selectable 4000K-5000K HV 277-480VAC Chain Mount
36125	CLHB-3-WS-CS-H-EM	ProLED Select Compact Linear Highbay 3 Watts Selectable 180W-200W-220W (24540-31023 Lunens) Color Selectable 4000K-5000K HV 277-480VAC Chain Mount with Emergency Battery Backup
36124	CLHB-3-WS-CS-H-PIRMS	ProLED Select Compact Linear Highbay 3 Watts Selectable 180W-200W-220W (24540-31023 Lunens) Color Selectable 4000K-5000K HV 277-480VAC Chain Mount with PIR Motion Sensor
36121	CLHB-3-WS-CS-U-EM	ProLED Select Compact Linear Highbay 3 Watts Selectable 180W-200W-220W (24540-31023 Lunens) Color Selectable 4000K-5000K 120-277VAC Chain Mount with Emergency Battery Backup
36120	CLHB-3-WS-CS-U-PIRMS	ProLED Select Compact Linear Highbay 3 Watts Selectable 180W-200W-220W (24540-31023 Lunens) Color Selectable 4000K-5000K 120-277VAC Chain Mount with PIR Motion Sensor
36130	CLHB-4-WS-CS-H	ProLED Select Compact Linear Highbay 4 Watts Selectable 240W-280W-320W (32450-45287 Lumens) Color Selectable 4000K-5000K HV 277-480VAC Chain Mount
36132	CLHB-4-WS-CS-H-EM	ProLED Select Compact Linear Highbay 4 Watts Selectable 240W-280W-320W (32450-45287 Lumens) Color Selectable 4000K-5000K HV 277-480VAC Chain Mount with Emergency Battery Backup
36131	CLHB-4-WS-CS-H-PIRMS	ProLED Select Compact Linear Highbay 4 Watts Selectable 240W-280W-320W (32450-45287 Lumens) Color Selectable 4000K-5000K HV 277-480VAC Chain Mount with PIR Motion Sensor
36128	CLHB-4-WS-CS-U-EM	ProLED Select Compact Linear Highbay 4 Watts Selectable 240W-280W-320W (32450-45287 Lumens) Color Selectable 4000K-5000K 120-277VAC Chain Mount with Emergency Battery Backup



Linear Highbay - Compact Series Selectable Watts & Color Temp

Non-Stock Items

Product #	Product Code	Description
36128	CLHB-4-WS-CS-U-EM	ProLED Select Compact Linear Highbay 4 Watts Selectable 240W-280W-320W (32450-45287 Lumens) Color Selectable 4000K-5000K 120-277VAC Chain Mount with Emergency Battery Backup
36127	CLHB-4-WS-CS-U-PIRMS	ProLED Select Compact Linear Highbay 4 Watts Selectable 240W-280W-320W (32450-45287 Lumens) Color Selectable 4000K-5000K 120-277VAC Chain Mount with PIR Motion Sensor

[View Family Spec](#)

Linear Highbay - Premier Series (while supplies last)



Product#	Product Code	Watts	Color Temp	Lumens	Dimmable	Equiv Watts
10419	HLHB1/101/U50	101W	5000K	14,721	Yes (0-10V)	4-lamp (T8)/175W HID

Note - Phase-out product lines

Accessories

Product #	Product Code	Description
99986	LHB/MC	Line Voltage PIR Motion Control Sensor (0-10V dimming) LSXR 610 HL

[View Family Spec](#)

Linear Highbay - Selectable Wattage



Product#	Product Code	Watts	Color Temp	Lumens	Dimmable	Equiv Watts
30280	LHB-1-WS-40-U	70, 90 or 110W	4000K	15,000	Yes (0-10V)	4-lamp (T8)/250W HID
30281	LHB-1-WS-50-U	70, 90 or 110W	5000K	15,000	Yes (0-10V)	4-lamp (T8)/250W HID
30282	LHB-2-WS-40-U	110, 135 or 160W	4000K	21,500	Yes (0-10V)	4-lamp (T5HO)/6-lamp (T8)/400W HID
30283	LHB-2-WS-50-U	110, 135 or 160W	5000K	21,500	Yes (0-10V)	4-lamp (T5HO)/6-lamp (T8)/400W HID
30284	LHB-3-WS-40-U	180, 200 or 220W	4000K	30,000	Yes (0-10V)	6-lamp (T5HO)/8-lamp (T8)/600W HID
30285	LHB-3-WS-50-U	180, 200 or 220W	5000K	30,000	Yes (0-10V)	6-lamp (T5HO)/8-lamp (T8)/600W HID
30286	LHB-4-WS-40-U	240, 280 or 320W	4000K	43,000	Yes (0-10V)	8-Lamp T5HO/1000W HID
30287	LHB-4-WS-50-U	240, 280 or 320W	5000K	43,000	Yes (0-10V)	8-Lamp T5HO/1000W HID



Linear Highbay - Selectable Wattage

Accessories

Product #	Product Code	Description
30288	LHB-PMA	LHB Pendant Mounting Assembly For Wattage Selectable LHB
30289	LHB-SMK-1	Linear Highbay Surface Mount Kit Assembly For Wattage Selectable LHB1, LHB2, LHB4
30290	LHB-SMK-2	Linear Highbay Surface Mount Kit Assembly For Wattage Selectable LHB3
30291	LHB-MWMS	Linear Highbay Low Voltage Motion Control Sensor (PIR)
30292	LHB-MS-RC	PIR and Microwave Motion Control Sensor Remote for Programming #90550, #90552, #30291
99986	LHB/MC	Line Voltage PIR Motion Control Sensor (0-10V dimming) LSXR 610 HL
99654	LHB1&2-WG	Linear High Bay Wire Guard For LHB-1 & LHB-2
99655	LHB3-WG	Linear High Bay Wire Guard For LHB-3
99656	LHB4-WG	Linear High Bay Wire Guard For LHB-4

Non-Stock Items

Product #	Product Code	Description
22150	LHB-1-WS-40-U-EM	ProLED Select Linear Highbay 15000 Lumen Wattage Selectable 110W 90W 70W 4000K CCT Universal Voltage 120-277VAC with Emergency Battery Backup
22174	LHB-1-WS-40-U-EM-LVMS	ProLED Select Linear Highbay 15000 Lumen Wattage Selectable 110W 90W 70W 4000K CCT Universal Voltage 120-277VAC with Emergency Battery Backup and Low Voltage PIR Sensing
22158	LHB-1-WS-40-U-LVMS	ProLED Select Linear Highbay 15000 Lumen Wattage Selectable 110W 90W 70W 4000K CCT Universal Voltage 120-277VAC with Low Voltage PIR Motion Sensing
22166	LHB-1-WS-40-U-PIRMS	ProLED Select Linear Highbay 15000 Lumen Wattage Selectable 110W 90W 70W 4000K CCT Universal Voltage 120-277VAC with Line Voltage PIR Motion Sensing
22151	LHB-1-WS-50-U-EM	ProLED Select Linear Highbay 15000 Lumen Wattage Selectable 110W 90W 70W 5000K CCT Universal Voltage 120-277VAC with Emergency Battery Backup
22175	LHB-1-WS-50-U-EM-LVMS	ProLED Select Linear Highbay 15000 Lumen Wattage Selectable 110W 90W 70W 5000K CCT Universal Voltage 120-277VAC with Emergency Battery Backup and Low Voltage PIR Motion Sensing
25159	LHB-1-WS-50-U-LVMS	ProLED Select Linear Highbay 15000 Lumen Wattage Selectable 110W 90W 70W 5000K CCT Universal Voltage 120-277VAC with Low Voltage PIR Motion Sensing
22167	LHB-1-WS-50-U-PIRMS	ProLED Select Linear Highbay 15000 Lumen Wattage Selectable 110W 90W 70W 5000K CCT Universal Voltage 120-277VAC with Line Voltage PIR Motion Sensing
22152	LHB-2-WS-40-U-EM	ProLED Select Linear Highbay 22000 Lumens Selectable Wattage (160W 135W 110W) 4000K Universal Voltage 120 277V with Battery Backup
22176	LHB-2-WS-40-U-EM-LVMS	ProLED Select Linear Highbay 22000 Lumens Selectable Wattage (160W 135W 110W) 4000K Universal Voltage 120 277V with Emergency Battery Backup and PIR Low Voltage Motion Sensor
22160	LHB-2-WS-40-U-LVMS	ProLED Select Linear Highbay 22000 Lumens Selectable Wattage (160W 135W 110W) 4000K Universal Voltage 120 277V with PIR Low Voltage Motion Sensor
22168	LHB-2-WS-40-U-PIRMS	ProLED Select Linear Highbay 22000 Lumens Selectable Wattage (160W 135W 110W) 4000K Universal Voltage 120 277V with Line Voltage PIR Motion Sensor
25153	LHB-2-WS-50-U-EM	ProLED Select Linear Highbay 22000 Lumens Selectable Wattage (160W 135W 110W) 5000K Universal Voltage 120 277V with Emergency Battery Backup
22177	LHB-2-WS-50-U-EM-LVMS	ProLED Select Linear Highbay 22000 Lumens Selectable Wattage (160W 135W 110W) 5000K Universal Voltage 120 277V with Emergency Battery Backup and PIR Low Voltage Motion Sensor
22161	LHB-2-WS-50-U-LVMS	ProLED Select Linear Highbay 22000 Lumens Selectable Wattage (160W 135W 110W) 5000K Universal Voltage 120 277V with PIR Low Voltage Motion Sensor
22169	LHB-2-WS-50-U-PIRMS	ProLED Select Linear Highbay 22000 Lumens Selectable Wattage (160W 135W 110W) 5000K Universal Voltage 120 277V with Line Voltage PIR Motion Sensor
22154	LHB-3-WS-40-U-EM	ProLED Select Linear Highbay 31000 Lumen Wattage Selectable 220W 200W 180W 4000K CCT Universal Voltage 120-277VAC with Emergency Battery Backup



Linear Highbay - Selectable Wattage

Non-Stock Items

Product #	Product Code	Description
22154	LHB-3-WS-40-U-EM	ProLED Select Linear Highbay 31000 Lumen Wattage Selectable 220W 200W 180W 4000K CCT Universal Voltage 120-277VAC with Emergency Battery Backup
22178	LHB-3-WS-40-U-EM-LVMS	ProLED Select Linear Highbay 31000 Lumen Wattage Selectable 220W 200W 180W 4000K CCT Universal Voltage 120-277VAC with Emergency Battery Backup and Low Voltage PIR Motion Sensing
22162	LHB-3-WS-40-U-LVMS	ProLED Select Linear Highbay 31000 Lumen Wattage Selectable 220W 200W 180W 4000K CCT Universal Voltage 120-277VAC with Low Voltage PIR Motion Sensing
22170	LHB-3-WS-40-U-PIRMS	ProLED Select Linear Highbay 31000 Lumen Wattage Selectable 220W 200W 180W 4000K CCT Universal Voltage 120-277VAC with Line Voltage PIR Motion Sensing
22155	LHB-3-WS-50-U-EM	ProLED Select Linear Highbay 31000 Lumen Wattage Selectable 220W 200W 180W 5000K CCT Universal Voltage 120-277VAC with Emergency Battery Backup
22179	LHB-3-WS-50-U-EM-LVMS	ProLED Select Linear Highbay 31000 Lumen Wattage Selectable 220W 200W 180W 5000K CCT Universal Voltage 120-277VAC with Emergency Battery Backup and Low Voltage PIR Motion Sensing
22163	LHB-3-WS-50-U-LVMS	ProLED Select Linear Highbay 31000 Lumen Wattage Selectable 220W 200W 180W 5000K CCT Universal Voltage 120-277VAC with Low Voltage PIR Motion Sensing
22171	LHB-3-WS-50-U-PIRMS	ProLED Select Linear Highbay 31000 Lumen Wattage Selectable 220W 200W 180W 5000K CCT Universal Voltage 120-277VAC with Line Voltage PIR Motion Sensing
22156	LHB-4-WS-40-U-EM	ProLED Select Linear Highbay 45000 Lumen Wattage Selectable 320W 280W 240W 4000K CCT Universal Voltage 120-277VAC with Emergency Battery Backup
25180	LHB-4-WS-40-U-EM-LVMS	ProLED Select Linear Highbay 45000 Lumen Wattage Selectable 320W 280W 240W 4000K CCT Universal Voltage 120-277VAC with Emergency Battery Backup and Low Voltage PIR Motion Sensing
22164	LHB-4-WS-40-U-LVMS	ProLED Select Linear Highbay 45000 Lumen Wattage Selectable 320W 280W 240W 4000K CCT Universal Voltage 120-277VAC with Low Voltage PIR Motion Sensing
25172	LHB-4-WS-40-U-PIRMS	ProLED Select Linear Highbay 45000 Lumen Wattage Selectable 320W 280W 240W 4000K CCT Universal Voltage 120-277VAC with Line Voltage PIR Motion Sensing
22157	LHB-4-WS-50-U-EM	ProLED Select Linear Highbay 45000 Lumen Wattage Selectable 320W 280W 240W 5000K CCT Universal Voltage 120-277VAC with Emergency Battery Backup
22181	LHB-4-WS-50-U-EM-LVMS	ProLED Select Linear Highbay 45000 Lumen Wattage Selectable 320W 280W 240W 5000K CCT Universal Voltage 120-277VAC with Emergency Battery Backup and Low Voltage PIR Motion Sensing
22165	LHB-4-WS-50-U-LVMS	ProLED Select Linear Highbay 45000 Lumen Wattage Selectable 320W 280W 240W 5000K CCT Universal Voltage 120-277VAC with Low Voltage PIR Motion Sensing
25173	LHB-4-WS-50-U-PIRMS	ProLED Select Linear Highbay 45000 Lumen Wattage Selectable 320W 280W 240W 5000K CCT Universal Voltage 120-277VAC with Line Voltage PIR Motion Sensing

[View Family Spec](#)

Round Highbay - Essential Series



Product#	Product Code	Watts	Color Temp	Lumens	Dimmable	Equiv Watts
37300	ERHB-100-50-U	100W	5000K	14000	Yes (0-10V)	250W MH
37301	ERHB-150-50-U	150W	5000K	21000	Yes (0-10V)	250W MH
37302	ERHB-200-50-U	200W	5000K	28000	Yes (0-10V)	400W MH
37303	ERHB-240-50-U	240W	5000K	33000	Yes (0-10V)	400W MH

Note - Step Down Transformer available (see product 74120)



Round Highbay - Essential Series

Accessories

Product #	Product Code	Description
37304	ERHB-PC	Essential Round Highbay Polycarbonate Reflector
37305	ERHB-AL	Essential Round Highbay Aluminum Reflector
37306	ERHB-WG	Essential Round Highbay Wire Guard
37307	ERHB-YB	Essential Round Highbay Yoke Mount Bracket
37308	ERHB-PA	Essential Round Highbay Pendant Mount Adapter 3/4in to 1/2" Aluminum
24875	DCMS	DC Bi-Level Microwave Motion Sensor
24876	DCMS-REM	DC Motion Bi-Level Motion Sensor Remote
74120	ES-TB325-01	Stepdown Autotransformer 480V to 208V OR 347V to 150V OR 277V to 120V (Haisen)

[View Family Spec](#)

Round Highbay - Hoverbay Color Selectable
(Black & White Housing)



Product#	Product Code	Watts	Color Temp	Lumens	Dimmable	Equiv Watts
30251	HRHB-100-CS-U-BL	100W	40K/50K	14,000	Yes (0-10V)	250W MH
30250	HRHB-100-CS-U-WH	100W	40K/50K	14,000	Yes (0-10V)	250W MH
30253	HRHB-150-CS-U-BL	150W	40K/50K	21,000	Yes (0-10V)	400W MH
30252	HRHB-150-CS-U-WH	150W	40K/50K	21,000	Yes (0-10V)	400W MH
30255	HRHB-200-CS-U-BL	200W	40K/50K	29,000	Yes (0-10V)	600W MH
30254	HRHB-200-CS-U-WH	200W	40K/50K	29,000	Yes (0-10V)	600W MH
30257	HRHB-240-CS-U-BL	240W	40K/50K	33,000	Yes (0-10V)	750W MH
30256	HRHB-240-CS-U-WH	240W	40K/50K	33,000	Yes (0-10V)	750W MH

Note - BL=Black, WH=White housing in Product code. When using HRHB-BBU-EM battery and DCMS Motion Sensor, DCMS sensor must be set to standby time on the motion sensor remote to allow the fixture to not turn off in EM mode. Step down transformer available #74120

Accessories

Product #	Product Code	Description
24875	DCMS	DC Bi-Level Microwave Motion Sensor
24876	DCMS-REM	DC Motion Bi-Level Motion Sensor Remote
30258	HRHB-YB-SM	Hoverbay Round Highbay Yoke Mount Bracket Small Black 100W 150W Fixtures
30259	HRHB-YB-LG	Hoverbay Round Highbay Yoke Mount Bracket Large Black 200W 240W Fixtures
30274	HRHB-YB-SM-W	Hoverbay Round Highbay Yoke Mount Bracket Small White - 100W 150W Fixtures
30275	HRHB-YB-LG-W	Hoverbay Round Highbay Yoke Mount Bracket Large White 200W 240W Fixtures
30260	HRHB-JBM	Hoverbay Round Highbay Junction Box Mount
30269	HRHB-PA	Hoverbay Round Highbay Aluminum Pendant Adaptor 1/2in to 3/4in
30273	HRHB-BBU-30	Hoverbay Round Highbay Emergency Pack 30 Watt



Round Highbay - Hoverbay Color Selectable (Black & White Housing)

Accessories

Product #	Product Code	Description
30261	HRHB-AR-SM	Hoverbay Round Highbay Aluminum Reflector 100W 150W Fixtures
30262	HRHB-AR-LG	Hoverbay Round Highbay Aluminum Reflector 200W 240W Fixtures
30263	HRHB-PC-SM	Hoverbay Round Highbay Polycarbonate Reflector 100W 150W Fixtures
30264	HRHB-PC-LG	Hoverbay Round Highbay Polycarbonate Reflector 200W 240W Fixtures
30265	HRHB-FL-SM	Hoverbay Round Highbay Frosted Lens 100W 150W Fixtures
30266	HRHB-FL-LG	Hoverbay Round Highbay Frosted Lens 200W 240W Fixtures
30278	HRHB-110-SM	Hoverbay Round Highbay 110 Degree Clear Lens 100W & 150W Fixtures
30279	HRHB-110-LG	Hoverbay Round Highbay 110 Clear Degree Lens 200W & 240W Fixtures
30267	HRHB-60-SM	Hoverbay Round Highbay 60 Degree Lens 100W 150W Fixtures
30268	HRHB-60-LG	Hoverbay Round Highbay 60 Degree Lens 200W 240W Fixtures
30276	HRHB-WG-SM	Hoverbay Round Highbay Wire Guard 100W 150W Fixtures
30277	HRHB-WG-LG	Hoverbay Round Highbay Wire Guard 200W 240W Fixtures
74120	ES-TB325-01	Stepdown Autotransformer 480V to 208V OR 347V to 150V OR 277V to 120V (Haisen)

Panels & Troffers

[View Family Spec](#)

LED Center Basket Troffer - Controls Ready with Color & Lumens Selectable



Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
81798	CBT-14-LS-CS-UNV	1x4	20, 25 or 30W	35/40/50K	2500 - 4000	Yes (0-10V)
81799	CBT-22-LS-CS-UNV	2x2	20, 25 or 30W	35/40/50K	2500 - 4000	Yes (0-10V)
81800	CBT-24-LS-CS-UNV	2x4	30, 35 or 40W	35/40/50K	4000 - 5000	Yes (0-10V)

Note - 3.5mm receptacle for integrated fixture sensors, Pre-wired for optional battery backup & test button sold separately

Accessories

Product #	Product Code	Description
81816	CBT-ENDCAP-EMTS	Center Basket Troffer Emergency Test Switch End Cap
81817	CBT-ENDCAP-3.5MM	Center Basket Troffer 3.5MM Receptacle End Cap
81818	CBT-ENDCAP-BLANK	Center Basket Troffer End Cap Replacement Blank
81819	BBU-8W-UNV-CBT-ENDCAP-EMTS	Emergency Battery Backup 8W 120-277V Lifep04 90min and CBT End Cap with Emergency Test Switch
90550	HSN-SEN-PIR-DAY-010-3.5MM	Haisen PIR Sensor with Daylight Harvesting 0-10V Dimming 3.5mm Receptacle
90552	HSN-SEN-MW-DAY-010-3.5MM	Haisen Microwave Sensor with Daylight Harvesting 0-10V Dimming 3.5mm Receptacle
30292	LHB-MS-RC	PIR and Microwave Motion Control Sensor Remote for Programming #90550, #90552, #30291



LED Center Basket Troffer - Controls Ready with Color & Lumens Selectable

Accessories


Product #	Product Code	Description
81810	SMK-CBT-14	Surface Mount Kit for 1X4 Center Basket Troffer Aluminum
81811	SMK-CBT-22	Surface Mount Kit for 2X2 Center Basket Troffer Aluminum
81812	SMK-CBT-24	Surface Mount Kit for 2X4 Center Basket Troffer Aluminum
81813	FMK-CBT-14	Flange / Drywall Recessed Mount Kit for 1X4 Center Basket Troffer Aluminum
81814	FMK-CBT-22	Flange / Drywall Recessed Mount Kit for 2X2 Center Basket Troffer Aluminum
81815	FMK-CBT-24	Flange / Drywall Recessed Mount Kit for 2X4 Center Basket Troffer Aluminum

Non-Stock Items

Product #	Product Code	Description
81804	CBT-14-LS-CS-UNV-EM	LED 1X4 Center Basket Troffer Controls Ready 3.5mm Receptacle Lumen & Color Selectable With 90 Min Emergency Battery Backup & Test Switch
81805	CBT-22-LS-CS-UNV-EM	LED 2X2 Center Basket Troffer Controls Ready 3.5mm Receptacle Lumen & Color Selectable With 90 Min Emergency Battery Backup & Test Switch
81806	CBT-24-LS-CS-UNV-EM	LED 2X4 Center Basket Troffer Controls Ready 3.5mm Receptacle Lumen & Color Selectable With 90 Min Emergency Battery Backup & Test Switch

[View Family Spec](#)

LED Center Basket Troffer Retrofit Kit - Controls Ready with Color & Lumens Selectable



Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
81801	CBT-RK-14-LS-CS-UNV	1x4	20, 25 or 30W	35/40/50K	2500 - 4000	Yes (0-10V)
81802	CBT-RK-22-LS-CS-UNV	2x2	20, 25 or 30W	35/40/50K	2500 - 4000	Yes (0-10V)
81803	CBT-RK-24-LS-CS-UNV	2x4	30, 35 or 40W	35/40/50K	4000 - 5000	Yes (0-10V)

Note - 3.5mm receptacle for integrated fixture sensors, Pre-wired for optional battery backup & test button sold separately

Accessories

Product #	Product Code	Description
81816	CBT-ENDCAP-EMTS	Center Basket Troffer Emergency Test Switch End Cap
81817	CBT-ENDCAP-3.5MM	Center Basket Troffer 3.5MM Receptacle End Cap
81818	CBT-ENDCAP-BLANK	Center Basket Troffer End Cap Replacement Blank
81819	BBU-8W-UNV-CBT-ENDCAP-EMTS	Emergency Battery Backup 8W 120-277V Lifep04 90min and CBT End Cap with Emergency Test Switch
90550	HSN-SEN-PIR-DAY-010-3.5MM	Haisen PIR Sensor with Daylight Harvesting 0-10V Dimming 3.5mm Receptacle
90552	HSN-SEN-MW-DAY-010-3.5MM	Haisen Microwave Sensor with Daylight Harvesting 0-10V Dimming 3.5mm Receptacle
30292	LHB-MS-RC	PIR and Microwave Motion Control Sensor Remote for Programming #90550, #90552, #30291



LED Center Basket Troffer Retrofit Kit - Controls Ready with Color & Lumens Selectable

Non-Stock Items

Product #	Product Code	Description
81807	CBT-RK-14-LS-CS-UNV-EM	LED 1X4 Center Basket Troffer Retrofit Kit Controls Ready 3.5mm Receptacle Lumen & Color Selectable With 90 Min Emergency Battery Backup & Test Switch
81808	CBT-RK-22-LS-CS-UNV-EM	LED 2X2 Center Basket Troffer Retrofit Kit Controls Ready 3.5mm Receptacle Lumen & Color Selectable With 90 Min Emergency Battery Backup & Test Switch
81809	CBT-RK-24-LS-CS-UNV-EM	LED 2X4 Center Basket Troffer Retrofit Kit Controls Ready 3.5mm Receptacle Lumen & Color Selectable With 90 Min Emergency Battery Backup & Test Switch

[View Family Spec](#)

LED Edgelit Flat Panel (while supplies last)



Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
81982	14EPL40/835/LED	1x4	40W	3500K	4000	Yes (0-10V)
81963	22EPL30/835/LED	2x2	30W	3500K	3000	Yes (0-10V)
81965	22EPL30/850/LED	2x2	30W	5000K	3150	Yes (0-10V)
81966	24EPL50/835/LED	2x4	50W	3500K	5000	Yes (0-10V)
81968	24EPL50/850/LED	2x4	50W	5000K	5300	Yes (0-10V)

Note - Product is in a Phase-out status (While supplies last)

[View Family Spec](#)

LED Edgelit Flat Panel - Color Selectable



Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
10330	14FSEPL/8DU	1x4	25, 30 or 40W	35/40/50K	2750-4400	Yes (0-10V)
10331	22FSEPL/8DU	2x2	25, 30 or 40W	35/40/50K	2750-4400	Yes (0-10V)
10332	24FSEPL/8DU	2x4	30, 35 or 45W	35/40/50K	3300-5500	Yes (0-10V)

Accessories

Product #	Product Code	Description
81981	VPL/EM/LED3	LED Emergency Battery Backup - Linear Highbays and Volumetric Panels
81985	14EPL/SMK	1x4 Surface Mount Kit For Edge Lit Panels
81986	22EPL/SMK	2x2 Surface Mount Kit For Edge Lit Panels
81987	24EPL/SMK	2x4 Surface Mount Kit For Edge Lit Panels



[View Family Spec](#)



LED Flat Panels Including Control Ready Panels

Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
90518	FPL-14-LS-CS-UNV	1x4	20, 25 or 30W	35/40/50K	Selectable Lumens 2500-3100-3700	Yes (0-10V)
90519	FPL-22-LS-CS-UNV	2x2	20, 30 or 35W	35/40/50K	Selectable Lumens 2500-3700-4300	Yes (0-10V)
90520	FPL-24-LS-CS-UNV	2x4	30, 35 or 40W	35/40/50K	Selectable Lumens 3700-4300-5600	Yes (0-10V)
90521	FPLCR-14-LS-CS-UNV	1x4	20, 25 or 30W	35/40/50K	Selectable Lumens 2500/3100/3700	Yes (0-10V)
90522	FPLCR-22-LS-CS-UNV	2x2	20, 30 or 35W	35/40/50K	Selectable Lumens 2500/3700/4300	Yes (0-10V)
90523	FPLCR-24-LS-CS-UNV	2x4	30, 35 or 40W	35/40/50K	Selectable Lumens 3700/4300/5600	Yes (0-10V)

Note - PIR and Microwave Sensor accessories work with the control ready panels (product code "FPLCR". One Remote is required per installation to program them. Made-to-order options with 90min Backup Battery. Backlit Technology.

Accessories

Product #	Product Code	Description
90550	HSN-SEN-PIR-DAY-010-3.5MM	Haisen PIR Sensor with Daylight Harvesting 0-10V Dimming 3.5mm Receptacle
90552	HSN-SEN-MW-DAY-010-3.5MM	Haisen Microwave Sensor with Daylight Harvesting 0-10V Dimming 3.5mm Receptacle
90538	JBOX-EXT-FPL	Junction Box Extension for 1x4 2x2 or 2x4 Flat Panel

Non-Stock Items

Product #	Product Code	Description
90524	FPL-14-LS-CS-UNV-EM	LED 1X4 Flat Panel Lumen & Color Selectable with Emergency Battery Backup (2500-3750Lum 3500K 4000K 5000K) UNV 120-277V 0-10V Dimmable
90525	FPL-22-LS-CS-UNV-EM	LED 2x2 Flat Panel Lumen & Color Selectable with Emergency Battery Backup (2500-4375Lum 3500K 4000K 5000K) UNV 120-277V 0-10V Dimmable
90526	FPL-24-LS-CS-UNV-EM	LED 2X4 Flat Panel Lumen & Color Selectable with Emergency Battery Backup (3750-5625Lum 3500K 4000K 5000K) UNV 120-277V 0-10V Dimmable
90527	FPLCR-14-LS-CS-UNV-EM	LED 1X4 Flat Panel Controls Ready 3.5mm Receptacle Lumen & Color Selectable with Emergency Battery Backup (2500-3750Lum 3500K 4000K 5000K) UNV 120-277V 0-10V Dimmable
90528	FPLCR-22-LS-CS-UNV-EM	LED 2X2 Flat Panel Controls Ready 3.5mm Receptacle Lumen & Color Selectable with Emergency Battery Backup (2500-4375Lum 3500K 4000K 5000K) UNV 120-277V 0-10V Dimmable
90529	FPLCR-24-LS-CS-UNV-EM	LED 2X4 Flat Panel Controls Ready 3.5mm Receptacle Lumen & Color Selectable Emergency Battery Backup (3750-5625Lum 3500K 4000K 5000K) UNV 120-277V 0-10V Dimmable



[View Family Spec](#)



LED Volumetric Panel - Color & Watts
Selectable (While Supplies Last)

Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
81779	14FSVPL/8DU	1x4	15, 19, 24 or 29W	35/40/50K	2190-4437	Yes (0-10V)
81780	22FSVPL/8DU	2x2	15, 19, 24 or 29W	35/40/50K	2175-4379	Yes (0-10V)
81781	24FSVPL/8DU	2x4	24, 29, 32 or 39W	35/40/50K	3384-5889	Yes (0-10V)

Accessories

Product #	Product Code	Description
81782	14VPL/SMK	1X4 Surface Mount Kit For Volumetric Panels
81783	22VPL/SMK	2X2 Surface Mount Kit For Volumetric Panels
81784	24VPL/SMK	2X4 Surface Mount Kit For Volumetric Panels (also compatible with BPL and FPL panels)
10310	BBU/EM8WU	Battery Backup Emergency 8W 120 277V Lifep04 Battery 90 Minute Backup

Linear Fixtures - Strips & Wraps

[View Family Spec](#)

LED Linear - Lamp Ready Strip



Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
90510	LRS-2-2L-T8DE	2ft				N/A
90511	LRS-4-2L-T8DE	4ft				N/A
90515	LRS-8-4L-T8DE	8ft				

Accessories

Product #	Product Code	Description
90514	LRS-JB	Lamp Ready Fixture Strip Joiner Bracket

[View Family Spec](#)

LED Linear Strip



Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
10240	LS4/36U40	4ft	36W	4000K	4903	Yes (0-10V)
10241	LS4/36U50	4ft	36W	5000K	4910	Yes (0-10V)



[View Family Spec](#)



LED Linear Strip

Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
10243	LS8/72U40	8ft	72W	4000K	9806	Yes (0-10V)
10244	LS8/72U50	8ft	72W	5000K	9820	Yes (0-10V)

Accessories

Product #	Product Code	Description
10228	LS4/LENS	Linear Strip 4 Foot Acrylic Lens
10229	LS8/LENS	Linear Strip 8 Foot Acrylic Lens
10309	LS/CONNECTOR	Linear Strips Linear Connector Bracket
10310	BBU/EM8WU	Battery Backup Emergency 8W 120 277V Lifep04 Battery 90 Minute Backup
10311	ACC/12IN	Aircraft Cable 12 Inches 2 Per Set
10318	MWMS/IB/MC083V	Installation Bracket For Microwave Motion Sensor Merrytek MC083V or MC601V
10313	MWMS/MC083V	Line Voltage Microwave Motion Sensor Dimmable Merrytek MC083V

[View Family Spec](#)



LED Linear Strip Watts & Color Selectable

Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
90241	LS4-WS-CS-U	4ft	30, 40 or 50W	35/40/50K	4232-6997	Yes (0-10V)
90242	LS8-WS-CS-U	8ft	50, 60 or 70W	35/40/50K	7504-9712	Yes (0-10V)

Accessories

Product #	Product Code	Description
90243	LS-SK-1	ProLED Select Linear Strip 4ft Suspension Kit with 45" Suspension Length
90244	LS-SK-2	ProLED Select Linear Strip Suspension Kit Size 2 8FT with 45" Suspension Wire Length
90245	LS-SM-CK-1	ProLED Select Linear Strip 4ft Surface Mount Connector Kit
90246	LS-SM-CK-2	ProLED Select Linear Strip Surface Mount Connector Kit Size 2 8FT
90247	LS-SK-CK1	ProLED Select Linear Strip 4ft Suspension Connector Kit
90248	LS-SK-CK-2	ProLED Select Linear Strip Suspension Connector Kit Size 2 8FT
80313	MWMS/BRI810	Microwave Motion Sensor Sharkward Internal Mount
99986	LHB/MC	Line Voltage PIR Motion Control Sensor (0-10V dimming) LSXR 610 HL
90313	BBU/EM9WU	Battery Backup Emergency 9W 120-277V 90 Minute 0-10V Dimming



LED Linear Strip Watts & Color Selectable

Non-Stock Items

Product #	Product Code	Description
90251	LS4-WS-CS-U-EM	ProLED Select Linear Strip 4ft Selectable Wattage and CCT 120 277VAC 90min Emergency Battery
90252	LS4-WS-CS-U-EM-MS	ProLED Select Linear Strip 4ft Selectable Wattage and CCT 120 277VAC 90 min Emergency Battery Integrated Motion Sensor
90253	LS4-WS-CS-U-EM-PIR	ProLED Select Linear Strip 4ft Selectable Wattage and CCT 120 277VAC 90min Emergency Battery PIR Motion Sensor
90257	LS4-WS-CS-U-MS	ProLED Select Linear Strip 4ft Selectable Wattage and CCT 120 277VAC Integrated Motion Sensor
90258	LS4-WS-CS-U-PIR	ProLED Select Linear Strip 4ft Selectable Wattage and CCT 120 277VAC PIR Motion Sensor

[View Family Spec](#)

LED Linear Wrap Architectural Color & Watt Selectable



Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
90380	LWA-2-WS-CS-U	2ft	15, 20 or 25W	35/40/50K	1950 - 3319	Yes (0-10V)
90381	LWA-4-WS-CS-U	4ft	20, 30 or 40W	35/40/50K	2600 - 5235	Yes (0-10V)

Accessories

Product #	Product Code	Description
90382	LWA-SK-VH	ProLED Select Linear Wrap Suspension Kit with V Hook (2 V-hooks, 2 Chains)
90385	LWA-45-MB	ProLED Select Linear Wrap 45 Degree Mounting Bracket (2 brackets & 4 screws)
90386	LWA-EC	ProLED Select Linear Wrap Replacement End Caps No Knock Out (2 end caps)
80313	MWMS/BRI810	Microwave Motion Sensor Sharkward Internal Mount
28093	LVPT-MS	LVPT DC Microwave Motion Sensor HB001VCR1
99986	LHB/MC	Line Voltage PIR Motion Control Sensor (0-10V dimming) LSXR 610 HL
90313	BBU/EM9WU	Battery Backup Emergency 9W 120-277V 90 Minute 0-10V Dimming

[View Family Spec](#)

LED Linear Wrap Architectural Lens



Product#	Product Code	Size	Watts	Color Temp	Lumens	Dimmable
10300	LWA-D23U2-40	2ft	23W	4000K	3073	Yes (0-10V)
10305	LWA-D23U2-50	2ft	23W	5000K	3125	Yes (0-10V)
10301	LWA-D46U4-40	4ft	46W	4000K	6242	Yes (0-10V)
10306	LWA-D46U4-50	4ft	46W	5000K	6293	Yes (0-10V)



LED Linear Wrap Architectural Lens

Accessories

Product #	Product Code	Description
10310	BBU/EM8WU	Battery Backup Emergency 8W 120 277V Lifep04 Battery 90 Minute Backup
10311	ACC/12IN	Aircraft Cable 12 Inches 2 Per Set
10312	LWA-D/JB	Linear Wrap Architectural Diffused Lens Joiner Bracket 1 Pair 2 Pieces
10313	MWMS/MC083V	Line Voltage Microwave Motion Sensor Dimmable Merrytek MC083V
10318	MWMS/IB/MC083V	Installation Bracket For Microwave Motion Sensor Merrytek MC083V or MC601V

Non-Stock Items

Product #	Product Code	Description
100017	LWA-4-WS-CS-U-BBU	ProLED Select Linear Wrap 4ft Selectable Wattage and CCT 120-277VAC with 90min Battery Backup
100011	LWA-4-WS-CS-U-BBU-MS	ProLED Select Linear Wrap 4ft Selectable Wattage and CCT 120-277VAC with 90min Battery Backup and Microwave Motion Sensor
100023	LWA-4-WS-CS-U-MWMS	ProLED Select Linear Wrap 4ft Selectable Wattage and CCT 120-277VAC with Microwave Motion Sensor

Linear Vaportight

[View Family Spec](#)

LED Linear Vaportight



Product#	Product Code	Length	Watts	Color Temp	Lumens	Dimmable
10316	HLVT4/40U40	4ft	40W	4000K	5200	Yes
10317	HLVT4/40U50	4ft	40W	5000K	5280	Yes

Accessories

Product #	Product Code	Description
10311	ACC/12IN	Aircraft Cable 12 Inches 2 Per Set
90385	LWA-45-MB	ProLED Select Linear Wrap 45 Degree Mounting Bracket (2 brackets & 4 screws)

[View Family Spec](#)

LED Linear Vaportight Selectable Watts & Color Temp



Product#	Product Code	Length	Watts	Color Temp	Lumens	Dimmable
28090	LVPT-2-WS-CS-U	2ft	20, 25 or 30W	35/40/50K	2800-4300	Yes
28091	LVPT-4-WS-CS-U	4ft	40, 50 or 60W	35/40/50K	5600-8650	Yes



[View Family Spec](#)



LED Linear Vaportight Selectable Watts & Color Temp

Product#	Product Code	Length	Watts	Color Temp	Lumens	Dimmable
28092	LVPT-8-WS-CS-U	8ft	60, 75 or 90W	35/40/50K	8300-12870	Yes

Accessories

Product #	Product Code	Description
28094	LVPT-MS-RC	LVPT DC Microwave Motion Sensor Remote Control HB001VCR1
28095	LVPT-ACC	LVPT Suspended Aircraft Cable Mounting Accessory 9 foot Length
28096	LVPT-RPL-LENS-2	LVPT Replacement Lens 2 Ft
28097	LVPT-RPL-LENS-4	LVPT Replacement Lens 4 Ft
28098	LVPT-RPL-LENS-8	LVPT Replacement Lens 8 Ft
28099	LVPT-MTG-HDWR	LVPT Spare Mounting Hardware
90385	LWA-45-MB	ProLED Select Linear Wrap 45 Degree Mounting Bracket (2 brackets & 4 screws)

Non-Stock Items

Product #	Product Code	Description
28103	LVPT-2-WS-CS-U-EM	ProLED Linear Vaportight 2FT Field Selectable Wattage (20W 25W or 30W) & Color Temp (3500K 4000K or 5000K) with Emergency Backup Battery
28100	LVPT-2-WS-CS-U-MS	ProLED Linear Vaportight 2FT Field Selectable Wattage (20W 25W or 30W) & Color Temp (3500K 4000K or 5000K) with DC Microwave Motion Sensor
28106	LVPT-2-WS-CS-U-MS-EM	ProLED Linear Vaportight 2FT Field Selectable Wattage (20W 25W or 30W) & Color Temp (3500K 4000K or 5000K) with DC Microwave Motion Sensor & Emergency Backup Battery
28104	LVPT-4-WS-CS-U-EM	ProLED Linear Vaportight 4FT Field Selectable Wattage (40W 50W or 60W) & Color Temp (3500K 4000K or 5000K) with Emergency Backup Battery
28101	LVPT-4-WS-CS-U-MS	ProLED Linear Vaportight 4FT Field Selectable Wattage (40W 50W or 60W) & Color Temp (3500K 4000K or 5000K) with DC Microwave Motion Sensor
28107	LVPT-4-WS-CS-U-MS-EM	ProLED Linear Vaportight 4FT Field Selectable Wattage (40W 50W or 60W) & Color Temp (3500K 4000K or 5000K) with DC Microwave Motion Sensor & Emergency Backup Battery
28105	LVPT-8-WS-CS-U-EM	ProLED Linear Vaportight 8FT Field Selectable Wattage (60W 75W or 90W) & Color Temp (3500K 4000K or 5000K) with Emergency Backup Battery
28102	LVPT-8-WS-CS-U-MS	ProLED Linear Vaportight 8FT Field Selectable Wattage (60W 75W or 90W) & Color Temp (3500K 4000K or 5000K) with DC Microwave Motion Sensor
28108	LVPT-8-WS-CS-U-MS-EM	ProLED Linear Vaportight 8FT Field Selectable Wattage (60W 75W or 90W) & Color Temp (3500K 4000K or 5000K) with DC Microwave Motion Sensor & Emergency Backup Battery

EXIT & EMERGENCY



Emergence
Wet-Location
Exit Sign



LED Exit & EM
Combination Unit -
Emergence



Double Head Round
Remote Head

Exit Signs

[View Family Spec](#) [View Selector Guide](#)

LED Exit Sign - Emergence Series Red-Green



Product#	Product Code	Description
97120	EMG-EXE-BK-RG	Emergence LED Exit Sign Black Thermoplastic Field Selectable Red/Green Legend Single/Double Face Battery Backup T20
97121	EMG-EXE-BK-RG-RC	Emergence LED Exit Sign Black Thermoplastic Field Selectable Red/Green Legend Single/Double Face with Remote Capacity Battery Backup T20
97100	EMG-EXE-WH-RG	Emergence LED Exit Sign White Thermoplastic Field Selectable Red/Green Single/Double Face Universal Mounting Battery Backup T20
97101	EMG-EXE-WH-RG-RC	Emergence LED Exit Sign White Thermoplastic with Remote Capacity, Field Selectable Red/Green Single/Double Face, Universal Mounting & Battery Backup T20

Note - -RC Remote Capacity (in product code) items can be used with the Accessories listed. Remote heads can be located up to 100ft away. Black Housing has -BK in Product code

Accessories

Product #	Product Code	Description
95010	EV-RH-1-IND	Evade Single Indoor Remote Head
95011	EV-RH-2-IND	Evade Double Indoor Remote Head
97012	EV2-RH-1-OUT-RD	Evade Single Remote Outdoor Head Gen2 - Round Head Wet Location Rated
97013	EV2-RH-2-OUT-RD	Evade Double Remote Outdoor Head Gen2 - Round Heads Wet Location Rated
97116	EMG-RH-1-IND-BK	Emergence LED Single Remote Round Head Indoor - Black
97117	EMG-RH-2-IND-BK	Emergence LED Double Remote Round Head Indoor - Black
97118	EMG-RH-1-OUT-BK	Emergence LED Single Remote Round Head Outdoor - Black
97119	EMG-RH-2-OUT-BK	Emergence LED Double Remote Round Head Outdoor - Black

[View Family Spec](#) [View Selector Guide](#)

LED Exit Sign - Emergence Die-Cast Series
(Red or Green Legend)



Product#	Product Code	Description
97107	EMG-DCEX-BABK-G	Emergence LED Die-Cast Exit Sign, Green Legend Universal Single/Double Face Brushed Aluminum Face Black Housing 100min Life Safety Light
97106	EMG-DCEX-BABK-R	Emergence LED Die-Cast Exit Sign, Red Legend Universal Single/Double Face Brushed Aluminum Face Black Housing 100min Life Safety Light

Note - While Supplies Last



[View Family Spec](#) [View Selector Guide](#)

LED Exit Sign - Emergence Die-Cast Series
(Selectable Red/Green Legend)



Product#	Product Code	Description
97112	EMG-DCEX-BABK-RG	Emergence LED Die-Cast Exit Sign, Field Selectable Red/Green Legend, Brushed Aluminum Face, Black Housing, Single/Double Face, Selectable Manual or Self-Diagnostics, Selectable AC or 90+ mins Battery Back-Up

Note - Field Selectable Red/Green

[View Family Spec](#) [View Selector Guide](#)

LED Exit Sign - Emergence Series Edgelit Red-Green




Product#	Product Code	Description
97104	EMG-EDG-AL-RG	Emergence LED Aluminum Edgelit Exit Sign Universal Red/Green, Single/Double Face Universal Mounting and Battery Backup T20

Accessories

Product #	Product Code	Description
97105	EDG-AL-RTK	Recessed Mount Trim Kit for Edgelit Exit - Ceiling or Wall with Bar Hangers and Anodized Aluminum Trim Plate

[View Family Spec](#)

LED Exit Sign - Emergence Wet-Location Series (Red or Green Legend)



Product#	Product Code	Description
97109	EMG-WLEX-WH-G	Emergence LED Wet Cold Location Exit Sign Green Legend Universal Single/Double Face White Housing 90min Life Safety Light Self-Diagnostics
97108	EMG-WLEX-WH-R	Emergence LED Wet Cold Location Exit Sign Red Legend Universal Single/Double Face White Housing 90min Life Safety Light Self-Diagnostics

[View Family Spec](#) [View Selector Guide](#)

LED Exit & EM Combination Unit - Emergence Series



Product#	Product Code	Description
97122	EMG-EXC-BK-RG	Emergence LED Exit Emergency Light Combo Black Thermoplastic Field Selectable Red/Green Legend Single/Double Face Battery Backup T20
97123	EMG-EXC-BK-RG-RC	Emergence LED Exit Emergency Light Combo Black Thermoplastic Field Selectable Red/Green Legend Single/Double Face with Remote Capacity Battery Backup T20

Exit Sign Combos

[View Family Spec](#) [View Selector Guide](#)

LED Exit & EM Combination Unit - Emergence Series



Product#	Product Code	Description
97102	EMG-EXC-WH-RG	Emergence LED Exit Emergency Light Combo White Thermoplastic Field Selectable Red/Green, Single/Double Face Universal Mounting and Battery Backup T20
97103	EMG-EXC-WH-RG-RC	Emergence LED Exit Emergency Light Combo White Thermoplastic Field Selectable Red/Green, Single/Double Face and Universal Mounting with Remote Capability and Battery Backup T20

Note - -RC Remote Capacity (in product code) items can be used with the Accessories listed. Remote heads can be mounted up to 100ft away. Black Housing has -BK in Product Code

Accessories

Product #	Product Code	Description
95010	EV-RH-1-IND	Evade Single Indoor Remote Head
95011	EV-RH-2-IND	Evade Double Indoor Remote Head
97012	EV2-RH-1-OUT-RD	Evade Single Remote Outdoor Head Gen2 - Round Head Wet Location Rated
97013	EV2-RH-2-OUT-RD	Evade Double Remote Outdoor Head Gen2 - Round Heads Wet Location Rated
97116	EMG-RH-1-IND-BK	Emergence LED Single Remote Round Head Indoor - Black
97117	EMG-RH-2-IND-BK	Emergence LED Double Remote Round Head Indoor - Black
97118	EMG-RH-1-OUT-BK	Emergence LED Single Remote Round Head Outdoor - Black
97119	EMG-RH-2-OUT-BK	Emergence LED Double Remote Round Head Outdoor - Black

Emergency Lighting Units

[View Family Spec](#) [View Selector Guide](#)

Emergency Unit - Emergence Wet Location EM Light (2 Adjustable Heads)



Product#	Product Code	Description
97115	EMG-WLEM-WH	Emergence Series Wet-Location Emergency Light Unit White Housing 90min Life Safety Light Self-Diagnostics

[View Family Spec](#)

Emergency Unit Round Head - Evade Series



Product#	Product Code	Description
95008	EV-EME-R	Evade Emergency Unit Round Head
96008	EV-EME-R-BK	Evade Emergency LED Light Unit Black Thermoplastic 2 Round Heads Battery Backup T20



[View Family Spec](#)

Emergency Unit Round Head - Evade Series



Product#	Product Code	Description
96009	EV-EME-R-BK-RC	Evade Emergency LED Light Unit Black Thermoplastic 2 Round Heads with Remote Capacity Battery Backup T20
95009	EV-EME-R-RC	Evade Emergency Unit Round Head with Remote Capacity

Note - -RC Remote Capacity (in product code) items can be used with the accessories listed. Black housing has -BK in product code

Accessories

Product #	Product Code	Description
95010	EV-RH-1-IND	Evade Single Indoor Remote Head
95011	EV-RH-2-IND	Evade Double Indoor Remote Head
97012	EV2-RH-1-OUT-RD	Evade Single Remote Outdoor Head Gen2 - Round Head Wet Location Rated
97013	EV2-RH-2-OUT-RD	Evade Double Remote Outdoor Head Gen2 - Round Heads Wet Location Rated
97116	EMG-RH-1-IND-BK	Emergence LED Single Remote Round Head Indoor - Black
97117	EMG-RH-2-IND-BK	Emergence LED Double Remote Round Head Indoor - Black
97118	EMG-RH-1-OUT-BK	Emergence LED Single Remote Round Head Outdoor - Black
97119	EMG-RH-2-OUT-BK	Emergence LED Double Remote Round Head Outdoor - Black


[View Family Spec](#)

Emergency Wallpack - Evade Outdoor



Product#	Product Code	Description
95014	EV-WPK-EM	Evade Emergency Outdoor Wallpack (wet location rated)

LED LAMPS



Emergency T8 (Type B)

Linear LED Plug-In Series

ProLED Select HID Retrofit Series

ProLED Select T8 Linear Hybrid



LED Decorative

[View Family Spec](#)

LED Chandelier Bullet lamp (E12 & E26 Base) - Clear top with Cream, Chrome or Brass bottom



Product ID	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable
80789	B11CL3/827/BR/LED	E12	3W	2700K	180	Yes
80790	B11CL3/827/CHR/LED	E12	3W	2700K	180	Yes
80094	B11CL3/827/LED	E12	3W	2700K	180	Yes
80185	B11CL3/830/LED	E12	3W	3000K	180	Yes
80168	B11CL5/827/E26/LED	E26	4.5W	2700K	300	Yes
80820	B11CL5/827/LED	E12	4.5W	2700K	300	Yes
80183	B11CL5/830/E26/LED	E26	4.5W	3000K	300	Yes
80184	B11CL5/830/LED	E12	4.5W	3000K	300	Yes

Note - Base of Bulb color: /BR=Brass, /CHR=Chrome, Unspecified is Cream. Top is Clear

[View Family Spec](#)

LED Decorative Chandelier Series (Torpedo and Flame Tip)



Product ID	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable
80172	B10CL1/827/LED	E12	1W	2700K	25	Yes
80174	CA10CL1/827/LED	E12	1W	2700K	25	Yes

[View Family Spec](#)

LED Filament A19 & A15 Clear and Amber



Product ID	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable
85148	9A19-CL-FLED3-927-D	E26	9W	2700K	800	Yes
85144	9A19-CL-FLED3-930-D	E26	9W	3000K	800	Yes
85035	A15CL5ANT/827/LED2	E26	5W	2700K	450	Yes
85038	A19AMB5ANT/820/LED2	E26	5W	2000K	340	Yes

Note - CL in product code is clear, AMB = Amber. The FLED3 = Generation 3 and is Title 20 Compliant



[View Family Spec](#)

LED Filament B11 Torpedo (Clear & Amber, E12 & E26 Base) Generation 2



Product ID	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable
85059	B11AMB5ANT/822/LED2	E12	5.5W	2200K	400	Yes
85051	B11CL2/ANT/827/LED2	E12	2.5W	2700K	180	Yes
85054	B11CL4/ANT/827/LED2	E12	3.8W	2700K	300	Yes
85053	B11CL4/ANT/830/LED2	E12	4.5W	3000K	350	Yes
85055	B11CL4ANT/827/E26/LED2	E26	3.8W	2700K	300	Yes
85060	B11CL5/ANT/830/LED2	E12	5.5W	3000K	500	Yes
85157	B11CL5ANT/827/E26/LED2	E26	8W	2700K	500	Yes
85058	B11CL5ANT/827/LED2	E12	5.5W	2700K	500	Yes

Note - AMB in Product code = Amber, CL = Clear

[View Family Spec](#)

LED Filament Chandelier CA10 Clear and Frosted E12 Base (Gen 2)



Product ID	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable
85061	CA10CL2ANT/827/LED2	E12	2.5W	2700K	180	Yes
85065	CA10CL4ANT/827/LED2	E12	3.8W	2700K	300	Yes
85066	CA10CL4ANT/830/LED2	E12	4.5W	3000K	350	Yes
85082	CA10FR4ANT/827/LED2	E12	3.8W	2700K	300	Yes

Note - CL in Product code = Clear, FR = Frosted

[View Family Spec](#)

LED Filament Globe Clear and Frosted E26 & E12 Bases (Gen 2)



Product ID	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable
85086	G16.5CL2ANT/830/LED2	E12	2.5W	3000K	180	Yes
85071	G16.5CL4ANT/827/LED2	E12	4.5W	2700K	350	Yes
85087	G16.5CL4ANT/830/LED2	E12	4.5W	3000K	350	Yes
85047	G25CL5ANT/827/LED2	E26	5.5W	2700K	500	Yes
85049	G25CL5ANT/830/LED2	E26	5.5W	3000K	500	Yes
85072	G25CL7ANT/827/LED2	E26	7W	2700K	800	Yes
85172	G25CL8ANT/827/LED2	E26	8W	2700K	800	Yes



[View Family Spec](#)

LED Filament Globe Clear and Frosted E26 & E12 Bases (Gen 2)



Product ID	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable
85048	G25FR5ANT/827/LED2	E26	5.5W	2700K	500	Yes
85088	G40CL7ANT/830/LED2	E26	7.5W	3000K	800	Yes

Note - FR in product code = Frosted, CL=Clear

[View Family Spec](#)

LED Filament S14 String Lights Clear and Amber



Product ID	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable
81140	S14AMB2ANT/822/LED	E26	2W	2200K	160	No
82140	S14AMB2ANT/822/LED2	E26	2W	2200K	160	Yes
81139	S14CL2ANT/827/LED	E26	2W	2700K	200	No
82139	S14CL2ANT/827/LED2	E26	2W	2700K	200	Yes

Note - In Product code: LED2 (Gen 2) are dimmable, LED (Gen 1) are non-dimmable. AMB=amber, CL= Clear

[View Family Spec](#)

LED Filament ST19 Bulbs Clear and Amber



Product ID	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable
85147	9ST19-CL-FLED3-927-D	E26	9W	2700K	800	Yes
85143	9ST19-CL-FLED3-930-D	E26	9W	3000K	800	Yes
85044	ST19AMB5ANT/822/LED2	E26	5.5W	2200K	400	Yes
85146	ST19AMB8ANT/822/LED2	E26	8W	2200K	650	Yes
85043	ST19CL5ANT/827/LED2	E26	5.5W	2700K	500	Yes
85145	ST19CL8ANT/827/LED2	E26	8W	2700K	800	Yes

Note - AMB in product code = Amber. FLED3 (Generation 3) is T20 Certified



[View Family Spec](#)

LED Filament Tubular Clear (Gen 2)



Product ID	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable
85074	T10CL4ANT/827/LED2	E26	4.5W	2700K	350	Yes
85073	T14CL4ANT/827/LED2	E26	4.5W	2700K	350	Yes
85083	T6CL2ANT/830/LED2	E12	2.5W	3000K	180	Yes
85084	T9CL4ANT/830/LED2	E26	4.5W	3000K	350	Yes
85085	T9CL5ANT/830/LED2	E26	5.5W	3000K	350	Yes

[View Family Spec](#)

LED Globe G25 Lamp



Product ID	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable
80180	G25FR6/830/LED	E26	6W	3000K	470	Yes

LED Bulbs & Reflectors

[View Selector Guide](#)

LED A15 Contractor & Performance Series
Single Pack E26 Base



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
85132	6A15-LED5-827-D	E26	40W	5.5W	2700K	420 (450 Nominal)	Yes (Triac)	pk=1/48
85133	6A15-LED5-830-D	E26	40W	5.5W	3000K	420 (450 Nominal)	Yes (Triac)	pk=1/48
85134	6A15-LED5-840-D	E26	40W	5.5W	4000K	420 (450 Nominal)	Yes (Triac)	pk=1/48
85135	6A15-LED5-850-D	E26	40W	5.5W	5000K	420 (450 Nominal)	Yes (Triac)	pk=1/48
85136	6A15-LED5-927-D-T20T24	E26	40W	5.5W	2700K	420 (450 Nominal)	Yes (Triac)	pk=1/48
85137	6A15-LED5-930-D-T20T24	E26	40W	5.5W	3000K	420 (450 Nominal)	Yes (Triac)	pk=1/48
85138	6A15-LED5-940-D-T20T24	E26	40W	5.5W	4000K	420 (450 Nominal)	Yes (Triac)	pk=1/48
85139	6A15-LED5-950-D-T20	E26	40W	5.5W	5000K	420 (450 Nominal)	Yes (Triac)	pk=1/48

Note - Only Performance items with T20 in product code are Title 20 Compliant. Contractor Series is UL, Performance Series is ETL. Generation 5.



[View Selector Guide](#)

LED A19 Contractor & Performance Series
Single Pack (GU24 Base)



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
85149	9A19-GU24-LED5-827-D	GU24	60W	9W	2700K	720 (800 Nominal)	Yes (Triac)	pk=1/48
85150	9A19-GU24-LED5-830-D	GU24	60W	9W	3000K	720 (800 Nominal)	Yes (Triac)	pk=1/48
85151	9A19-GU24-LED5-840-D	GU24	60W	9W	4000K	720 (800 Nominal)	Yes (Triac)	pk=1/48
85152	9A19-GU24-LED5-850-D	GU24	60W	9W	5000K	720 (800 Nominal)	Yes (Triac)	pk=1/48
85153	9A19-GU24-LED5-927-D-T20T24	GU24	60W	9W	2700K	800	Yes (Triac)	pk=1/48
85154	9A19-GU24-LED5-930-D-T20T24	GU24	60W	9W	3000K	800	Yes (Triac)	pk=1/48
85155	9A19-GU24-LED5-940-D-T20T24	GU24	60W	9W	4000K	800	Yes (Triac)	pk=1/48
85156	9A19-GU24-LED5-950-D-T20	GU24	60W	9W	5000K	800	Yes (Triac)	pk=1/48
88059	A19FR11-827-GU24-LED	GU24	75W	11W	2700K	1100	No	pk=1/48
88060	A19FR15-840-GU24-LED	GU24	100W	15W	4000K	1600	No	pk=1/48

Note - Only Performance items with T20 in product code are Title 20 Compliant

[View Selector Guide](#)

LED A19 Contractor Series Single Pack (E26 Base)



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
85103	11A19-LED5-827-D	E26	75W	11W	2700K	1100	Yes (Triac)	pk=1/48
85104	11A19-LED5-830-D	E26	75W	11W	3000K	1100	Yes (Triac)	pk=1/48
85105	11A19-LED5-840-D	E26	75W	11W	4000K	1100	Yes (Triac)	pk=1/48
85106	11A19-LED5-850-D	E26	75W	11W	5000K	1100	Yes (Triac)	pk=1/48
85107	15A19-LED5-827-D	E26	100W	15W	2700K	1600	Yes (Triac)	pk=1/48
85111	15A19-LED5-827-ND	E26	100W	15W	2700K	1600	No	pk=1/48
85108	15A19-LED5-830-D	E26	100W	15W	3000K	1600	Yes (Triac)	pk=1/48
85112	15A19-LED5-830-ND	E26	100W	15W	3000K	1600	No	pk=1/48
85109	15A19-LED5-840-D	E26	100W	15W	4000K	1600	Yes (Triac)	pk=1/48
85113	15A19-LED5-840-ND	E26	100W	15W	4000K	1600	No	pk=1/48
85110	15A19-LED5-850-D	E26	100W	15W	5000K	1600	Yes (Triac)	pk=1/48
85114	15A19-LED5-850-ND	E26	100W	15W	5000K	1600	No	pk=1/48
85090	6A19-LED5-827-D	E26	40W	6W	2700K	420	Yes (Triac)	pk=1/48
85091	6A19-LED5-830-D	E26	40W	6W	3000K	420	Yes (Triac)	pk=1/48
85092	6A19-LED5-840-D	E26	40W	6W	4000K	420	Yes (Triac)	pk=1/48



[View Selector Guide](#)

LED A19 Contractor Series Single Pack (E26 Base)



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
85093	6A19-LED5-850-D	E26	40W	6W	5000K	420	Yes (Triac)	pk=1/48
85094	9A19-LED5-827-D	E26	60W	9W	2700K	800	Yes (Triac)	pk=1/48
85098	9A19-LED5-827-ND	E26	60W	9W	2700K	800	No	pk=1/48
85095	9A19-LED5-830-D	E26	60W	9W	3000K	800	Yes (Triac)	pk=1/48
85099	9A19-LED5-830-ND	E26	60W	9W	3000K	800	No	pk=1/48
85096	9A19-LED5-840-D	E26	60W	9W	4000K	800	Yes (Triac)	pk=1/48
85100	9A19-LED5-840-ND	E26	60W	9W	4000K	800	No	pk=1/48
85097	9A19-LED5-850-D	E26	60W	9W	5000K	800	Yes (Triac)	pk=1/48
85101	9A19-LED5-850-ND	E26	60W	9W	5000K	800	No	pk=1/48

Note - Generation 5

[View Selector Guide](#)

LED A19 Performance Series Single Pack (E26 Base) Title 20 Compliant



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
85124	11A19-LED5-927-D-T20T24	E26	75W	11W	2700K	1100	Yes (Triac)	pk=1/48
85125	11A19-LED5-930-D-T20T24	E26	75W	11W	3000K	1100	Yes (Triac)	pk=1/48
85126	11A19-LED5-940-D-T20T24	E26	75W	11W	4000K	1100	Yes (Triac)	pk=1/48
85127	11A19-LED5-950-D-T20	E26	75W	11W	5000K	1100	Yes (Triac)	pk=1/48
85128	15A19-LED5-927-D-T20T24	E26	100W	15W	2700K	1600	Yes (Triac)	pk=1/48
85129	15A19-LED5-930-D-T20T24	E26	100W	15W	3000K	1600	Yes (Triac)	pk=1/48
85130	15A19-LED5-940-D-T20T24	E26	100W	15W	4000K	1600	Yes (Triac)	pk=1/48
85131	15A19-LED5-950-D-T20	E26	100W	15W	5000K	1600	Yes (Triac)	pk=1/48
85115	6A19-LED5-927-D-T20T24	E26	40W	5.5W	2700K	450	Yes (Triac)	pk=1/48
85116	6A19-LED5-930-D-T20T24	E26	40W	5.5W	3000K	450	Yes (Triac)	pk=1/48
85117	6A19-LED5-940-D-T20T24	E26	40W	5.5W	4000K	450	Yes (Triac)	pk=1/48
85118	6A19-LED5-950-D-T20	E26	40W	5.5W	5000K	450	Yes (Triac)	pk=1/48
85119	9A19-LED5-927-D-T20T24	E26	60W	9W	2700K	800	Yes (Triac)	pk=1/48
85120	9A19-LED5-930-D-T20T24	E26	60W	9W	3000K	800	Yes (Triac)	pk=1/48
85121	9A19-LED5-940-D-T20T24	E26	60W	9W	4000K	800	Yes (Triac)	pk=1/48
85122	9A19-LED5-950-D-T20	E26	60W	9W	5000K	800	Yes (Triac)	pk=1/48

Note - All lamps are T20, select lamps are also T24 and JA8 as noted on Product Code. Generation 5.



[View Selector Guide](#)

LED A19 Six Packs



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
85102	9A19-LED5-830-ND-6PK	E26	60W	9W	3000K	800	No	pk=1/8
85123	9A19-LED5-930-D-T20T24-6PK	E26	60W	9W	3000K	800	Yes (Triac)	pk=1/8

Note - Only items with T20 in Product code are Title 20 compliant

[View Selector Guide](#)

LED A19 While Supplies GU24 Base Last Single Packs (Generation 4 ECO)



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
88057	A19FR9-840-GU24-LED	GU24	60W	9W	4000K	800	No	pk=1/48

Note - While Supplies Last

[View Family Spec](#)

LED A19 While Supplies Last 6-Packs (Generation 4 ECO & T20)



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
88036	A19FR9-827-ECO-LED4-6pk	E26	60W	9W	2700K	720	No	pk=1/8
88041	A19FR9-830-DIM-LED4-6pk	E26	60W	9W	3000K	800	Yes	pk=1/8
88038	A19FR9-840-ECO-LED4-6pk	E26	60W	9W	4000K	720	No	pk=1/8
88044	A19FR9-927-DIM-LED4-T20-6pk	E26	60W	9W	2700K	800	Yes	pk=1/30
88045	A19FR9-930-DIM-LED4-T20-6pk	E26	60W	9W	3000K	800	Yes	pk=1/30
88046	A19FR9-940-DIM-LED4-T20-6pk	E26	60W	9W	4000K	800	Yes	pk=1/30
88047	A19FR9-950-DIM-LED4-T20-6pk	E26	60W	9W	5000K	800	Yes	pk=1/30

Note - Products with T20 in Product Code are Title 20 Compliant

[View Selector Guide](#)

LED A19 While Supplies Last Single Packs (Generation 4 ECO & T20)



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
88022	A19FR11-840-DIM-LED4	E26	75W	11W	4000K	1100	Yes	pk=1/48
88032	A19FR12-927-DIM-LED4-T20	E26	75W	12W	2700K	1100	Yes	pk=1/48



[View Selector Guide](#)

LED A19 While Supplies Last Single Packs
(Generation 4 ECO & T20)



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
88033	A19FR12-930-DIM-LED4-T20	E26	75W	12W	3000K	1100	Yes	pk=1/48
88034	A19FR12-940-DIM-LED4-T20	E26	75W	12W	4000K	1100	Yes	pk=1/48
88065	A19FR15-927-DIM-LED-T20JA82019	E26	100W	15W	2700K	1600	Yes	pk=1/48
88066	A19FR15-930-DIM-LED-T20JA82019	E26	100W	15W	3000K	1600	Yes	pk=1/48
88067	A19FR15-940-DIM-LED-T20JA82019	E26	100W	15W	4000K	1600	Yes	pk=1/48
88068	A19FR15-950-DIM-LED-T20	E26	100W	15W	5000K	1600	Yes	pk=1/48
88012	A19FR6-827-DIM-LED4	E26	40W	5.5W	2700K	450	Yes	pk=1/48
88013	A19FR6-830-DIM-LED4	E26	40W	5.5W	3000K	450	Yes	pk=1/48
88014	A19FR6-840-DIM-LED4	E26	40W	5.5W	4000K	450	Yes	pk=1/48
88002	A19FR6-840-ECO-LED4	E26	40W	5.5W	4000K	450	No	pk=1/48
88015	A19FR6-850-DIM-LED4	E26	40W	5.5W	5000K	450	Yes	pk=1/48
88003	A19FR6-850-ECO-LED4	E26	40W	5.5W	5000K	450	No	pk=1/48
88025	A19FR6-930-DIM-LED4-T20	E26	40W	5W	3000K	450	Yes	pk=1/48
88026	A19FR6-940-DIM-LED4-T20	E26	40W	5W	4000K	450	Yes	pk=1/48
88027	A19FR6-950-DIM-LED4-T20	E26	40W	5W	5000K	450	Yes	pk=1/48
88029	A19FR9-930-DIM-LED4-T20	E26	60W	9W	3000K	800	Yes	pk=1/48
88030	A19FR9-940-DIM-LED4-T20	E26	60W	9W	4000K	800	Yes	pk=1/48
88031	A19FR9-950-DIM-LED4-T20	E26	60W	9W	5000K	800	Yes	pk=1/48

Note - Products with T20 in Product Code are Title 20 Compliant. Some Products are also JA8 as noted in Product Code

[View Selector Guide](#)

LED A21 Single Packs Title 20 Compliant (Gen 4)



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
88052	A21-FR21-930-DIM-LED-T20	E26	150W	21W	3000K	2600	Yes	pk=1/30
88053	A21-FR21-950-DIM-LED-T20	E26	150W	21W	5000K	2600	Yes	pk=1/30

[View Family Spec](#) [View Selector Guide](#)

LED BR30 Essential Series (Single & Six Packs)



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
80290	8BR30-FL-LED-827-DIM-ES	E26	65W	8W	2700K	650	Yes (Triac)	pk=6/24



[View Family Spec](#)

[View Selector Guide](#)

LED BR30 Essential Series (Single & Six Packs)



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
80294	8BR30-FL-LED-827-DIM-ES-6-PK	E26	65W	8W	2700K	650	Yes (Triac)	pk=1/6
80291	8BR30-FL-LED-830-DIM-ES	E26	65W	8W	3000K	650	Yes (Triac)	pk=6/24
80295	8BR30-FL-LED-830-DIM-ES-6-PK	E26	65W	8W	3000K	650	Yes (Triac)	pk=1/6
80292	8BR30-FL-LED-840-DIM-ES	E26	65W	8W	4000K	650	Yes (Triac)	pk=6/24
80293	8BR30-FL-LED-850-DIM-ES	E26	65W	8W	5000K	650	Yes (Triac)	pk=6/24

Note - Items with -6-PK in product code are sold as six packs.

[View Family Spec](#)

[View Selector Guide](#)

LED BR30 Performance Series (Title 20 Compliant)



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
80278	10BR30-FL-LED-927-D-PS	E26	65W	9.5W	2700K	800	Yes (Triac)	pk=6/24
80279	10BR30-FL-LED-930-D-PS	E26	65W	9.5W	3000K	800	Yes (Triac)	pk=6/24
80280	10BR30-FL-LED-940-D-PS	E26	65W	9.5W	4000K	800	Yes (Triac)	pk=6/24
80281	10BR30-FL-LED-950-D-PS	E26	65W	9.5W	5000K	800	Yes (Triac)	pk=6/24

Note - All items are Title 20 Compliant. All items except for the 5K color are also T24 and JA8.

[View Family Spec](#)

LED BR30 Pink



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
80988	BR30FL8/PNK/LED	E26	65W	8W	Pink		Yes	pk=6/24

[View Family Spec](#)

[View Selector Guide](#)

LED BR40 Essential Series



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
80282	13BR40-FL-LED-827-D-ES	E26	75W	13W	2700K	1100	Yes (Triac)	pk=6/24
80283	13BR40-FL-LED-830-D-ES	E26	75W	13W	3000K	1100	Yes (Triac)	pk=6/24
80284	13BR40-FL-LED-840-D-ES	E26	75W	13W	4000K	1100	Yes (Triac)	pk=6/24



View Family Spec

View Selector Guide

LED BR40 Essential Series



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
80285	13BR40-FL-LED-850-D-ES	E26	75W	13W	5000K	1100	Yes (Triac)	pk=6/24

View Family Spec

View Selector Guide

LED BR40 Performance Series (Title 20 Compliant)



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
80286	13BR40-FL-LED-927-D-PS	E26	80W	13W	2700K	1100	Yes (Triac)	pk=6/24
80287	13BR40-FL-LED-930-D-PS	E26	80W	13W	3000K	1100	Yes (Triac)	pk=6/24
80288	13BR40-FL-LED-940-D-PS	E26	80W	13W	4000K	1100	Yes (Triac)	pk=6/24
80289	13BR40-FL-LED-950-D-PS	E26	80W	13W	5000K	1100	Yes (Triac)	pk=6/24

Note - All items are Title 20 compliant. All items except for the 5K color temp are also T24 and JA8

View Family Spec

LED MR11 Commercial Series GU4 Base



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
80996	MR11NFL3/827/LED	E26	20W	3W	2700K	210	No	pk=10/100
80997	MR11NFL3/830/LED	E26	20W	3W	3000K	210	No	pk=10/100
80998	MR11NFL3/840/LED	E26	20W	3W	4000K	210	No	pk=10/100
80999	MR11NFL3/850/LED	E26	20W	3W	5000K	210	No	pk=10/100

Note - 20 degree beam spread

View Family Spec

LED MR11 Flood - GU4 and Bayonet Base



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
81096	MR11FTC/827/LED	GU4	20W	3W	2700K	230	Yes	pk=10/100
81094	MR11FTD/827/BA15D/LED	BA15D	20W	3W	2700K	230	Yes	pk=10/100
81093	MR11FTD/827/LED	GU4	20W	3W	2700K	230	Yes	pk=10/100
81095	MR11FTD/850/LED	GU4	20W	3W	5000K	250	Yes	pk=10/100

Note - MR11FTC/827/LED is a Narrow Flood, the rest are standard Floods



[View Family Spec](#)

LED MR16 Commercial Series Black Housing
(while supplies last)



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
82095	MR16FL4.5/827/LED	GU5.3	35W	4.5W	2700K	390	Yes	pk=10/100
81098	MR16FL4/827/LED	GU5.3	20W	3.5W	2700K	250	Yes	pk=10/100
82094	MR16NFL4.5/827/LED	GU5.3	35W	4.5W	2700K	390	Yes	pk=10/100
81103	MR16NFL4/827/LED	GU5.3	20W	3.5W	2700K	250	Yes	pk=10/100
81099	MR16WFL4/827/LED	GU5.3	20W	3.5W	2700K	250	Yes	pk=10/100

Note - Product code with NFL = Narrow Flood, WFL = Wide Flood

[View Family Spec](#)

LED MR16 Commercial Series White



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
80534	MR16FL4/827/LED2	GU5.3	35W	4.5W	2700K	360	Yes	pk=10/100
80535	MR16FL4/830/LED2	GU5.3	35W	4.5W	3000K	360	Yes	pk=10/100
80536	MR16FL4/850/LED2	GU5.3	35W	4.5W	5000K	360	Yes	pk=10/100
80537	MR16FL6/827/LED2	GU5.3	50W	6.5W	2700K	500	Yes	pk=10/100
80538	MR16FL6/830/LED2	GU5.3	50W	6.5W	3000K	500	Yes	pk=10/100
80539	MR16FL6/850/LED2	GU5.3	50W	6.5W	5000K	500	Yes	pk=10/100
80540	MR16NFL6/830/LED2	GU5.3	50W	6.5W	3000K	500	Yes	pk=10/100

Note - Product code with NFL = Narrow Flood. Phase out on some products.

[View Family Spec](#)

LED MR16 GU10 Base Standard Flood
40-Degrees (while supplies last)



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
80529	MR16FL4/827/GU10/LED	GU10	35W	4.5W	2700K	360	Yes	pk=10/100
80887	MR16FL4/830/GU10/LED	GU10	35W	4.5W	3000K	370	Yes	pk=10/100
80531	MR16FL4/840/GU10/LED	GU10	35W	4.5W	4000K	360	Yes	pk=10/100
80533	MR16FL4/850/GU10/LED	GU10	35W	4.5W	5000K	360	Yes	pk=10/100
80528	MR16FL6/827/GU10/LED	GU10	50W	6.5W	2700K	500	Yes	pk=10/100
80888	MR16FL6/830/GU10/LED	GU10	50W	6.5W	3000K	520	Yes	pk=10/100
80530	MR16FL6/840/GU10/LED	GU10	50W	6.5W	4000K	500	Yes	pk=10/100



[View Family Spec](#)

LED MR16 GU10 Base Standard Flood
40-Degrees (while supplies last)



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
80532	MR16FL6/850/GU10/LED	GU10	50W	6.5W	5000K	500	Yes	pk=10/100

[View Family Spec](#)

LED MR16 Narrow Flood 20-Degrees



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
81059	MR16BBF/827/LED	GU5.3	20W	4W	2700K	270	Yes	pk=10/100
81081	MR16BBF/830/LED	GU5.3	20W	4W	3000K	280	Yes	pk=10/100
81069	MR16EXZ/827/LED	GU5.3	50W	8W	2700K	590	Yes	pk=10/100
81085	MR16EXZ/830/LED	GU5.3	50W	8W	3000K	600	Yes	pk=10/100
81064	MR16FRA/827/LED	GU5.3	35W	4.5W	2700K	380	Yes	pk=10/100
81083	MR16FRA/830/LED	GU5.3	35W	4.5W	3000K	390	Yes	pk=10/100
81055	MR16NFL10/827/LED	GU5.3	10W	2.5W	2700K	200	Yes	pk=10/100
81079	MR16NFL10/830/LED	GU5.3	10W	2.5W	3000K	210	Yes	pk=10/100

Note - Alternative to 10W, 20W, 35W and 50W Halogen lamps

[View Family Spec](#)

LED MR16 Standard Flood 40-Degress



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
81060	MR16BAB/827/LED	GU5.3	20W	4W	2700K	270	Yes	pk=10/100
81062	MR16BAB/830/LED	GU5.3	20W	4W	3000K	280	Yes	pk=10/100
81063	MR16BAB/850/LED	GU5.3	20W	4W	5000K	310	Yes	pk=10/100
81070	MR16EXN/827/LED	GU5.3	50W	8W	2700K	590	Yes	pk=10/100
81072	MR16EXN/830/LED	GU5.3	50W	8W	3000K	600	Yes	pk=10/100
81073	MR16EXN/850/LED	GU5.3	50W	8W	5000K	660	Yes	pk=10/100
81056	MR16FL10/827/LED	GU5.3	10W	2.5W	2700K	200	Yes	pk=10/100
81077	MR16FL10/830/LED	GU5.3	10W	2.5W	3000K	210	Yes	pk=10/100
81058	MR16FL10/850/LED	GU5.3	10W	2.5W	5000K	230	Yes	pk=10/100
81065	MR16FMW/827/LED	GU5.3	35W	4.5W	2700K	380	Yes	pk=10/100
81067	MR16FMW/830/LED	GU5.3	35W	4.5W	3000K	390	Yes	pk=10/100
81068	MR16FMW/850/LED	GU5.3	35W	4.5W	5000K	430	Yes	pk=10/100

Note - Alternative to 10W, 20W, 35W and 50W Halogen lamps



[View Family Spec](#)

LED MR16 Wide Flood 60-Degrees



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
81071	MR16FNV/827/LED	GU5.3	50W	8W	2700K	590	Yes	pk=10/100
81086	MR16FNV/830/LED	GU5.3	50W	8W	3000K	600	Yes	pk=10/100
81057	MR16WFL10/827/LED	GU5.3	10W	2.5W	2700K	200	Yes	pk=10/100
81080	MR16WFL10/830/LED	GU5.3	10W	2.5W	3000K	210	Yes	pk=10/100
81061	MR16WFL20/827/LED	GU5.3	20W	4W	2700K	270	Yes	pk=10/100
81082	MR16WFL20/830/LED	GU5.3	20W	4W	3000K	280	Yes	pk=10/100
81066	MR16WFL35/827/LED	GU5.3	35W	4.5W	2700K	380	Yes	pk=10/100
81084	MR16WFL35/830/LED	GU5.3	35W	4.5W	3000K	390	Yes	pk=10/100

Note - Alternative to 10W, 20W, 35W and 50W Halogen lamps

[View Family Spec](#)

[View Selector Guide](#)

LED PAR20 Essential Series



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
80200	7PAR20-FL-LED-827-D-ES	E26	50W	6.5W	2700K	550	Yes (Triac)	pk=6/36
80201	7PAR20-FL-LED-830-D-ES	E26	50W	6.5W	3000K	550	Yes (Triac)	pk=6/36
80202	7PAR20-FL-LED-840-D-ES	E26	50W	6.5W	4000K	550	Yes (Triac)	pk=6/36
80203	7PAR20-FL-LED-850-D-ES	E26	50W	6.5W	5000K	550	Yes (Triac)	pk=6/36

Note - Concave parabolic lens

[View Family Spec](#)

[View Selector Guide](#)

LED PAR20 Performance Series (Title 20 Compliant)



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
80212	7PAR20-FL-LED-927-D-BLK-PS	E26	40W	6.5W	2700K	550	Yes (Triac)	pk=6/36
80208	7PAR20-FL-LED-927-D-PS	E26	40W	6.5W	2700K	550	Yes (Triac)	pk=6/36
80213	7PAR20-FL-LED-930-D-BLK-PS	E26	40W	6.5W	3000K	550	Yes (Triac)	pk=6/36
80209	7PAR20-FL-LED-930-D-PS	E26	40W	6.5W	3000K	550	Yes (Triac)	pk=6/36
80214	7PAR20-FL-LED-940-D-BLK-PS	E26	40W	6.5W	4000K	550	Yes (Triac)	pk=6/36
80210	7PAR20-FL-LED-940-D-PS	E26	40W	6.5W	4000K	550	Yes (Triac)	pk=6/36
80215	7PAR20-FL-LED-950-D-BLK-PS	E26	40W	6.5W	5000K	550	Yes (Triac)	pk=6/36



[View Family Spec](#)

[View Selector Guide](#)

LED PAR20 Performance Series (Title 20 Compliant)



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
80211	7PAR20-FL-LED-950-D-PS	E26	40W	6.5W	5000K	550	Yes (Triac)	pk=6/36
80204	7PAR20-NFL-LED-927-D-PS	E26	40W	6.5W	2700K	550	Yes (Triac)	pk=6/36
80205	7PAR20-NFL-LED-930-D-PS	E26	40W	6.5W	3000K	550	Yes (Triac)	pk=6/36
80206	7PAR20-NFL-LED-940-D-PS	E26	40W	6.5W	4000K	550	Yes (Triac)	pk=6/36
80207	7PAR20-NFL-LED-950-D-PS	E26	40W	6.5W	5000K	550	Yes (Triac)	pk=6/36

Note - BLK=Black housing, NFL=Narrow Flood, Concave Parabolic Lens, PS=Performance Series T20 Certified (All except for 5K color temp are T24 & JA8)

[View Family Spec](#)

[View Selector Guide](#)

LED PAR30 Essential Series - White Housing



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
80220	11PAR30L-FL-LED-827-D-ES	E26	75W	11W	2700K	850	Yes (Triac)	pk=6/24
80221	11PAR30L-FL-LED-830-D-ES	E26	75W	11W	3000K	850	Yes (Triac)	pk=6/24
80222	11PAR30L-FL-LED-840-D-ES	E26	75W	11W	4000K	850	Yes (Triac)	pk=6/24
80223	11PAR30L-FL-LED-850-D-ES	E26	75W	11W	5000K	850	Yes (Triac)	pk=6/24
80216	11PAR30S-FL-LED-827-D-ES	E26	75W	11W	2700K	850	Yes (Triac)	pk=6/24
80217	11PAR30S-FL-LED-830-D-ES	E26	75W	11W	3000K	850	Yes (Triac)	pk=6/24
80218	11PAR30S-FL-LED-840-D-ES	E26	75W	11W	4000K	850	Yes (Triac)	pk=6/24
80219	11PAR30S-FL-LED-850-D-ES	E26	75W	11W	5000K	850	Yes (Triac)	pk=6/24

Note - Concave Parabolic Lens, 30S=Short Neck, 30L=Long Neck

[View Family Spec](#)

[View Selector Guide](#)

LED PAR30 Performance Series - Title 20 Compliant - White & Black Housing



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
80240	11PAR30L-FL-LED-927-D-BLK-PS	E26	75W	11W	2700K	1000	Yes (Triac)	pk=6/24
80244	11PAR30L-FL-LED-927-D-PS	E26	75W	11W	2700K	1000	Yes (Triac)	pk=6/24
80241	11PAR30L-FL-LED-930-D-BLK-PS	E26	75W	11W	3000K	1000	Yes (Triac)	pk=6/24
80245	11PAR30L-FL-LED-930-D-PS	E26	75W	11W	3000K	1000	Yes (Triac)	pk=6/24
80242	11PAR30L-FL-LED-940-D-BLK-PS	E26	75W	11W	4000K	1000	Yes (Triac)	pk=6/24
80246	11PAR30L-FL-LED-940-D-PS	E26	75W	11W	4000K	1000	Yes (Triac)	pk=6/24



[View Family Spec](#)

[View Selector Guide](#)

LED PAR30 Performance Series - Title 20
Compliant - White & Black Housing



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
80243	11PAR30L-FL-LED-950-D-BLK-PS	E26	75W	11W	5000K	1000	Yes (Triac)	pk=6/24
80247	11PAR30L-FL-LED-950-D-PS	E26	75W	11W	5000K	1000	Yes (Triac)	pk=6/24
80236	11PAR30L-NFL-LED-927-D-PS	E26	75W	11W	2700K	1000	Yes (Triac)	pk=6/24
80237	11PAR30L-NFL-LED-930-D-PS	E26	75W	11W	3000K	1000	Yes (Triac)	pk=6/24
80238	11PAR30L-NFL-LED-940-D-PS	E26	75W	11W	4000K	1000	Yes (Triac)	pk=6/24
80239	11PAR30L-NFL-LED-950-D-PS	E26	75W	11W	5000K	1000	Yes (Triac)	pk=6/24
80228	11PAR30S-FL-LED-927-D-BLK-PS	E26	75W	11W	2700K	1000	Yes (Triac)	pk=6/24
80232	11PAR30S-FL-LED-927-D-PS	E26	75W	11W	2700K	1000	Yes (Triac)	pk=6/24
80229	11PAR30S-FL-LED-930-D-BLK-PS	E26	75W	11W	3000K	1000	Yes (Triac)	pk=6/24
80233	11PAR30S-FL-LED-930-D-PS	E26	75W	11W	3000K	1000	Yes (Triac)	pk=6/24
80230	11PAR30S-FL-LED-940-D-BLK-PS	E26	75W	11W	4000K	1000	Yes (Triac)	pk=6/24
80234	11PAR30S-FL-LED-940-D-PS	E26	75W	11W	4000K	1000	Yes (Triac)	pk=6/24
80231	11PAR30S-FL-LED-950-D-BLK-PS	E26	75W	11W	5000K	1000	Yes (Triac)	pk=6/24
80235	11PAR30S-FL-LED-950-D-PS	E26	75W	11W	5000K	1000	Yes (Triac)	pk=6/24
80224	11PAR30S-NFL-LED-927-D-PS	E26	75W	11W	2700K	1000	Yes (Triac)	pk=6/24
80225	11PAR30S-NFL-LED-930-D-PS	E26	75W	11W	3000K	1000	Yes (Triac)	pk=6/24
80226	11PAR30S-NFL-LED-940-D-PS	E26	75W	11W	4000K	1000	Yes (Triac)	pk=6/24
80227	11PAR30S-NFL-LED-950-D-PS	E26	75W	11W	5000K	1000	Yes (Triac)	pk=6/24

Note - BLK=Black Housing, NFL=Narrow Flood, 30L=Long Neck, 30S=Short Neck, PS=Performance Series Flat parabolic lens, T20 Certified (all but 5K color temp are T24 and JA8)

[View Family Spec](#)

LED PAR36 / AR111 Floods



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
81097	PAR36FL11/827/LED	MP Term	50W	11.5W	2700K	870	Yes	pk=6/24
80863	PAR36FL17/827/LED	MP Term	75W	17W	2700K	1000	Yes	pk=6/24

Note - Multi-Purpose Terminal Base for PAR36 or AR111. Replacement for 50W and 75W Halogen lamps



[View Family Spec](#)

LED PAR36 Outdoor Wide Flood - Waterproof
IP67 Rated



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
81076	PAR36WFL12/827/IP67/LED	MP Term	50W	12.5W	2700K	800	Yes	pk=6/24
81074	PAR36WFL4/827/IP67/LED	MP Term	20W	4.5W	2700K	300	Yes	pk=6/24
81075	PAR36WFL6/827/IP67/LED	MP Term	35W	6.5W	2700K	450	Yes	pk=6/24

Note - Wide Flood, Multi-purpose base for slip-on or screw terminal connections

[View Family Spec](#)

[View Selector Guide](#)

LED PAR38 Essential Series - White Housing



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
80248	13PAR38-FL-LED-827-D-ES	E26	90W	13W	2700K	1200	Yes (Triac)	pk=6/24
80249	13PAR38-FL-LED-830-D-ES	E26	90W	13W	3000K	1200	Yes (Triac)	pk=6/24
80250	13PAR38-FL-LED-840-D-ES	E26	90W	13W	4000K	1200	Yes (Triac)	pk=6/24
80251	13PAR38-FL-LED-850-D-ES	E26	90W	13W	5000K	1200	Yes (Triac)	pk=6/24

Note - Concave Parabolic Lens

[View Family Spec](#)

[View Selector Guide](#)

LED PAR38 Performance Series - Title 20
Compliant - White & Black Housing



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
80256	14PAR38-FL-LED-927-D-BLK-PS	E26	90W	14W	2700K	1250	Yes (Triac)	pk=6/24
80260	14PAR38-FL-LED-927-D-PS	E26	90W	14W	2700K	1250	Yes (Triac)	pk=6/24
80257	14PAR38-FL-LED-930-D-BLK-PS	E26	90W	14W	3000K	1250	Yes (Triac)	pk=6/24
80261	14PAR38-FL-LED-930-D-PS	E26	90W	14W	3000K	1250	Yes (Triac)	pk=6/24
80258	14PAR38-FL-LED-940-D-BLK-PS	E26	90W	14W	4000K	1250	Yes (Triac)	pk=6/24
80262	14PAR38-FL-LED-940-D-PS	E26	90W	14W	4000K	1250	Yes (Triac)	pk=6/24
80259	14PAR38-FL-LED-950-D-BLK-PS	E26	90W	14W	5000K	1250	Yes (Triac)	pk=6/24
80263	14PAR38-FL-LED-950-D-PS	E26	90W	14W	5000K	1250	Yes (Triac)	pk=6/24
80252	14PAR38-NFL-LED-927-D-PS	E26	90W	14W	2700K	1250	Yes (Triac)	pk=6/24
80253	14PAR38-NFL-LED-930-D-PS	E26	90W	14W	3000K	1250	Yes (Triac)	pk=6/24
80254	14PAR38-NFL-LED-940-D-PS	E26	90W	14W	4000K	1250	Yes (Triac)	pk=6/24
80255	14PAR38-NFL-LED-950-D-PS	E26	90W	14W	5000K	1250	Yes (Triac)	pk=6/24

Note - BLK-Black Housing, Flat Parabolic Lens, NFL=Narrow Flood, PS=Performance Series T20 Certified (all except for 5K color temp T24 and JA8)



LED PAR38-PAR30-PAR20 White Supplies
Last (Gen 2) ("T20" are Title 20 Compliant)



PAR20

PAR30L & S

PAR38

Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
83151	PAR20FL7/940/WH/LED2	E26	50W	7W	4000K	550	Yes	pk=1/24
83103	PAR30FL11L/930/BH/LED	E26	75W	11W	3000K	800	Yes	pk=6/24
83203	PAR30FL12L/930/BH/LED2	E26	75W	12W	3000K	1050	Yes	pk=1/24
83205	PAR30FL12L/940/BH/LED2	E26	75W	12W	4000K	1050	Yes	pk=1/24
83204	PAR30FL12L/940/WH/LED2	E26	75W	12W	4000K	1050	Yes	pk=1/24
83206	PAR30FL12L/950/WH/LED2	E26	75W	12W	5000K	1050	Yes	pk=1/24
83112	PAR30FL12S/927/BH/LED2	E26	75W	12W	2700K	1050	Yes	pk=1/24
83111	PAR30FL12S/927/WH/LED2	E26	75W	12W	2700K	1050	Yes	pk=1/24
84988	PAR30FL12S/930/T20/LED	E26	75W	12W	3000K	975	Yes	pk=1/48
83116	PAR30FL12S/940/BH/LED2	E26	75W	12W	4000K	1050	Yes	pk=1/24
84990	PAR30FL12S/950/T20/LED	E26	75W	12W	5000K	975	Yes	pk=1/48
83118	PAR30FL12S/950/WH/LED2	E26	75W	12W	5000K	1050	Yes	pk=1/24
83209	PAR30NFL12L/930/WH/LED2	E26	75W	12W	3000K	1050	Yes	pk=1/24
83210	PAR30NFL12L/950/WH/LED2	E26	75W	12W	5000K	1050	Yes	pk=1/24
83120	PAR30NFL12S/930/WH/LED2	E26	75W	12W	3000K	1050	Yes	pk=1/24
83122	PAR30NFL12S/940/WH/LED2	E26	75W	12W	4000K	1050	Yes	pk=1/24
83131	PAR38NFL17/927/BH/LED2	E26	120W	17W	2700K	1370	Yes	pk=1/24
83130	PAR38NFL17/927/WH/LED2	E26	120W	17W	2700K	1370	Yes	pk=1/24
83135	PAR38NFL17/950/WH/LED2	E26	120W	17W	5000K	1370	Yes	pk=1/24

Note - BH=Black Housing, WH=White Housing, NFL=Narrow Flood 25degrees, Standard Flood is 40degrees, for PAR30 L/=Long Neck, S/=Short Neck, /T20 =Title 20 Certified

[View Family Spec](#)

LED R12 Elevator Series



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
80701	1383/3WW/LED	BA15S	20W	2.6W	2700K	145	No	pk=10/100
80756	GBF/3WW/LED	BA15D	20W	2.6W	2700K	145	No	pk=10/100

Note - BA15s and BA15d base, 40,000hrs life



View Family Spec

View Selector Guide

LED R20 Essential Series



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
80264	7R20-FL-LED-827-D-ES	E26	50W	7W	2700K	500	Yes (Triac)	pk=6/36
80265	7R20-FL-LED-830-D-ES	E26	50W	7W	3000K	500	Yes (Triac)	pk=6/36
80266	7R20-FL-LED-840-D-ES	E26	50W	7W	4000K	500	Yes (Triac)	pk=6/36
80267	7R20-FL-LED-850-D-ES	E26	50W	7W	5000K	500	Yes (Triac)	pk=6/36

View Family Spec

View Selector Guide

LED R20 Performance Series - Title 20 Compliant



Product #	Product Code	Base Type	Equiv Watts	Watts	Color Temp	Lumens	Dimmable	Packaging
80268	6R20-FL-LED-927-D-PS	E26	50W	6W	2700K	550	Yes (Triac)	pk=6/36
80269	6R20-FL-LED-930-D-PS	E26	50W	6W	3000K	550	Yes (Triac)	pk=6/36
80270	6R20-FL-LED-940-D-PS	E26	50W	6W	4000K	550	Yes (Triac)	pk=6/36
80271	6R20-FL-LED-950-D-PS	E26	50W	6W	5000K	550	Yes (Triac)	pk=6/36

Note - Title 20 Compliant, all except 5K color temp T24 and JA8

LED Linear Tubes

View Family Spec

LED Linear T5 Type A Direct 4FT Replacement



Product#	Product Code	Base	Length	Watts	Color Temp	Lumens	Dimmable	Equiv Watts	Packaging
84080	T5FR25/840/DIR2/HO/LED	Mini Bi-Pin	48in	25W	4000K	3500	No	54W	pk=25/25
84081	T5FR25/850/DIR2/HO/LED	Mini Bi-Pin	48in	25W	5000K	3500	No	54W	pk=25/25

Note - Replaces F54T5/HO

View Family Spec

LED Linear T5 Type B Bypass 4 FT Replacement



Product#	Product Code	Base	Length	Watts	Color Temp	Lumens	Dimmable	Equiv Watts	Packaging
82987	T5FR25/840/BYP/HO/LED	G5	48in	25W	4000K	3300	No	54W	pk=25/25



[View Family Spec](#)



LED Linear T5 Type B Bypass 4 FT Replacement

Product#	Product Code	Base	Length	Watts	Color Temp	Lumens	Dimmable	Equiv Watts	Packaging
82988	T5FR25/850/BYP/HO/LED	G5	48in	25W	5000K	3400	No	54W	pk=25/25

Note - Replaces F54T5/HO fluorescent lamps

[View Family Spec](#)



LED Linear T8 Hybrid (Type A Direct & B Bypass) Color Selectable 2FT, 3FT and 4FT

Product#	Product Code	Base	Length	Watts	Color Temp	Lumens	Dimmable	Equiv Watts	Packaging
87100	24T8-8-8CS-HYB-D-LED	G13	24in	8W	35/40/50K	860	Yes	17W	pk=25/25
87101	36T8-12-8CS-HYB-D-LED	G13	36in	12W	35/40/50K	1500	Yes	25W	pk=25/25
87102	48T8-12-8CS-HYB-D-LED	G13	48in	12.5W	35/40/50K	1600	Yes	32W	pk=25/25

Note - Dimming is dependent on the ballast in Type A applications, and a separate (not included) dimming module in Type B applications. Single / Double Sided End Caps

[View Family Spec](#)



LED Linear T8 Type A Series (2FT and 3FT Lengths)

Product#	Product Code	Base	Length	Watts	Color Temp	Lumens	Dimmable	Equiv Watts	Packaging
82355	T824FR8/835/DIR3/LED	G13	24in	8W	3500K	1325	No	17W	pk=25/25
82356	T824FR8/840/DIR3/LED	G13	24in	8W	4000K	1350	No	17W	pk=25/25
82357	T824FR8/850/DIR3/LED	G13	24in	8W	5000K	1350	No	17W	pk=25/25
82358	T836FR11/835/DIR3/LED	G13	36in	11W	3500K	1675	No	25W	pk=25/25
82359	T836FR11/840/DIR3/LED	G13	36in	11W	4000K	1700	No	25W	pk=25/25
82360	T836FR11/850/DIR3/LED	G13	36in	11W	5000K	1700	No	25W	pk=25/25

[View Family Spec](#)



LED Linear T8 Type A Series (4FT) - NSF-2 Food Equipment Rated

Product#	Product Code	Base	Length	Watts	Color Temp	Lumens	Dimmable	Equiv Watts	Packaging
87211	48T8-12-835-DSE-BCO5-LED-CG	G13	48in	12W	3500K	1800	Yes - External Driver Required	32W	pk=25/25



[View Family Spec](#)


LED Linear T8 Type A Series (4FT) - NSF-2
Food Equipment Rated



Product#	Product Code	Base	Length	Watts	Color Temp	Lumens	Dimmable	Equiv Watts	Packaging
87212	48T8-12-840-DSE-BCO5-LED-CG	G13	48in	12W	4000K	1800	Yes - External Driver Required	32W	pk=25/25
87213	48T8-12-850-DSE-BCO5-LED-CG	G13	48in	12W	5000K	1800	Yes - External Driver Required	32W	pk=25/25

[View Family Spec](#)

LED Linear T8 Type B (Bypass) 8FT Single-end and Double Recessed End Series



Product#	Product Code	Base	Length	Watts	Color Temp	Lumens	Dimmable	Equiv Watts	Packaging
82877	T896FR42/840/BYP2/RDC/LED	R17D	96in	42W	4000K	5400	No	110W	Pk=10/10
82875	T896FR42/840/BYP2/SP/LED	FA8	96in	42W	4000K	5400	No	110W	Pk=10/10
82878	T896FR42/850/BYP2/RDC/LED	R17D	96in	42W	5000K	5500	No	110W	Pk=10/10
82876	T896FR42/850/BYP2/SP/LED	FA8	96in	42W	5000K	5500	No	110W	Pk=10/10
82879	T896FR42/865/BYP2/RDC/LED	R17D	96in	42W	6500K	5500	No	110W	Pk=10/10
89008A	T896FR42/865/BYP2/SP/LED	FA8	96in	42W	6500K	5500	No	86W	Pk=10/10

Note - Only the Single Pin /SP in product code are DLC Listed

[View Family Spec](#)

LED Linear T8 Type B (Bypass) Color Selectable in 2FT, 3FT and 4FT



Product#	Product Code	Base	Length	Watts	Color Temp	Lumens	Dimmable	Equiv Watts	Packaging
87214	24T8-9W-8CS-SDE-BYP-LED	G13	24in	9W	30/35/40/50/6 5K	1150	Yes (0-10V)	17W	pk=25/25
87215	36T8-12W-8CS-SDE-BYP-LED	G13	36in	12W	30/35/40/50/6 5K	1450	Yes (0-10V)	25W	pk=25/25
87216	48T8-14W-8CS-SDE-BYP-LED	G13	48in	14W	30/35/40/50/6 5K	1800	Yes (0-10V)	32W	pk=25/25
87217	48T8-17W-8CS-SDE-BYP-LED	G13	48in	17W	30/35/40/50/6 5K	2200	Yes (0-10V)	32W	pk=25/25

Note - Single/Double Ended, Ballast Bypass



[View Family Spec](#)

LED Linear T8 Type B (Bypass) Series (2FT and 3FT Lengths) Double/Single Ended



Product#	Product Code	Base	Length	Watts	Color Temp	Lumens	Dimmable	Equiv Watts	Packaging
84871	T824FR7/835/BYP4/DSE/LED	G13	24in	7W	3500K	900		17W	pk=25/25
84872	T824FR7/840/BYP4/DSE/LED	G13	24in	7W	4000K	950		17W	pk=25/25
84873	T824FR7/850/BYP4/DSE/LED	G13	24in	7W	5000K	1000		17W	pk=25/25
84874	T824FR7/865/BYP4/DSE/LED	G13	24in	7W	6500K	900		17W	pk=25/25
84875	T836FR12/835/BYP4/DSE/LED	G13	36in	12W	3500K	1450		25W	pk=25/25
84876	T836FR12/840/BYP4/DSE/LED	G13	36in	12W	4000K	1500		25W	pk=25/25
84877	T836FR12/850/BYP4/DSE/LED	G13	36in	12W	5000K	1550		25W	pk=25/25
84878	T836FR12/865/BYP4/DSE/LED	G13	36in	12W	6500K	1450		25W	pk=25/25

[View Family Spec](#)

LED Linear T8 Type B (Bypass) Series (4FT) Double or Single Ended - High Efficiency



Product#	Product Code	Base	Length	Watts	Color Temp	Lumens	Dimmable	Equiv Watts	Packaging
87200	48T8HE-10-835-DSE-BYP-LED	G13	24in	10.5W	3500K	1600	Yes	32W	pk=25/25
87201	48T8HE-10-840-DSE-BYP-LED	G13	48in	10.5W	4000K	1680	Yes	32W	pk=25/25
87202	48T8HE-10-850-DSE-BYP-LED	G13	48in	10.5W	5000K	1680	Yes	32W	pk=25/25

[View Family Spec](#)

LED Linear T8 Type B (Bypass) Series (4FT) Double or Single Ended - High Output & NSF-2 Food Equipment Rated



Product#	Product Code	Base	Length	Watts	Color Temp	Lumens	Dimmable	Equiv Watts	Packaging
87203	48T8HO-15-835-DSE-BYP-LED-CG	G13	48in	15W	3500K	2150	Yes	32W	pk=25/25
87204	48T8HO-15-840-DSE-BYP-LED-CG	G13	48in	15W	4000K	2200	Yes	32W	pk=25/25
87205	48T8HO-15-850-DSE-BYP-LED-CG	G13	48in	15W	5000K	2200	Yes	32W	pk=25/25



[View Family Spec](#)



LED Linear T8 Type B (Bypass) Series (4FT)
Double or Single Ended PET Coated - NSF-2
Food Equipment Rated

Product#	Product Code	Base	Length	Watts	Color Temp	Lumens	Dimmable	Equiv Watts	Packaging
87206	48T8-14-835-DSE-BYP-LED-CG	G13	48in	14W	3500K	1800	Yes	32W	pk=25/25
87207	48T8-14-840-DSE-BYP-LED-CG	G13	48in	14W	4000K	1800	Yes	32W	pk=25/25
87208	48T8-14-850-DSE-BYP-LED-CG	G13	48in	14W	5000K	1800	Yes	32W	pk=25/25
87209	48T8-14-865-DSE-BYP-LED-CG	G13	48in	14W	6500K	1800	Yes	32W	pk=25/25

[View Family Spec](#)



LED Linear T8 Type B Emergency Backup

Product#	Product Code	Base	Length	Watts	Color Temp	Lumens	Dimmable	Equiv Watts	Packaging
82373	T8EM-48FR17-40BYP-LED-2PK	G13	48in	12.5W	4000K	2100	Yes (Triac)	32W	pk=1 (2-Pack)/6 (2-packs)
82374	T8EM-48FR17-50BYP-LED-2PK	G13	48in	12.5W	5000K	2100	Yes (Triac)	32W	pk=1 (2-Pack)/6 (2-packs)

Note - 90min of 400 Lumen on EM Power, Charges in 5 hours, sold in 2-packs

[View Family Spec](#)



LED Linear T8 U-Bend Hybrid (Type A Direct &
B Bypass)

Product#	Product Code	Base	Length	Watts	Color Temp	Lumens	Dimmable	Equiv Watts	Packaging
82375	T8U6-FR13-835-HYB-LED	G13	24in	13W	3500K	1950	Yes Type A Mode	32W/23T8/U6	pk=12/12
82376	T8U6-FR13-840-HYB-LED	G13	24in	13W	4000K	2000	Yes Type A Mode	32W/23T8/U6	pk=12/12
82377	T8U6-FR13-850-HYB-LED	G13	24in	13W	5000K	2000	Yes Type A Mode	32W/23T8/U6	pk=12/12

Note - Dimming for Type A, 2FT length, 6" opening, 50,000 hours avg life.



[View Family Spec](#)



LED Linear T8 Versa Connect 96in (2 Connectable 48in Tubes) Type B Color Selectable

Product#	Product Code	Base	Length	Watts	Color Temp	Lumens	Dimmable	Equiv Watts	Packaging
87210	96T8VC-42-8CS-DE-BYP-LED-CG	FA8 & R17D	96in	42W	30/35/40/50/65K	4620-5000	Yes (0-10V)		Pk=10/10

Note - NSF-2 Rated - Replaces Glass Coated and PET coated 8FT Linear. FA8 AND R17D end caps in box.

LED Minature & Specialty

[View Family Spec](#)




LED JC Bayonet BA15S Base

Product #	Product Code	Bulb Type	Base Type	Color Temp	Watts	Dimmable	Packaging
80692	JC10/1WW/BA15S/LED	JC10	BA15S	3000K	1.5W	Yes	pk=40/480
80691	JC20/2WW/BA15S/LED	JC20	BA15S	3000K	2.4W	Yes	pk=40/480
81100	JC20/2WW/BA15S/LED2	JC20	BA15S	3000K	2.3W	No	pk=10/100

Note - 81100 is Outdoor/IP65 rated. 80692 & 80691 are omni directional.

[View Family Spec](#)



LED JC Omni-directional Bi-Pin

Product #	Product Code	Bulb Type	Base Type	Color Temp	Watts	Dimmable	Packaging
80693	JC10/1WW/LED	JC10	G4	3000K	1.5W	No	pk=10/100
80815	JC20/2NW/LED	JC20	G4	5000K	2.4W	No	pk=10/100
80690	JC20/2WW/LED	JC20	G4	3000K	2.4W	No	pk=40/480
80830	JC35/4WW/LED	JC35	GY6.35	3000K	4.5W	No	pk=30/360
81997	JC50/5WW/LED	JC50	GY6.35	3000K	5.5W	No	pk=30/360

Note - 20 times the life and 88% more efficient than a 20W Halogen JC



[View Family Spec](#)

LED JC Omni-directional Wedge Light



Product #	Product Code	Bulb Type	Base Type	Color Temp	Watts	Dimmable	Packaging
81101	3155/2WW/LED2	JC Wedge	Wedge	3000K	2.3W	No	pk=10/100
80791	912/1WW/LED	JC Wedge	Wedge	3000K	1W	Yes	pk=10/100
81102	912/1WW/LED2	JC Wedge	Wedge	3000K	1.2W	No	pk=10/100

[View Family Spec](#)

[View Selector Guide](#)

LED JC2 & JC2S Outdoor Pathway Lighting



Product #	Product Code	Bulb Type	Base Type	Color Temp	Watts	Dimmable	Packaging
81109	JC2/827/LED2	JC2	G4	2700K	2.3W	No	pk=10/100
81108	JC20/2WW/LED2	JC20	G4	3000K	2.3W	No	pk=10/100
81091	JC2S/827/LED2	JC2	G4	2700K	1.4W	No	pk=10/100
81092	JC2S/830/LED2	JC2	G4	3000K	1.4W	No	pk=10/100

Note - JC2S=short

[View Family Spec](#)

LED JC3 Puck Light



Product #	Product Code	Bulb Type	Base Type	Color Temp	Watts	Dimmable	Packaging
81078	JC3VWFL/827/LED	JC3	G4	2700K	3.3W	No	pk=10/100

[View Family Spec](#)

LED Sign Lamps S11-S14



Product #	Product Code	Bulb Type	Base Type	Color Temp	Watts	Dimmable	Packaging
80525	S11CL1C/827/INT/LED	S11	E17	2700K	1W	Yes	pk=25/200
80524	S11CL1C/827/LED	S11	E26	2700K	1.2W	Yes	pk=25/200
80526	S11WH1C/LED	S11	E26	White	1.2W	Yes	pk=25/200
80518	S14BLU1C/LED	S14	E26	Blue	1.4W	Yes	pk=25/200
80522	S14CL1C/827/LED	S14	E26	2700K	1.4W	Yes	pk=25/200
80519	S14GRN1C/LED	S14	E26	Green	1.4W	Yes	pk=25/200



[View Family Spec](#)

LED Sign Lamps S11-S14




Product #	Product Code	Bulb Type	Base Type	Color Temp	Watts	Dimmable	Packaging
80523	S14ORG1C/LED	S14	E26	Orange	1.4W	Yes	pk=25/200
80517	S14RED1C/LED	S14	E26	Red	1.4W	Yes	pk=25/200
80521	S14WH1C/LED	S14	E26	White	1.4W	Yes	pk=25/200
80520	S14YEL1C/LED	S14	E26	Yellow	1.4W	Yes	pk=25/200

Note - WH=white, CL=Clear, BLU=Blue, RED=Red, ORG=Orange, YEL=Yellow, GRN=Green

LED Plug-in CFL and Linear Replacements

[View Family Spec](#)

LED Linear Plug-in Series (Type A & Type B)



Product#	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable	Packaging
82352	PLL13-830-DIR-LED	2G11	13W	3000K	2050	No	pk=20/20
82353	PLL13-835-DIR-LED	2G11	13W	3500K	2050	No	pk=20/20
82354	PLL13-840-DIR-LED	2G11	13W	4000K	2100	No	pk=20/20
82349	PLL17-830-BYP-LED	2G11	17W	3000K	2050	No	pk=20/20
82350	PLL17-835-BYP-LED	2G11	17W	3500K	2150	No	pk=20/20
82351	PLL17-840-BYP-LED	2G11	17W	4000K	2200	No	pk=20/20

Note - BYP in Product Code = Type B Bypass. DIR in Product Code = Type A Direct. PET film coating

[View Family Spec](#)

LED Plug-in Horizontal & Vertical Hybrid Color Selectable 2-Pin (Type A-Electronic Ballast Compatible + Type B-Ballast Bypass)



H



V

Product#	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable	Packaging
82162	PL9H-8CS-HYBM-2P-LED	G24D	8.5W	30/35/40K	960-1020-1050	No	pk=1/24
82163	PL9V-8CS-HYBM-2P-LED	G24D	8.5W	30/35/40K	1150-1120-1150	No	pk=1/24

Note - Fits G24d Sockets



[View Family Spec](#)

LED Plug-in Hybrid Horizontal (Magnetic CFL ballast compatible or bypass)



Product#	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable	Packaging
81159	PL6H/827/HYB/LED	GX23	6W	2700K	520	No	pk=10/50
81160	PL6H/830/HYB/LED	GX23	6W	3000K	520	No	pk=10/50
81161	PL6H/835/HYB/LED	GX23	6W	3500K	520	No	pk=10/50
81162	PL6H/840/HYB/LED	GX23	6W	4000K	520	No	pk=10/50
81163	PL6H/850/HYB/LED	GX23	6W	5000K	520	No	pk=10/50

Note - Magnetic CFL ballast compatible or bypass with simple rewiring from the same lamp

[View Family Spec](#)

LED Plug-in Omni Directional (Horizontal or Vertical) Hybrid- Type A Magnetic Ballast + Type B Non-Dimmable



Product#	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable	Packaging
82144	PL10O-835-HYBE-4P-LED-D	G24Q	9.5W	3500K	1250	Yes Type A Mode	pk=1/24
82145	PL10O-840-HYBE-4P-LED-D	G24Q	9.5W	4000K	1250	Yes Type A Mode	pk=1/24
82146	PL10O-850-HYBE-4P-LED-D	G24Q	9.5W	5000K	1250	Yes Type A Mode	pk=1/24
82147	PL9O-835-HYBM-2P-LED	G24D	9W	3500K	1250	No	pk=1/24
82148	PL9O-840-HYBM-2P-LED	G24D	9W	4000K	1250	No	pk=1/24
82149	PL9O-850-HYBM-2P-LED	G24D	9W	5000K	1250	No	pk=1/24

Note - Fits G24q and GX24q 4-Pin Sockets. Omni Directional - No need to have vertical or horizontal Units

[View Family Spec](#)

LED Plug-in PL Horizontal and Vertical Type B Bypass



Product#	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable	Packaging
81144	PL10H/835/BYP/LED	G24Q-GX24Q-G24D-GX24D	10W	3500K	1000	No	pk=10/50
81145	PL10H/841/BYP/LED	G24Q-GX24Q-G24D-GX24D	10W	4100K	1000	No	pk=10/50
81146	PL10H/850/BYP/LED	G24Q-GX24Q-G24D-GX24D	10W	5000K	1000	No	pk=10/50
81141	PL10V/835/BYP/LED	G24Q-GX24Q-G24D-GX24D	10W	3500K	1000	No	pk=10/50
81142	PL10V/841/BYP/LED	G24Q-GX24Q-G24D-GX24D	10W	4100K	1000	No	pk=10/50



[View Family Spec](#)

LED Plug-in PL Horizontal and Vertical Type B Bypass



Product#	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable	Packaging
81143	PL10V/850/BYP/LED	G24Q-GX24Q-G24D-GX24D	10W	5000K	1000	No	pk=10/50

Note - PL99"H"=Horizontal, PL99"V"=Vertical, BYP = Bypass Type B

[View Family Spec](#)

LED Plug-in PLT Horizontal and Vertical Type A & B



Product#	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable	Packaging
82150	PLT15H-835-BCO-4P-LED-D	G24Q	14.5W	3500K	1800	Yes Type A Mode	pk=1/24
82151	PLT15H-840-BCO-4P-LED-D	G24Q	14.5W	4000K	1800	Yes Type A Mode	pk=1/24
82152	PLT15H-850-BCO-4P-LED-D	G24Q	14.5W	5000K	1800	Yes Type A Mode	pk=1/24
82156	PLT16H-835-BYP-2P-LED	G24D	15.5W	3500K	1800	No	pk=1/24
82157	PLT16H-840-BYP-2P-LED	G24D	15.5W	4000K	1800	No	pk=1/24
82158	PLT16H-850-BYP-2P-LED	G24D	15.5W	5000K	1800	No	pk=1/24
82153	PLT17V-835-BCO-4P-LED-D	G24Q	17W	3500K	1900	Yes Type A Mode	pk=1/24
82159	PLT17V-835-BYP-2P-LED	G24D	16.5W	3500K	1850	No	pk=1/24
82154	PLT17V-840-BCO-4P-LED-D	G24Q	17W	4000K	1950	Yes Type A Mode	pk=1/24
82160	PLT17V-840-BYP-2P-LED	G24D	16.5W	4000K	1850	No	pk=1/24
82155	PLT17V-850-BCO-4P-LED-D	G24Q	17W	5000K	2000	Yes Type A Mode	pk=1/24
82161	PLT17V-850-BYP-2P-LED	G24D	16.5W	5000K	1850	No	pk=1/24

Note - PLT99"H"=Horizontal, PLT99"V"=Vertical. BCO in Product Code = Ballast Compatible Type A Direct, BYP in Product Code = Type B Bypass, 4P=4-Pin, 2P=2-Pin. BCO is DLC 5.1 Standard

LED HID Replacements

[View Family Spec](#)

LED HID Highbay Retrofit Lamp



Product #	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable	Packaging	Equiv Watts
89091	HRSL-1-WS-CS-U-EX39	EX39	70, 80 or 90W	30/40/50K	14800-22120	Yes (0-10V)	pk=1/4	400W
89092	HRSL-2-WS-CS-U-EX39	EX39	100, 120 or 140W	30/40/50K	14800-22120	Yes (0-10V)	pk=1/4	400W

Note - Base is EX39



[View Family Spec](#)

LED HID Replacement / Retrofit Lamp -
Wallpack or Flood (while supplies last)



Product #	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable	Packaging	Equiv Watts
84027	HID40H/840/MV/E39/LED	E39	40W	4000K	5800	No	pk=1/12	175W

Note - Base is EX39. Base up or Down

[View Family Spec](#)

LED HID Retrofit A-Shape Omni Directional
Lamps



Product #	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable	Packaging	Equiv Watts
84318	HID20/OMNI/830/LED	E26	20W	3000K	2628	No	pk=1/24	80W
84319	HID20/OMNI/850/LED	E26	20W	5000K	2865	No	pk=1/24	80W
84322	HID25/OMNI/830/EX39/LED	EX39	25W	3000K	3375	No	pk=1/24	100W
84320	HID25/OMNI/830/LED	E26	25W	3000K	3375	No	pk=1/24	100W
84323	HID25/OMNI/850/EX39/LED	EX39	25W	5000K	3612	No	pk=1/24	100W
84321	HID25/OMNI/850/LED	E26	25W	5000K	3612	No	pk=1/24	100W
84324	HID35/OMNI/830/EX39/LED	EX39	35W	3000K	4620	No	pk=1/12	150W
84325	HID35/OMNI/850/EX39/LED	EX39	35W	5000K	4760	No	pk=1/12	150W

[View Family Spec](#)

LED HID Retrofit High Output Filament Lamps



Product #	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable	Packaging	Equiv Watts
84900	HiLED20-822-E26	Medium (E26)	20W	2200K	3000	No	pk=1/10	70W
84901	HiLED45S-830-EX39	Mogul (EX39/E39)	30-38-45W	3000K	Selectable 5100/6460/7650	No	pk=1/10	320W
84902	HiLED45S-840-EX39	Mogul (EX39/E39)	30-38-45W	4000K	Selectable 5550/7030/8325	No	pk=1/10	320W
84903	HiLED45S-850-EX39	Mogul (EX39/E39)	30-38-45W	5000K	Selectable 5850/7400/8750	No	pk=1/10	320W
84904	HiLED65S-830-EX39	Mogul (EX39/E39)	45-55-65W	3000K	Selectable 7650/ 9350/11050	No	pk=1/8	360W
84905	HiLED65S-840-EX39	Mogul (EX39/E39)	45-55-65W	4000K	Selectable 8325 /10175/12025	No	pk=1/8	360W
84906	HiLED65S-850-EX39	Mogul (EX39/E39)	45-55-65W	5000K	Selectable 8700 /10700/12600	No	pk=1/8	360W
84907	HiLED85S-830-EX39	Mogul (EX39/E39)	60-68-85W	3000K	Selectable 1020 0/11560/14450	No	pk=1/8	400W



[View Family Spec](#)



LED HID Retrofit High Output Filament Lamps

Product #	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable	Packaging	Equiv Watts
84908	HiLED85S-840-EX39	Mogul (EX39/E39)	60-68-85W	4000K	Selectable 1110 0/12580/15725	No	pk=1/8	400W
84909	HiLED85S-850-EX39	Mogul (EX39/E39)	60-68-85W	5000K	Selectable 1170 0/13200/16500	No	pk=1/8	400W

Note - Type B Ballast Bypass. Durable full-glass bulb.

[View Family Spec](#)



LED HID Retrofit Lamps - Color Selectable

Product #	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable	Packaging	Equiv Watts
82370	HID100-CS-EX39-LED	EX39	63, 80 or 100W	30/40/50K	12000/14000/15 500	No	pk=1/6	200W CFL, 250W MHL/HPS/HID
82361	HID12-CS-E26-LED	E26	12W	30/40/50K	1680-1800	No	pk=1/24	30W CFL, 50W MHL/HPS/HID
82371	HID120-CS-EX39-LED	EX39	80, 100 or 120W	30/40/50K	15000/16800/18 600	No	pk=1/6	200W CFL, 400W MHL/HPS/HID
82362	HID18-CS-E26-LED	E26	18W	30/40/50K	2520-2700	No	pk=1/24	42W CFL, 70W MHL/HPS/HID
82363	HID36-CS-E26-LED	E26	18, 27 or 36W	30/40/50K	5040-5400	No	pk=1/12	80W CFL, 150W MHL/HPS/HID
82364	HID36-CS-EX39-LED	EX39	18, 27 or 36W	30/40/50K	5040-5400	No	pk=1/12	80W CFL, 150W MHL/HPS/HID
82365	HID45-CS-E26-LED	E26	27, 36 or 45W	30/40/50K	6300-6750	No	pk=1/12	100W CFL, 150W MHL/HPS/HID
82366	HID45-CS-EX39-LED	EX39	27, 36 or 45W	30/40/50K	6300-6750	No	pk=1/12	100W CFL, 150W MHL/HPS/HID
82367	HID54-CS-E26-LED	E26	36, 45 or 54W	30/40/50K	6750-8370	No	pk=1/12	120W CFL, 175W MHL/HPS/HID
82368	HID54-CS-EX39-LED	EX39	36, 45 or 54W	30/40/50K	8100-8370	No	pk=1/12	120W CFL, 175W MHL/HPS/HID
82369	HID80-CS-EX39-LED	EX39	54, 63 or 80W	30/40/50K	8100-8370	No	pk=1/6	150W CFL, 250W MHL/HPS/HID

Note - 50,000 Avg Life - Not all items in family are DLC Standard check Spec Sheet or item details to verify by item



[View Family Spec](#)

LED HID Temporary Work Light



Tripod Sold Separately

Product #	Product Code	Base Type	Watts	Color Temp	Lumens	Dimmable	Packaging	Equiv Watts
82379	WKL100-850-LED	N/A	100W	5000K	12000	No	pk=1/1	400W
82380	WKL150-850-LED	N/A	150W	5000K	18000	No	pk=1/1	600W
82378	WKL60-850-LED	N/A	60W	5000K	7200	No	pk=1/1	200W

Note - Tripod sold separately. Comes with 15FT Cord and plug allowing Daisy chain of lamps. See Spec for more details.

Accessories

Product #	Product Code	Description
82381	WKL-TRIPOD	LED Temporary Work Light Tripod Stand Accessory

Traditional
Lamps





SPEC SHEET AVAILABLE HERE.

Compact Fluorescent Lamps Spiral



IP50 IP20 **2** YR WARRANTY



Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
CFL GU24 Base Spiral T2													
46506	CFL13/27/GU24	CFL GU24 Base Spirals	13W	GU24	120V	2700K	82	800	10,000	No	10	3.63	60W
46525	CFL13/35/GU24	CFL GU24 Base Spirals	13W	GU24	120V	3500K	82	800	10,000	No	10	3.63	60W
46526	CFL13/41/GU24	CFL GU24 Base Spirals	13W	GU24	120V	4100K	82	800	10,000	No	10	3.63	60W
46527	CFL13/50/GU24	CFL GU24 Base Spirals	13W	GU24	120V	5000K	82	800	10,000	No	10	3.63	60W
46512	CFL18/27/GU24	CFL GU24 Base Spirals	18W	GU24	120V	2700K	82	1200	10,000	No	10	3.9	75W
46520	CFL18/41/GU24	CFL GU24 Base Spirals	18W	GU24	120V	4100K	82	1200	10,000	No	10	3.9	75W
46518	CFL23/27/GU24	CFL GU24 Base Spirals	23W	GU24	120V	2700K	82	1600	10,000	No	10	4.41	100W
46522	CFL23/35/GU24	CFL GU24 Base Spirals	23W	GU24	120V	3500K	82	1600	10,000	No	10	4.41	100W
46523	CFL23/41/GU24	CFL GU24 Base Spirals	23W	GU24	120V	4100K	82	1600	10,000	No	10	4.41	100W
46524	CFL23/50/GU24	CFL GU24 Base Spirals	23W	GU24	120V	5000K	82	1600	10,000	No	10	4.41	100W
46528	CFL26/27/GU24	CFL GU24 Base Spirals	26W	GU24	120V	2700K	82	1750	10,000	No	10	5.2	100W
46529	CFL26/41/GU24	CFL GU24 Base Spirals	26W	GU24	120V	4100K	82	1750	10,000	No	10	5.2	100W
CFL Base Spiral E26													
45054	CFL13/35/T2	CFL T2 Spirals	13W	Medium (E26)	120V	3500K	82	750	8,000	No	10	4.19	60W
CFL Base Spiral E12													
45059	CFL13/50/T2/E12	CFL T2 Spirals	13W	Candelabra (E12)	120V	5000K	82	850	10,000	No	10	4.19	60W
CFL Base Spiral T2													
• 45065	CFL18/41/T2	CFL T2 Spirals	18W	Medium (E26)	120V	4100K	82	1080	8,000	No	10	4.56	75W
• 45066	CFL18/50/T2	CFL T2 Spirals	18W	Medium (E26)	120V	5000K	82	1080	8,000	No	10	4.56	75W
• 45075	CFL23/27/T2	CFL T2 Spirals	23W	Medium (E26)	120V	2700K	82	1380	8,000	No	10	4.92	100W
• 45076	CFL23/35/T2	CFL T2 Spirals	23W	Medium (E26)	120V	3500K	82	1600	10000	No	10	4.92	100W
• 45079	CFL23/50/T2	CFL T2 Spirals	23W	Medium (E26)	120V	5000K	82	1380	8,000	No	10	4.92	100W
• 45080	CFL26/27/T2	CFL T2 Spirals	26W	Medium (E26)	120V	2700K	82	1750	10,000	No	10	5.08	100W
• 45082	CFL26/41/T2	CFL T2 Spirals	26W	Medium (E26)	120V	4100K	82	1750	10,000	No	10	5.08	100W
• 45083	CFL26/50/T2	CFL T2 Spirals	26W	Medium (E26)	120V	5000K	82	1750	10,000	No	10	5.08	100W
45030	CFL9/27	CFL T2 Spirals	9W	Medium (E26)	120V	2700K	82	500	10,000	No	10	4.06	40W

■ Indicates product is IP20 rated



[SPEC SHEET AVAILABLE HERE.](#)

Compact Fluorescent Lamps 2 Pin/4 Pin

Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
CFL Double Tube 2-Pin													
109146	PL13D/27/ECO	CFL Double Tube 2-Pin	13W	GX23-2	120V	2700K	82	900	12,000	Yes	1	4.65	
109148	PL13D/35/ECO	CFL Double Tube 2-Pin	13W	GX23-2	120V	3500K	82	900	12,000	Yes	1	4.65	
109150	PL13D/41/ECO	CFL Double Tube 2-Pin	13W	GX23-2	120V	4100K	82	900	12,000	Yes	1	4.65	
109149	PL13D/50/ECO	CFL Double Tube 2-Pin	13W	GX23-2	120V	5000K	82	900	12,000	Yes	1	4.65	
109152	PL18D/27/ECO	CFL Double Tube 2-Pin	18W	G24D-2	120V	2700K	82	1200	12,000	Yes	1	5.9	
109154	PL18D/35/ECO	CFL Double Tube 2-Pin	18W	G24D-2	120V	3500K	82	1200	12,000	Yes	1	5.9	
109156	PL18D/41/ECO	CFL Double Tube 2-Pin	18W	G24D-2	120V	4100K	82	1200	12,000	Yes	1	5.9	
• 109862	PL22D/28	CFL Double Tube 2-Pin	22W	GX32D-2	120V	2800K	82	1200	10,000	No	10	6.15	
• 109864	PL22D/50	CFL Double Tube 2-Pin	22W	GX32D-2	120V	5000K	82	1200	10,000	No	10	6.15	
109158	PL26D/27/ECO	CFL Double Tube 2-Pin	26W	G24D-3	120V	2700K	82	1800	12,000	Yes	1	6.7	
109160	PL26D/35/ECO	CFL Double Tube 2-Pin	26W	G24D-3	120V	3500K	82	1800	12,000	Yes	1	6.7	
109162	PL26D/41/ECO	CFL Double Tube 2-Pin	26W	G24D-3	120V	4100K	82	1800	12,000	Yes	1	6.7	
109163	PL26D/50/ECO	CFL Double Tube 2-Pin	26W	G24D-3	120V	5000K	82	1800	12,000	Yes	1	6.7	
109870	PL28D/28	CFL Double Tube 2-Pin	28W	GX32D-3	120V	2800K	82	1800	10,000	No	10	6.6	
109868	PL28D/50	CFL Double Tube 2-Pin	28W	GX32D-3	120V	5000K	82	1800	10,000	No	10	6.6	
CFL Double Tube 4-Pin Elec.													
109037	PL13D/E/27/ECO	CFL Double Tube 4-Pin Elec.	13W	G24Q-1	120V	2700K	82	900	12,000	Yes	1	5.16	
109035	PL13D/E/30/ECO	CFL Double Tube 4-Pin Elec.	13W	G24Q-1	120V	3000K	82	900	12,000	Yes	1	5.16	
109038	PL13D/E/35/ECO	CFL Double Tube 4-Pin Elec.	13W	G24Q-1	120V	3500K	82	900	12,000	Yes	1	5.16	
109039	PL13D/E/41/ECO	CFL Double Tube 4-Pin Elec.	13W	G24Q-1	120V	4100K	82	900	12,000	Yes	1	5.16	
109122	PL13D/E/50/ECO	CFL Double Tube 4-Pin Elec.	13W	G24Q-1	120V	5000K	82	900	12,000	Yes	1	5.16	
109010	PL18D/E/27/ECO	CFL Double Tube 4-Pin Elec.	18W	G24D-2	120V	2700K	82	1200	12,000	Yes	1	5.6	
109012	PL18D/E/35/ECO	CFL Double Tube 4-Pin Elec.	18W	G24D-2	120V	3500K	82	1200	12,000	Yes	1	5.6	
109013	PL18D/E/41/ECO	CFL Double Tube 4-Pin Elec.	18W	G24D-2	120V	4100K	82	1200	12,000	Yes	1	5.6	
109074	PL18D/E/50/ECO	CFL Double Tube 4-Pin Elec.	18W	G24D-2	120V	5000K	82	1200	12,000	Yes	1	5.6	
109090	PL26D/E/27/ECO	CFL Double Tube 4-Pin Elec.	26W	G24Q-3	120V	2700K	82	1800	12,000	Yes	1	6.4	
109092	PL26D/E/35/ECO	CFL Double Tube 4-Pin Elec.	26W	G24Q-3	120V	3500K	82	1800	12,000	Yes	1	6.4	
109094	PL26D/E/41/ECO	CFL Double Tube 4-Pin Elec.	26W	G24Q-3	120V	4100K	82	1800	12,000	Yes	1	6.4	
109096	PL26D/E/50/ECO	CFL Double Tube 4-Pin Elec.	26W	G24Q-3	120V	5000K	82	1800	12,000	Yes	1	6.4	

■ Indicates product is IP20 rated



Compact Fluorescent Lamps High Lumen 4-Pin

Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
CFL High Lumen 4-Pin													
109238	FML27/NDL	CFL High Lumen 4-Pin	27W	GX10Q-4	120V	5000K	82	1700	8,000	No	10	5.9	
CFL High Lumen Long 4-Pin													
109700	PLL18/835/ECO	CFL High Lumen Long 4-Pin	18W	2G11	120V	3500K	82	1250	16,000	Yes	10	8.94	
109704	PLL24/835/ECO	CFL High Lumen Long 4-Pin	24W	2G11	120V	3500K	82	1800	16,000	Yes	10	12.7	
109706	PLL24/841/ECO	CFL High Lumen Long 4-Pin	24W	2G11	120V	4100K	82	1800	16,000	Yes	10	12.7	
109708	PLL36/835/ECO	CFL High Lumen Long 4-Pin	36W	2G11	120V	3500K	82	2800	16,000	Yes	10	16.4	
109710	PLL36/841/ECO	CFL High Lumen Long 4-Pin	36W	2G11	120V	4100K	82	2800	16,000	Yes	10	16.4	
109712	PLL40/830/RS/ECO	CFL High Lumen Long 4-Pin	40W	2G11	120V	3000K	82	3150	20,000	Yes	10	22.5	
109714	PLL40/835/RS/ECO	CFL High Lumen Long 4-Pin	40W	2G11	120V	3500K	82	3150	20,000	Yes	10	22.5	
109716	PLL40/841/RS/ECO	CFL High Lumen Long 4-Pin	40W	2G11	120V	4100K	82	3150	20,000	Yes	10	22.5	
44900	PLL40/850/RS/ECO	CFL High Lumen Long 4-Pin	40W	2G11	120V	5000K	82	3150	20,000	Yes	10	22.5	
109718	PLL55/835/ECO	CFL High Lumen Long 4-Pin	55W	2G11	120V	3500K	82	4700	20,000	Yes	10	21.2	

Compact Fluorescent Lamps Tube 2 Pin/4 Pin

Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
CFL Single Tube 2 Pin													
109126	PL13S/27/ECO	CFL Single Tube 2 Pin	13W	GX23	120V	2700K	82	800	12,000	Yes	1	7	
109128	PL13S/35/ECO	CFL Single Tube 2 Pin	13W	GX23	120V	3500K	82	800	12,000	Yes	1	7	
109130	PL13S/41/ECO	CFL Single Tube 2 Pin	13W	GX23	120V	4100K	82	800	12,000	Yes	1	7	
109132	PL13S/50/ECO	CFL Single Tube 2 Pin	13W	GX23	120V	5000K	82	800	12,000	Yes	1	7	
109100	PL5S/27/ECO	CFL Single Tube 2-Pin	5W	G23	120V	2700K	82	250	12,000	Yes	1	4.1	
109102	PL5S/41/ECO	CFL Single Tube 2-Pin	5W	G23	120V	4100K	82	250	12,000	Yes	1	4.1	
109106	PL7S/27/ECO	CFL Single Tube 2-Pin	7W	G23	120V	2700K	82	400	12,000	Yes	1	5.2	
109107	PL7S/35/ECO	CFL Single Tube 2-Pin	7W	G23	120V	3500K	82	400	12000	Yes	1	5.2	
109108	PL7S/41/ECO	CFL Single Tube 2-Pin	7W	G23	120V	4100K	82	400	12,000	Yes	1	5.2	
109112	PL9S/27/ECO	CFL Single Tube 2-Pin	9W	G23	120V	2700K	82	600	12,000	Yes	1	6.4	
109116	PL9S/41/ECO	CFL Single Tube 2-Pin	9W	G23	120V	4100K	82	600	12000	Yes	1	6.4	
109118	PL9S/50/ECO	CFL Single Tube 2-Pin	9W	G23	120V	5000K	82	600	12,000	Yes	1	6.4	
CFL Single Tube 4-Pin Elec.													
109134	PL13S/E/27/ECO	CFL Single Tube 4-Pin Elec.	13W	2GX7	120V	2700K	82	800	12,000	Yes	1	6.5	
109136	PL13S/E/35/ECO	CFL Single Tube 4-Pin Elec.	13W	2GX7	120V	3500K	82	800	12,000	Yes	1	6.5	
109138	PL13S/E/41/ECO	CFL Single Tube 4-Pin Elec.	13W	2GX7	120V	4100K	82	800	12,000	Yes	1	6.5	

Continue to next page for additional product information



109140	PL13S/E/50/ECO	CFL Single Tube 4-Pin Elec.	13W	2GX7	120V	5000K	82	800	12,000	Yes	1	6.5
44801	PL18T/E/35/ECO	CFL Triple Tube 4-Pin Elec.	18W	GX24Q-2	120V	3500K	82	1200	12,000	Yes	1	4.4
44803	PL18T/E/41/ECO	CFL Triple Tube 4-Pin Elec.	18W	GX24Q-2	120V	4100K	82	1200	12,000	Yes	1	4.4
109020	PL26T/E/27/ECO	CFL Triple Tube 4-Pin Elec.	26W	GX24Q-3	120V	2700K	82	1800	12,000	Yes	1	5
109022	PL26T/E/35/ECO	CFL Triple Tube 4-Pin Elec.	26W	GX24Q-3	120V	3500K	82	1800	12,000	Yes	1	5
109024	PL26T/E/41/ECO	CFL Triple Tube 4-Pin Elec.	26W	GX24Q-3	120V	4100K	82	1800	12,000	Yes	1	5
109076	PL26T/E/50/ECO	CFL Triple Tube 4-Pin Elec.	26W	GX24Q-3	120V	5000K	82	1800	12,000	Yes	1	5
109026	PL32T/E/27/ECO	CFL Triple Tube 4-Pin Elec.	32W	GX24Q-3	120V	2700K	82	2400	12,000	Yes	1	5.5
109028	PL32T/E/35/ECO	CFL Triple Tube 4-Pin Elec.	32W	GX24Q-3	120V	3500K	82	2400	12,000	Yes	1	5.5
109030	PL32T/E/41/ECO	CFL Triple Tube 4-Pin Elec.	32W	GX24Q-3	120V	4100K	82	2400	12,000	Yes	1	5.5
109070	PL32T/E/50/ECO	CFL Triple Tube 4-Pin Elec.	32W	GX24Q-3	120V	5000K	82	2400	12,000	Yes	1	5.5
109032	PL42T/E/27/ECO	CFL Triple Tube 4-Pin Elec.	42W	GX24Q-4	120V	2700K	82	3200	12,000	Yes	1	6.5
109034	PL42T/E/35/ECO	CFL Triple Tube 4-Pin Elec.	42W	GX24Q-4	120V	3500K	82	3200	12,000	Yes	1	6.5
109036	PL42T/E/41/ECO	CFL Triple Tube 4-Pin Elec.	42W	GX24Q-4	120V	4100K	82	3200	12,000	Yes	1	6.5
109072	PL42T/E/50/ECO	CFL Triple Tube 4-Pin Elec.	42W	GX24Q-4	120V	5000K	82	3200	12,000	Yes	1	6.5
44807	PL57T/E/41/ECO	CFL Triple Tube 4-Pin Elec.	57W	GX24Q-5	120V	4100K	82	4200	12,000	Yes	1	7.7

SPEC SHEET AVAILABLE HERE.

Covershield Linear T5/T8 Tubes



Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
Covershield Linear T5 Tube													
90051	F54T5/835/HO/ECO/IC/CS	Covershield Linear T5 Tube	54W	Miniature Bi-Pin		3500K	86	5000	24,000		25	48	
90052	F54T5/841/HO/ECO/IC/CS	Covershield Linear T5 Tube	54W	Miniature Bi-Pin		4100K	86	5000	24,000		25	48	
90053	F54T5/850/HO/ECO/IC/CS	Covershield Linear T5 Tube	54W	Miniature Bi-Pin		5000K	86	5000	24,000		25	48	
Covershield Linear T8 Tube													
90094	F32T8/835/ECO/CS	Covershield Linear T8 Tube	32W	Medium Bi-Pin		3500K	86	3050	24,000			48	
90095	F32T8/841/ECO/CS	Covershield Linear T8 Tube	32W	Medium Bi-Pin		4100K	86	3050	24,000			48	
90096	F32T8/850/ECO/CS	Covershield Linear T8 Tube	32W	Medium Bi-Pin		5000K	86	3050	24,000			48	

SPEC SHEET AVAILABLE HERE.

Covershield BR40 Lamps



Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
Covershield BR40 Clear Heat Bulb													
90320	BR40CL125/1/CSTF	Covershield BR40 Clear Heat Bulb	125W	Medium (E26)	120V		99		6,000	Yes	12	6.56	
404066	BR40CL250/1/CSTF	Covershield BR40 Clear Heat Bulb	250W	Medium (E26)	120V		99		5,000	Yes	12		



[SPEC SHEET AVAILABLE HERE.](#)

Covershield R40 Flood Lamps



Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
Covershield R40 Flood													
104050	R40CL375/CSTF	Covershield R40 Flood	375W	Medium (E26)	120V		99		5,000	Yes	12		
404071	R40RED250/10/CSTF	Covershield R40 Red Flood	250W	Medium (E26)	120V	Red	99		5,000	Yes	12		

[SPEC SHEET AVAILABLE HERE.](#)

Covershield MH Lamps



Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
Covershield MH Clear Base Up Bulb													
60502	MP400/BU/CSTF	Covershield MH Clear Base Up Bulb	400W	Mogul (E39)		4000K	65	36000	20,000	Yes	1		
108600	MH400/U/CSTF	Covershield MH ED37 Clear Bulb	400W	Mogul (E39)		4000K	65	36000	20,000	Yes	1		
Covershield MH ED28 Clear Bulb													
108604	MH250/U/CSTF	Covershield MH ED28 Clear Bulb	250W	Mogul (E39)		4000K	65	21800	10,000	Yes	1	8.25	

[SPEC SHEET AVAILABLE HERE.](#)

MH11 Halogen Flood Lamps



Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
GU10													
107544	MR11FL20/L/GU10	MR11 Halogen Flood	20W	GU10	120V	2900K	99	100	2,000	Yes	10	1.88	
107546	MR11FL35/L/GU10	MR11 Halogen Flood	35W	GU10	120V	2900K	99	250	2,000	Yes	10	1.88	
GU4													
107516	MR11FL5/L	MR11 Halogen Flood	5W	GU4	12V	2900K	99		3,000	Yes	10	1.38	
107102	MR11FTC/L	MR11 Halogen Medium Flood	20W	GU4	12V	2900K	99		3,000	Yes	10	1.38	
107104	MR11FTD/L	MR11 Halogen Narrow Spot	20W	GU4	12V	2900K	99		3,000	Yes	10	1.38	
BA15D													
107103	MR11FTC/L/TL	MR11 Halogen Flood Twist Lock	20W	BA15D	12V	2900K	99		3,000	Yes	10	1.77	
107105	MR11FTD/L/TL	MR11 Halogen Flood Twist Lock	20W	BA15D	12V	2900K	99		3,000	Yes	10	1.77	
107456	MR11FTF/L/TL	MR11 Halogen Flood Twist Lock	35W	BA15D	12V	2900K	99		3,000	Yes	10	1.77	



[SPEC SHEET AVAILABLE HERE.](#)



1YR
WARRANTY



MH16 Halogen Flood Lamps

Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
GU5.3													
10710	MR16BAB/L/AL/24V	MR16 Halogen Flood	20W	GU5.3	24V	2950K	99		5,000	Yes	10	1.77	
107452	MR16EXN/24V	MR16 Halogen Flood	50W	GU5.3	24V	2900K	99		4,000	Yes	10	1.77	
107514	MR16EXN/L/HX	MR16 Halogen Flood	50W	GU5.3	12V	3000K	99		10,000	Yes	10	1.87	
107125	MR16EXN/L/SC	MR16 Halogen Flood	50W	GU5.3	12V	3050K	99		5,000	Yes	10	1.97	
107124	MR16EXN/SC	MR16 Halogen Flood	50W	GU5.3	12V	3050K	99		5,000	Yes	10	1.97	
10761	MR16EYC/L/AL	MR16 Halogen Flood	75W	GU5.3	12V	2900K	99		5,000	Yes	10	1.77	
10714	MR16FMW/L/AL/24V	MR16 Halogen Flood	35W	GU5.3	24V	2900K	99		3,000	Yes	10	1.77	
107356	MR16EXN/BLK/L	MR16 Halogen Flood Black Back	50W	GU5.3	12V	2900K	99		2,000	Yes	10	1.87	
107358	MR16EXN/SIL/L	MR16 Halogen Flood Silver Back	50W	GU5.3	12V	3000K	99		2,000	Yes	10	1.87	
107127	MR16EXT/L/SC	MR16 Halogen Spot	50W	GU5.3	12V	3050K	99		5,000	Yes	10	1.97	
GU8													
108510	MR16EXN/G8	MR16 Halogen Flood	50W	G8	120V	2900K	99		2,000	Yes	10	1.77	
GU10													
107152	MR16FL20/L/GU10	MR16 Halogen Flood	20W	GU10	120V	2800K	99	110	2,000	Yes	10	2.16	
107154	MR16FL35/L/GU10	MR16 Halogen Flood	35W	GU10	120V	2800K	99	300	2,000	Yes	10	2.16	
107180	MR16FL50/L/GU10	MR16 Halogen Flood	50W	GU10	120V	2800K	99	465	2,000	Yes	10	2.16	
GU4													
108610	MR8W20/L	MR16 Halogen Wide Flood	20W	GU4	12V	3000K	99		3,000	Yes	10	1.3	

[SPEC SHEET AVAILABLE HERE.](#)



1YR
WARRANTY



Covershield JC Halogen Lamps

Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
JC Type Halogen													
107008	JC10	JC Type Halogen	10W	G4	12V	2800K	99	120	3,000	Yes	10	1.18	
107710	JC10/HX	JC Type Halogen	10W	G4	12V	2750K	99	120	10,000	Yes	10	1.22	
107010	JC20	JC Type Halogen	20W	G4	12V	2800K	99	300	3,000	Yes	10	1.18	
107718	JC20/BA15S/HX	JC Type Halogen	20W	BA15S	12V	2850K	99	300	10,000	Yes	10	1.46	
107712	JC20/HX	JC Type Halogen	20W	G4	12V	2850K	99	300	10,000	Yes	10	1.22	
107012	JC35	JC Type Halogen	35W	G6.35	12V	2850K	99	600	3,000	Yes	10	1.58	
107014	JC50	JC Type Halogen	50W	G6.35	12V	2950K	99	900	3,000	Yes	10	1.58	
107009	JC20/6.35	JC Type Halogen	20W	G6.35	12V	2800K	99	300	3000	Yes	10	1.58	
107004	JC100	JC Type Halogen	100W	GY6.35	12V	3100K	99	2100	3,000	Yes	10	1.69	

Continue to next page for additional product information



107002	JC75	JC Type Halogen	75W	GY6.35	12V	3000K	99	1350	3,000	Yes	10	1.69
107070	JCD100/G8	JCD Type Halogen	100W	G8	130V	3050K	99	1400	2,000	Yes	10	1.69
107036	JCD20	JCD Type Halogen	20W	GY6.35	130V	2750K	99	180	2,000	Yes	10	1.69
107076	JCD20/G8	JCD Type Halogen	20W	G8	130V	2750K	99	180	2,000	Yes	10	1.69
71001	JCD25/G9	JCD Type Halogen	25W	G9	130V	2650K	99	280	2,000	Yes	10	1.65
107902	JCD25FR/G9	JCD Type Halogen	25W	G9	130V	2650K	99	280	2,000	Yes	10	1.65
107011	JCD35	JCD Type Halogen	35W	GY6.35	130V	2800K	99	350	2,000	Yes	10	1.69
107072	JCD35/G8	JCD Type Halogen	35W	G8	130V	2800K	99	350	2,000	Yes	10	1.69
107310	JCD40/FR/G9/120	JCD Type Halogen	40W	G9	130V	2800K	99	450	2,000	Yes	10	1.65
107906	JCD40/G9	JCD Type Halogen	40W	G9	120V	2750K	99	480	2,000	Yes	10	1.65
107908	JCD40FR/G9	JCD Type Halogen	40W	G9	130V	2750K	99	450	2,000	Yes	10	1.65
107015	JCD50	JCD Type Halogen	50W	GY6.35	130V	2900K	99	600	2,000	Yes	10	1.69
107074	JCD50/G8	JCD Type Halogen	50W	G8	130V	2900K	99	600	2,000	Yes	10	1.69
71002	JCD60/G9	JCD Type Halogen	60W	G9	130V	2950K	99	780	2,000	Yes	10	1.65
107904	JCD60FR/G9	JCD Type Halogen	60W	G9	130V	2950K	99	750	2,000	Yes	10	1.65
Double Ended J-Type Halogen												
107210	Q75T3C/S	Double Ended J-Type	75W	R7S	130V	2850K	99	1250	2,000	Yes	10	3.07
107198	Q1000T3C	Double Ended J-Type Halogen	1000W	R7S	240V	3050K	99	22000	2,000	Yes	10	10
107182	Q100T3C	Double Ended J-Type Halogen	100W	R7S	130V	2950K	99	1400	2,000	Yes	10	4.65
107184	Q100T3C/S	Double Ended J-Type Halogen	100W	R7S	130V	2950K	99	1400	2,000	Yes	10	3.07
107200	Q1500T3C	Double Ended J-Type Halogen	1500W	R7S	240V	3050K	99	33000	2,000	Yes	10	10
107202	Q1500T3C/277	Double Ended J-Type Halogen	1500W	R7S	277V	3050K	99	33000	2,000	Yes	10	10
107186	Q150T3C	Double Ended J-Type Halogen	150W	R7S	130V	2950K	99	2250	2,000	Yes	10	4.65
107214	Q150T3C/12V	Double Ended J-Type Halogen	150W	R7S	12V	2900K	99	2400	2,000	Yes	10	3.27
107188	Q150T3C/S	Double Ended J-Type Halogen	150W	R7S	130V	2950K	99	2400	2,000	Yes	10	3.07
107216	Q250T3C/83MM	Double Ended J-Type Halogen	250W	R7S	130V	2950K	99	4000	2,000	Yes	10	3.27
107208	Q250T3C/S	Double Ended J-Type Halogen	250W	R7S	130V	2950K	99	4000	2,000	Yes	10	3.07
107194	Q300T3C	Double Ended J-Type Halogen	300W	R7S	130V	2950K	99	5000	2,000	Yes	10	4.65
107196	Q500T3C	Double Ended J-Type Halogen	500W	R7S	130V	3000K	99	9500	2,000	Yes	10	4.65

Continue to next page for additional product information



Single Ended JD-Type Halogen												
107025	Q100CL/DC	Single Ended JD-Type Halogen	100W	BA15D	130V	2950K	99	1700	2,000	Yes	10	2.4
127025	Q100CL/DC/120	Single Ended JD-Type Halogen	100W	BA15D	120V	2950K	99	1700	2,000	Yes	10	2.4
107029	Q150CL/DC	Single Ended JD-Type Halogen	150W	BA15D	130V	2950K	99	1615	2,000	Yes	10	2.4
71102	Q150CL/DC/120	Single Ended JD-Type Halogen	150W	BA15D	120V	2900K	99	2400	2,000	Yes	10	2.4
107033	Q250CL/DC	Single Ended JD-Type Halogen	250W	BA15D	130V	2900K	99	4500	2,000	Yes	10	3.12
107035	Q35CL/DC	Single Ended JD-Type Halogen	150W	BA15D	130V	2950K	99	2280	2,000	Yes	10	1.97
107018	Q50CL/DC	Single Ended JD-Type Halogen	35W	BA15D	130V	2700K	99	380	2,000	Yes	10	1.97
107021	Q75CL/DC	Single Ended JD-Type Halogen	50W	BA15D	130V	2800K	99	750	2,000	Yes	10	2.4

SPEC SHEET AVAILABLE HERE.

HID Lamps



Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
HID Ceramic MH													
67009	CDM150/U/830/MED	HID Ceramic MH Clear ED17 Bulb	150W	Medium (E26)		3000K	85	14000	16,000	Yes	12	5.45	
67001	CDM35/P30L/FL/830	HID Ceramic MH Clear PAR30L Flood	39W	Medium (E26)		3000K	85	2200	10,000	Yes	6	4.8	
67003	CDM70/P30L/FL/830	HID Ceramic MH Clear PAR30L Flood	70W	Medium (E26)		3000K	85	4850	10,000	Yes	12	4.8	
67026	CDM70/P30L/FL/942	HID Ceramic MH Clear PAR30L Flood	70W	Medium (E26)		4200K	90	4300	10,000	Yes	6	4.8	
67006	CDM35/TC/830	HID Ceramic MH Clear T4 Bulb	39W	G8.5		3000K	80	3300	12,000	Yes	12	3.15	
67007	CDM70/TC/830	HID Ceramic MH Clear T4 Bulb	70W	G8.5		3000K	85	6700	12,000	Yes	12	3.15	
67017	CDM70/TD/830	HID Ceramic MH Clear T6	70W	RX7S		3000K	85	6500	12,000	Yes	12	4.69	
67005	CDM150/T6/830	HID Ceramic MH Clear T6 Bulb	150W	G12		3000K	85	14000	12,000	Yes	12	3.94	
67002	CDM35/T6/830	HID Ceramic MH Clear T6 Bulb	39W	G12		3000K	80	3300	12,000	Yes	12	3.94	
67004	CDM70/T6/830	HID Ceramic MH Clear T6 Bulb	70W	G12		3000K	85	6700	12,000	Yes	12	3.94	
67014	CDM70/T6/942	HID Ceramic MH Clear T6 Bulb	70W	G12		4200K	90	6600	12,000	Yes	12	3.94	
67008	CDM70/U/830/MED	HID Ceramic MH Clear T7	70W	Medium (E26)		3000K	85	6200	16,000	Yes	12	5.45	
67020	CDM20/MR16N-FL/830/GX10	HID Ceramic MH MR16 Narrow Flood	20W	GX10		3000K	85	1100	12,000	Yes	60	2.56	



SPEC SHEET AVAILABLE HERE.



HID High Pressure Sodium Lamps

Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
HID High Pressure Sodium													
208126	LU150/ECO	HID HPS ED23.5 LU150 Bulb	150W	Mogul		2000K	20	15000	24,000	Yes	12	7.75	
108108	LU100/MED/ECO	HID HPS LU100 ED17 Bulb	100W	Medium (E26)		2000K	20	9600	24,000	Yes	12	5.43	
208124	LU100/ECO	HID HPS LU100 ED23.5 Bulb	100W	Mogul		2000K	20	9600	24,000	Yes	12	7.75	
279547	LU1000/ECO	HID HPS LU1000 ED25 Bulb	1000W	Mogul		2000K	20	130000	24,000	Yes	6	15.08	
108110	LU150/MED/ECO	HID HPS LU150 ED17 Bulb	150W	Medium (E26)		2000K	20	15000	24,000	Yes	12	5.71	
208130	LU250/ECO	HID HPS LU250 ED18 Bulb	250W	Mogul		2000K	20	28000	24,000	Yes	12	9.75	
467217	LU250/A	HID HPS LU250 ED58 Bulb		Mogul							12		
108102	LU35/MED/ECO	HID HPS LU35 ED17 Bulb	35W	Medium (E26)		2000K	20	2200	24,000	Yes	12	5.43	
208132	LU400/ECO	HID HPS LU400 ED18 Bulb	400W	Mogul		2000K	20	48000	24,000	Yes	12	9.75	
108104	LU50/MED/ECO	HID HPS LU50 ED17 Bulb	50W	Medium (E26)		2000K	20	3800	24,000	Yes	12	5.43	
208120	LU50/ECO	HID HPS LU50 ED23.5 Bulb	50W	Mogul		2000K	20	3800	24,000	Yes	12	7.75	
108106	LU70/MED/ECO	HID HPS LU70 ED17 Bulb	70W	Medium (E26)		2000K	20	6000	24,000	Yes	12	5.43	
208122	LU70/ECO	HID HPS LU70 ED23.5 Bulb	70W	Mogul		2000K	20	6000	24,000	Yes	12	7.75	

SPEC SHEET AVAILABLE HERE.

HID MH Coated



Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
HID Metal Halide Protected													
60507	MP100/C/U/MED/PS	HID MH Coated Base Up 100W	100W	Medium (E26)		3700K	65	8100	10,000	Yes	12	5.45	

SPEC SHEET AVAILABLE HERE.

HID MH Pulse Start Lamps



Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
HID Metal Halide Pulse Start													
108266	MP50/U/MED/PS	HID MH Pulse Start 50W	50W	Medium (E26)		4000K	65	3200	10,000	Yes	12	5.45	
108270	MP100/U/MED/PS	HID MH Pulse Start Clear 100W	100W	Medium (E26)		4000K	65	8500	10,000	Yes	12	5.45	
108272	MP150/U/MED/PS	HID MH Pulse Start Clear 150W	150W	Medium (E26)		4000K	65	14000	10,000	Yes	12	5.45	
108268	MP70/U/MED/PS	HID MH Pulse Start Clear 70W	70W	Medium (E26)		4000K	65	5300	10,000	Yes	12	5.45	
60511	MP200/BU/PS	HID MH Pulse Start Clear Base Up	250W	EX39		4000K	65	18000	15,000	Yes	12	8.25	

Continue to next page for additional product information



CONVENTIONAL LAMPS

108298	MP250/BU/PS	HID MH Pulse Start Clear Base Up	250W	EX39	4000K	65	25000	15,000	Yes	12	8.25
108290	MP320/BU/PS	HID MH Pulse Start Clear Base Up	320W	EX39	4000K	65	30000	20,000	Yes	12	8.25
108296	MP400/BU/PS	HID MH Pulse Start Clear Base Up	400W	EX39	4000K	65	36000	20,000	Yes	6	11.5
60501	MP750/BU/PS	HID MH Pulse Start Clear Base Up	750W	EX39	4000K	65	75000	15,000	Yes	6	11.5
60503	MP150/C/U/MED/PS	HID MH Pulse Start Coated 150W	150W	Medium (E26)	3700K	65	13400	10,000	Yes	12	5.45
60508	MP70/C/U/MED/PS	HID MH Pulse Start Coated 70W	70W	Medium (E26)	3700K	65	5000	10,000	Yes	12	5.45
60510	MP250/C/BU/PS	HID MH Pulse Start Coated Base Up	250W	EX39	3700K	65	20000	15,000	Yes	12	8.25
108282	MP175/U/MED	HID Protected MH Clear 200W	200W	Medium (E26)	4000K	65	15000	10,000	Yes	12	5.45
60720	MP1000/BU	HID Protected MH Clear Base Up	1000W	EX39	4000K	65	105000	10,000	Yes	6	11.5
108286	MP175/BU	HID Protected MH Clear Base Up	175W	EX39	4000K	65	15000	10,000	Yes	12	8.25
108288	MP250/BU	HID Protected MH Clear Base Up	250W	EX39	4000K	65	21800	10,000	Yes	12	8.25
108292	MP360/BU/ES	HID Protected MH Clear Base Up	360W	EX39	4000K	65	34000	20,000	Yes	6	11.5
108294	MP400/BU	HID Protected MH Clear Base Up	400W	EX39	4000K	65	37000	15,000	Yes	6	11.5
60700	MP400/C/BU	HID Protected MH Coated Base Up	400W	EX39	3700K	65	39000	15,000	Yes	6	11.5
108291	MH350/BU/PS	HID MH Pulse Clear Base Up	350W	Mogul	4000K	65	37000	20,000	Yes	6	11.5
108280	MH400/BU/PS	HID MH Pulse Clear Base Up	400W	Mogul	4000K	65	42000	20,000	Yes	6	11.5
60009	MH250/HBU/PS	HID MH Pulse Clear Horiz Base Up	250W	Mogul	4000K	65	21000	15,000	Yes	12	8.25
60010	MH320/HBU/PS	HID MH Pulse Clear Horiz Base Up	320W	Mogul	4000K	65	31000	15,000	Yes	12	8.25
60016	MH750/HBU/PS	HID MH Pulse Clear Horiz Base Up	750W	Mogul	4000K	65	75000	10,000	Yes	6	11.5
60015	MH1000/U/PS	HID MH Pulse Start Clear	1000W	Mogul	4000K	65	110000	15,000	Yes	6	11.5
60014	MH875/U/PS	HID MH Pulse Start Clear	875W	Mogul	4000K	65	96000	15,000	Yes	6	11.5
108254	MH100/U/MED/PS	HID MH Pulse Start Clear 100W	100W	Medium (E26)	4000K	65	9100	15,000	Yes	12	5.45
60003	MH100/U/MOG/PS	HID MH Pulse Start Clear 100W	100W	Mogul	4000K	65	9100	15,000	Yes	12	8.25
108258	MH150/U/MED/PS	HID MH Pulse Start Clear 150W	150W	Medium (E26)	4000K	65	15000	15,000	Yes	12	5.45
108305	MH150/U/PS	HID MH Pulse Start Clear 150W	150W	Mogul	4000K	65	15000	15,000	Yes	12	8.25
60012	MH400/U/ED28/PS	HID MH Pulse Start Clear 400W	400W	Mogul	4000K	65	38000	20,000	Yes	12	8.25
60011	MH400/U/PS	HID MH Pulse Start Clear 400W	400W	Mogul	4000K	65	42000	20,000	Yes	6	11.5
108228	MH50/U/MED/PS	HID MH Pulse Start Clear 50W	50W	Medium (E26)	4000K	65	2100	10,000	Yes	12	5.45
108246	MH70/U/MED/PS	HID MH Pulse Start Clear 70W	70W	Medium (E26)	4000K	65	5800	10,000	Yes	12	5.45

Continue to next page for additional product information



60002	MH175/BU/MED/PS	HID MH Pulse Start Clear Base Up	175W	Medium (E26)	4000K	65	17500	15,000	Yes	12	5.45
108274	MH175/BU/PS	HID MH Pulse Start Clear Base Up	175W	Mogul	4000K	65	17500	15,000	Yes	12	8.25
108284	MH200/BU/PS	HID MH Pulse Start Clear Base Up	200W	Mogul	4000K	65	21000	12,000	Yes	12	8.25
108276	MH250/BU/PS	HID MH Pulse Start Clear Base Up	250W	Mogul	4000K	65	25000	15,000	Yes	12	8.25
108278	MH320/BU/PS	HID MH Pulse Start Clear Base Up	320W	Mogul	4000K	65	32000	20,000	Yes	12	8.25
60514	MP875/BU/PS	HID MH Pulse Start Clear Base Up	875W	EX39	4000K	65	93000	15,000	Yes	6	11.5
108256	MH100/C/U/MED/PS	HID MH Pulse Start Coated 100W	100W	Medium (E26)	3700K	70	8500	15,000	Yes	12	5.45
60008	MH175/HBU/PS	HID MH Pulse Start Coated 175W	175W	Mogul	4000K	65	15000	15,000	Yes	12	8.25
108248	MH70/C/U/MED/PS	HID MH Pulse Start Coated 70W	70W	Medium (E26)	3700K	65	5400	10,000	Yes	12	5.45



[SPEC SHEET AVAILABLE HERE.](#)

HID MH Double/Single/Standard

Product #	Product Code	Description	Wattage	Base	Volt- age	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
HID Aquarium													
108416	MH400/U/T15/10K	HID Aquarium Clear 400W 10000K	400W	Mogul		10000K	80	25000	10,000	Yes	12	10.75	
HID Metal Halide Double End													
108402	MH70DE/UVS/3K	HID MH Double End Clear UV Stop	70W	R7S		3000K	65	5600	10,000	Yes	24	4.65	
108400	MH70DE/UVS/4K	HID MH Double End Clear UV Stop	70W	R7S		4000K	65	5600	10,000	Yes	24	4.65	
HID Metal Halide Single End													
108430	MH150SE/UVS/3K	HID MH Single Ended Clear UV Stop	150W	G12		3000K	65	14000	10,000	Yes	24	4.3	
108434	MH70SE/UVS/3K	HID MH Single Ended Clear UV Stop	70W	G12		3000K	65	5600	10,000	Yes	24	4.3	
108428	MH70SE/UVS/4K	HID MH Single Ended Clear UV Stop	70W	G12		4000K	65	5600	10,000	Yes	24	4.3	
HID Metal Halide Standard													
64431	MH1500HBU	HID Standard MH Horiz Base Up	1500W	Mogul		4000K	70	170000	3,000	Yes	6	15.4	
64469	MH1000/BT37	HID Standard MH 1000W	1000W	Mogul		3800K	65	110000	9,000	Yes	6	11.5	
64468	MH1000U/M	HID Standard MH 1000W	1000W	Mogul		4000K	65	108000	15,000	Yes	6	15.37	
64030/SYL	MH175U/M	HID Standard MH 175W	175W	Mogul		4200K	65	12800	7,500	Yes	12	8.31	
108220	MH250/HBU/T15	HID Standard MH Clear	250W	Mogul		4000K	65	20000	10,000	Yes	12	10.08	

Continue to next page for additional product information



108218	MH400/HBU/ED18	HID Standard MH Clear	400W	Mogul	4000K	65	38000	15,000	Yes	12	9.75
108222	MH1000/U	HID Standard MH Clear 1000W	1000W	Mogul	4000K	65	110000	12,000	Yes	6	15.4
108226	MH1000/U/BT37	HID Standard MH Clear 1000W	1000W	Mogul	4000K	65	110000	12,000	Yes	6	11.5
108200	MH175/U	HID Standard MH Clear 175W	175W	Mogul	4000K	65	15200	10,000	Yes	12	8.25
108262	MH175/U/MED	HID Standard MH Clear 175W	175W	Medium (E26)	4000K	65	15000	10,000	Yes	12	5.45
108204	MH250/U	HID Standard MH Clear 250W	250W	Mogul	4000K	65	21000	10,000	Yes	12	8.25
108208	MH400/U	HID Standard MH Clear 400W	400W	Mogul	4000K	65	40000	20,000	Yes	6	11.5
108216	MH400/U/ED28	HID Standard MH Clear 400W	400W	Mogul	4000K	65	39000	15,000	Yes	12	8.25
108214	MH1500/BU	HID Standard MH Clear Base Up	1500W	Mogul	4000K	65	175000	4,000	Yes	6	15.4
108212	MH360/BU/ES	HID Standard MH Clear Base Up	360W	Mogul	4000K	65	36000	20,000	Yes	6	11.5
108202	MH175/C/U	HID Standard MH Coated 175W	175W	Mogul	3700K	65	14800	10,000	Yes	12	8.25
108264	MH175/C/U/MED	HID Standard MH Coated 175W	175W	Medium (E26)	3700K	65	14800	10,000	Yes	12	5.45
108206	MH250/C/U	HID Standard MH Coated 250W	250W	Mogul	3700K	65	20000	10,000	Yes	12	8.25
108210	MH400/C/U	HID Standard MH Coated 400W	400W	Mogul	3700K	65	39000	20,000	Yes	6	11.5
60201	MH400/C/U/ED28	HID Standard MH Coated 400W	400W	Mogul	3700K	65	39000	20,000	Yes	12	8.25

SPEC SHEET AVAILABLE HERE.

Incandescent Lamps A15/A19



Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
A15 Incandescent Lamps													
6013	A15CL15	A15 Incandescent Bulb	15W	Medium (E26)	130V	2700K	99	95	3,000	Yes	20	3.5	
6014	A15FR15	A15 Incandescent Bulb	15W	Medium (E26)	130V	2700K	99	90	3,000	Yes	20	3.5	
6016	A15CL25	A15 Incandescent Bulb	25W	Medium (E26)	130V	2700K	99	130	3,000	Yes	20	3.5	
6015	A15FR25	A15 Incandescent Bulb	25W	Medium (E26)	130V	2700K	99	120	3,000	Yes	20	3.5	
6017	A15CL40	A15 Incandescent Bulb	40W	Medium (E26)	130V	2700K	99	300	3,000	Yes	20	3.5	
6018	A15FR40	A15 Incandescent Bulb	40W	Medium (E26)	130V	2700K	99	290	3,000	Yes	20	3.5	
A19 Incandescent Lamps													
76017	A19FR40/VS	A19 Incandescent Rough Service	40W	Medium (E26)	130V	2700K	99	310	2,500	Yes	12	4.25	
101182	A19CL100/SB	A19 Incandescent Silver Bowl	100W	Medium (E26)	130V	2700K	99	830	5,000	Yes	12	4.25	
101180	A19CL60/SB	A19 Incandescent Silver Bowl	60W	Medium (E26)	130V	2700K	99		2,500	Yes	12	4.25	
101184	A19FR60/SB	A19 Incandescent Silver Bowl	60W	Medium (E26)	130V	2700K	99		5,000	Yes	12	4.25	
101190	A21FR100/SB	A19 Incandescent Silver Bowl	100W	Medium (E26)	130V	2700K	99	800	5,000	Yes	12	4.96	
8011	A19BG60	A19 Incandescent Bug Light	60W	Medium (E26)	130V	Yellow	99		2,000	Yes	20	4.25	



[SPEC SHEET AVAILABLE HERE.](#)



Incandescent Lamps R40

Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
R40 Incandescent Lamps													
104048	R40CL375	R40 Incandescent Heat Lamp	375W	Medium (E26)	120V	2700K	99	3700	5,000	Yes	12	6.61	
104044	R40RED250/10	R40 Incandescent Red Heat Lamp	250W	Medium (E26)	120V	Red	99		5,000	Yes	12	6.61	

[SPEC SHEET AVAILABLE HERE.](#)



Incandescent Lamps BR30

Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
BR30 Incandescent Lamps													
404028	BR30AMB65/5	BR30 Bulged Reflector Incand.	65W	Medium (E26)	130V	Amber	99		5,000	Yes	12	5.35	
404030	BR30BLU65/5	BR30 Bulged Reflector Incand.	65W	Medium (E26)	130V	Blue	99		5,000	Yes	12	5.35	
404031	BR30DPNK65/5	BR30 Bulged Reflector Incand.	65W	Medium (E26)	130V	Pink	99		5,000	Yes	12	5.35	
404046	BR30PNK65/5	BR30 Bulged Reflector Incand.	65W	Medium (E26)	130V	Pink	99		5,000	Yes	12	5.35	
404049	BR30RED65/5	BR30 Bulged Reflector Incand.	65W	Medium (E26)	130V	Red	99		5,000	Yes	12	5.35	
404053	BR30YEL65/5	BR30 Bulged Reflector Incand.	65W	Medium (E26)	130V	Yellow	99		5,000	Yes	12	5.35	

[SPEC SHEET AVAILABLE HERE.](#)



Incandescent Lamps BR38

Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
BR38 Incandescent Lamp													
404114	BR38GRN100	BR38 Bulged Reflector Incand.	100W	Medium (E26)	130V	Green	99		5,000	Yes	12	5.83	



SPEC SHEET AVAILABLE HERE.

Incandescent Lamps PS30 Elongated



Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
PS30 Elongated Incandescent Lamp													
401308	PS30CL300/P5	PS30 Elongated Incand. Bulb	300W	Medium (E26)	130V	2700K	99	3600	5,000	Yes	12	8.06	

SPEC SHEET AVAILABLE HERE.

Incandescent Lamps G25 Globe



Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
G25 Incandescent Globe Bulb													
102382	G25CL60/SB	G25 Incandescent Globe Bulb	60W	Medium (E26)	130V	2700K	99		3,500	Yes	10	4.5	

SPEC SHEET AVAILABLE HERE.

Incandescent Lamps R14/R20 Flood



Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
R14 Reflector Flood Incand. Bulb													
9101	R14INT40	R14 Reflector Flood Incand. Bulb	40W	Intermediate	130V	2520K	99	280	1,500	Yes	25	2.64	
104200	R20AMB50	R20 Reflector Flood Incand.	50W	Medium (E26)	130V	Amber	99		2,500	Yes	10	3.93	
9146	R20BLU50	R20 Reflector Flood Incand.	50W	Medium (E26)	130V	Blue	99		2,500	Yes	10	3.93	
9150	R20DPNK50	R20 Reflector Flood Incand.	50W	Medium (E26)	130V	Dawn Pink	99		2,500	Yes	10	3.93	
9108	R20PNK50	R20 Reflector Flood Incand.	50W	Medium (E26)	130V	Pink	99		2,500	Yes	10	3.93	
9142	R20RED50	R20 Reflector Flood Incand.	50W	Medium (E26)	130V	Red	99		2,500	Yes	10	3.93	



[SPEC SHEET AVAILABLE HERE.](#)

Incandescent Lamps S11/14 Sign/Appliance



Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
Sign/Appliance Incandescent S11													
9045	S11CL10	S11 Incandescent Sign/Appliance	10W	Intermediate	120V	2700K	99	80	2,000	Yes	25	2.56	
9050	S11N40	S11 Incandescent Sign/Appliance	40W	Intermediate	130V	2700K	99	370	1,500	Yes	25	2.56	
7017	S11CL7.5	S11 Incandescent Sign/Appliance	7.5W	Medium (E26)	130V	2700K	99	45	1,500	Yes	25	2.25	
7026	S11ORG7.5C	S11 Incandescent Sign/Appliance	7.5W	Medium (E26)	130V	Orange	99		1,500	Yes	25	2.25	
7019	S11RED7.5C	S11 Incandescent Sign/Appliance	7.5W	Medium (E26)	130V	Red	99		1,500	Yes	25	2.25	
7020	S11WH7.5C	S11 Incandescent Sign/Appliance	7.5W	Medium (E26)	130V	White	99		1,500	Yes	25	2.25	
Sign/Appliance Incandescent S14													
7028	S11YEL7.5C	S14 Incandescent Sign Bulb	7.5W	Medium (E26)	130V	Yellow	99		1,500	Yes	25	2.25	
9056	S14AMB11T	S14 Incandescent Sign Bulb	11W	Medium (E26)	130V	Amber	99		3,000	Yes	25	3.5	
9076	S14BLU11C	S14 Incandescent Sign Bulb	11W	Medium (E26)	130V	Blue	99		3,000	Yes	25	3.5	
9055	S14BLU11T	S14 Incandescent Sign Bulb	11W	Medium (E26)	130V	Blue	99		3,000	Yes	25	3.5	
9051	S14CL11	S14 Incandescent Sign Bulb	11W	Medium (E26)	130V	2700K	99	80	5,000	Yes	25	3.5	
9057	S14FR11	S14 Incandescent Sign Bulb	11W	Medium (E26)	130V	2700K	99	75	3,000	Yes	25	3.5	
9070	S14GRN11C	S14 Incandescent Sign Bulb	11W	Medium (E26)	130V	Green	99		3,000	Yes	25	3.5	
9054	S14GRN11T	S14 Incandescent Sign Bulb	11W	Medium (E26)	130V	Green	99		3,000	Yes	25	3.5	
105334	S14RED11C	S14 Incandescent Sign Bulb	11W	Medium (E26)	130V	Red	99		3,000	Yes	25	3.5	
9052	S14RED11T	S14 Incandescent Sign Bulb	11W	Medium (E26)	130V	Red	99		3,000	Yes	25	3.5	
9058	S14WH11C	S14 Incandescent Sign Bulb	11W	Medium (E26)	130V	White	99		3,000	Yes	25	3.5	
105336	S14YEL11C	S14 Incandescent Sign Bulb	11W	Medium (E26)	130V	Yellow	99		3,000	Yes	25	3.5	
9053	S14YEL11T	S14 Incandescent Sign Bulb	11W	Medium (E26)	130V	Yellow	99		3,000	Yes	25	3.5	

[SPEC SHEET AVAILABLE HERE.](#)

Incandescent Lamps S6 Candelabra



Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
S6 Indicator Incandescent Bulb													
9042	S6CL6	S6 Indicator Incandescent Bulb	6W	Candelabra	130V	2700K	99	30	1,500	Yes	25	1.97	



SPEC SHEET AVAILABLE HERE.

Incandescent T10/T6/T6.5/T7/T8 Tubes



Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
T10 Incandescent Tube													
9014	T10CL40	T10 Incandescent Tube	40W	Medium (E26)	130V	2700K	99	280	2,500	Yes	25	5	
T6 Incandescent Tube													
9028	T6.5FR20INT	T6 Incandescent Tube	20W	Intermediate	130V	2700K	99	150	2,500	Yes	25	5.47	
9021	T6CL15/145V	T6 Incandescent Tube	15W	Candelabra	145V	2700K	99	90	2,000	Yes	25	3.06	
T6.5 Incandescent Tube													
9022	T6.5CL20DC	T6.5 Incandescent Tube	20W	BA15D	130V	2700K	99	150	2,500	Yes	25	5.37	
9019	T6.5CL20INT	T6.5 Incandescent Tube	20W	Intermediate	130V	2700K	99	150	2,500	Yes	25	5.47	
9018	T6.5CL25INT	T6.5 Incandescent Tube	25W	Intermediate	130V	2700K	99	180	2,500	Yes	25	5.47	
106111	T6.5CL40INT	T6.5 Incandescent Tube	40W	Intermediate	130V	2700K	99	280	2,500	Yes	25	5.47	
9023	T6.5FR20DC	T6.5 Incandescent Tube	20W	BA15D	130V	2700K	99	150	2,500	Yes	25	5.37	
T7 Incandescent Tube													
9030	T6CL15/CAN	T7 Incandescent Tube	15W	Candelabra	130V	2700K	99	100	2,000	Yes	25	3.06	
9039	T7CL15CAN	T7 Incandescent Tube	15W	Candelabra	120V	2700K	99	100	2,000	Yes	25	2.25	
9038	T7CL15DC	T7 Incandescent Tube	15W	BA15D	120V	2700K	99	100	2,000	Yes	25	2.36	
T8 Incandescent Tube													
9032	T8CL25INT	T8 Incandescent Tube	25W	Intermediate	130V	2700K	99	180	2,500	Yes	25	2.62	

SPEC SHEET AVAILABLE HERE.

Fluorescent Tube F18 T8 Appliance/F32T8 Blacklight




Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
Fluorescent F18 T8 Appliance Tube													
109234	F18T8CW/K24	Fluorescent F18 T8 Appliance Tube	18W	Medium Bi-Pin		4100K	62	1175	7,500	No	25	24	
Fluorescent F32 T8 Blacklight Tube													
37200	F32T8BLB	Fluorescent F32 T8 Blacklight Tube	32W	Medium Bi-Pin		Blacklight			10,000	No	12	48	



[SPEC SHEET AVAILABLE HERE.](#)

Fluorescent Tube Circleline

Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
Fluorescent Circleline													
37507	FC12T9CW	Fluorescent FC12 T9 Circleline	32W	G10Q		4100K	62	2100	12,000	No	12	12	
37510	FC16T9CW	Fluorescent FC16 T9 Circleline	40W	G10Q		4100K	62	2900	12,000	No	12	16	
109080	FC22T5/835	Fluorescent FC22 T5 Circleline	22W	2GX13		3500K	82	1900	12,000	Yes	20	9	
109082	FC22T5/841	Fluorescent FC22 T5 Circleline	22W	2GX13		4100K	82	1900	12,000	Yes	20	9	
109084	FC40T5/835	Fluorescent FC40 T5 Circleline	40W	2GX13		3500K	82	3350	12,000	Yes	20	12	
109086	FC40T5/841	Fluorescent FC40 T5 Circleline	40W	2GX13		4100K	82	3350	12,000	Yes	20	12	
37504	FC9T9/830	Fluorescent FC8 T9 Circleline	30W	G10Q		3000K	86	1800	12,000	No	12	9	
37501	FC8T9CW	Fluorescent FC9 T9 Circleline	22W	G10Q		4100K	62	1150	12,000	No	12	8	



[SPEC SHEET AVAILABLE HERE.](#)

Fluorescent Tube F T5/T12

Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
Fluorescent F13 T5 Tube													
9232	F13T5WW	Fluorescent F13 T5 Tube	13W	Miniature Bi-Pin		3000K	65	870	6,000	No	10	21	
9231	F13T5CW	Fluorescent F13 T5 Tube	13W	Miniature Bi-Pin		4100K	65	740	6,000	No	10	21	
109370	F14T8CW	Fluorescent F14 T5 Tube	14W	Medium Bi-Pin		4100K	65	650	8,000	No	30	15	
109208	F15T8WW	Fluorescent F15 T5 Tube	15W	Medium Bi-Pin		3000K	65	845	8,000	No	30	18	
9202	F15T8CW	Fluorescent F15 T5 Tube	15W	Medium Bi-Pin		4100K	65	770	8,000	No	30	18	
109212	F15T8DL	Fluorescent F15 T5 Tube	15W	Medium Bi-Pin		6500K	74	770	8,000	No	30	18	
9225	F30T8CW	Fluorescent F30 T5 Tube	30W	Medium Bi-Pin		4100K	65	2100	9,000	No	30	35"	
9213	F4T5CW	Fluorescent F4 T5 Tube	4W	Miniature Bi-Pin		4100K	65	130	6,000	No	10	6	
248302/SYL	F48CW/M	Fluorescent F48 T12 Tube	39W	Single Pin		4100K	62	2950	9,000	Yes	15	48	
9200	F6T5CW	Fluorescent F6 T5 Tube	6W	Miniature Bi-Pin		4100K	65	240	6,000	No	10	9	
	F72CW/M	Fluorescent F72 T12 Tube	56W	Single Pin		4100K	59	4450	12,000	Yes	15	72	
9210	F8T5WW	Fluorescent F8 T5 Tube	8W	Miniature Bi-Pin		3000K	53	400	6,000	No	10	12	
9201	F8T5CW	Fluorescent F8 T5 Tube	8W	Miniature Bi-Pin		4100K	65	350	6,000	No	10	12	
9215	F8T5DL	Fluorescent F8 T5 Tube	8W	Miniature Bi-Pin		6500K	75	350	6,000	No	10	12	
372821	F96DX/M	Fluorescent F96 T12 Tube	75W	Single Pin		6500K	84	4775	12,000	Yes	15	96	

[SPEC SHEET AVAILABLE HERE.](#)

Fluorescent Tube FX T5

Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
Fluorescent F8 T5 Blacklight Tube													
9206	F8T5BLB	Fluorescent F8 T5 Blacklight Tube	8W	Miniature Bi-Pin		Blacklight			6,000	No	10	12	
Fluorescent F14 T5 Tube													
30117	F14T5/830/ECO/IC	Fluorescent F14 T5 Tube	14W	Miniature Bi-Pin		3000K	86	1350	24,000	Yes	25	22	
30118	F14T5/835/ECO/IC	Fluorescent F14 T5 Tube	14W	Miniature Bi-Pin		3500K	86	1350	24,000	Yes	25	22	
30119	F14T5/841/ECO/IC	Fluorescent F14 T5 Tube	14W	Miniature Bi-Pin		4100K	86	1350	24,000	Yes	25	22	
Fluorescent F21 T5 Tube													
30125	F21T5/830/ECO/IC	Fluorescent F21 T5 Tube	21W	Miniature Bi-Pin		3000K	86	2100	24,000	Yes	25	34	
30126	F21T5/835/ECO/IC	Fluorescent F21 T5 Tube	21W	Miniature Bi-Pin		3500K	86	2100	24,000	Yes	25	34	
30127	F21T5/841/ECO/IC	Fluorescent F21 T5 Tube	21W	Miniature Bi-Pin		4100K	86	2100	24,000	Yes	25	34	
Fluorescent F24 T5 Tube													
30134	F24T5/835/HO/ECO/IC	Fluorescent F24 T5 Tube HO	24W	Miniature Bi-Pin		3500K	86	2000	24,000	Yes	25	22	
30135	F24T5/841/HO/ECO/IC	Fluorescent F24 T5 Tube HO	24W	Miniature Bi-Pin		4100K	86	2000	24,000	Yes	25	22	
Fluorescent F28 T5 Tube													
35041	F28T5/830/ECO/IC	Fluorescent F28 T5 Tube	28W	Miniature Bi-Pin		3000K	86	2900	24,000	Yes	25	46	
35042	F28T5/835/ECO/IC	Fluorescent F28 T5 Tube	28W	Miniature Bi-Pin		3500K	86	2900	24,000	Yes	25	46	
35043	F28T5/841/ECO/IC	Fluorescent F28 T5 Tube	28W	Miniature Bi-Pin		4100K	86	2900	24,000	Yes	25	46	
35044	F28T5/850/ECO/IC	Fluorescent F28 T5 Tube	28W	Miniature Bi-Pin		5000K	86	2900	24,000	Yes	25	46	
Fluorescent F39 T5 Tube													
35061	F39T5/835/HO/ECO/IC	Fluorescent F39 T5 Tube HO	39W	Miniature Bi-Pin		3500K	86	3500	24,000	Yes	25	34	
35062	F39T5/841/HO/ECO/IC	Fluorescent F39 T5 Tube HO	39W	Miniature Bi-Pin		4100K	86	3500	24,000	Yes	25	34	
Fluorescent F49 T5 Tube													
35089	F49T5/850/HO/ECO	Fluorescent F49 T5 Tube HO	49W	Miniature Bi-Pin		5000K	86	4900	24,000	Yes	25	46	

Continue to next page for additional product information



Fluorescent F54 T5 Tube HO											
36081	F54T5/830/HO/ECO/G2	Fluorescent F54 T5 Tube HO	54W	Miniature Bi-Pin (G5)	3000K	85	4650	24,000	Yes	40	46
36082	F54T5/835/HO/ECO/G2	Fluorescent F54 T5 Tube HO	54W	Miniature Bi-Pin (G5)	3500K	85	4650	24,000	Yes	40	46
36083	F54T5/841/HO/ECO/G2	Fluorescent F54 T5 Tube HO	54W	Miniature Bi-Pin (G5)	4100K	85	4650	24,000	Yes	40	46
36084	F54T5/850/HO/ECO/G2	Fluorescent F54 T5 Tube HO	54W	Miniature Bi-Pin (G5)	5000K	85	4650	24,000	Yes	40	46
36086	F54T5/865/HO/ECO/G2	Fluorescent F54 T5 Tube HO	54W	Miniature Bi-Pin (G5)	6500K	85	4650	24,000	Yes	40	46
35082	F54T5/835/HO/ECO/IC	Fluorescent F54 T5 Tube HO	54W	Miniature Bi-Pin	3500K	86	5000	24,000	Yes	25	46
Fluorescent F40 T12 Tube											
35201	F40/950/ECO	Fluorescent F40 T12 Tube	40W	Medium Bi-Pin	5000K	90	2250	24,000	No	30	47.8
423889	F40CWS/ECO/M	Fluorescent F40 T12 Tube	40W	Medium Bi-Pin	4100K	89	2600	20,000	Yes	30	48
35200	F40CWX/ECO	Fluorescent F40 T12 Tube	40W	Medium Bi-Pin	4100K	90	2500	24,000	No	30	48
273599	F40DX/A	Fluorescent F40 T12 Tube	30W	Medium Bi-Pin	6500K	90	2325	20,000	Yes	30	48
35202	F40DX/ECO	Fluorescent F40 T12 Tube	40W	Medium Bi-Pin	6500K	90	2200	24,000	No	30	47.8
Fluorescent F96 T12 Tube											
423194	F96CWS/ECO/M	Fluorescent F96 T12 Tube	75W	Single Pin	4100K	89	5000	12,000	Yes	15	96
Fluorescent F17 T8 Tube											
109320	F17T8/730/ECO	Fluorescent F17 T8 Tube	17W	Medium Bi-Pin	3000K	78	1350	24,000	No	25	24
109322	F17T8/735/ECO	Fluorescent F17 T8 Tube	17W	Medium Bi-Pin	3500K	78	1350	24,000	No	25	24
109324	F17T8/741/ECO	Fluorescent F17 T8 Tube	17W	Medium Bi-Pin	4100K	78	1350	24,000	No	25	24
109326	F17T8/750/ECO	Fluorescent F17 T8 Tube	17W	Medium Bi-Pin	5000K	78	1350	24,000	No	25	24
35170	F17T8/830/ECO	Fluorescent F17 T8 Tube	17W	Medium Bi-Pin	3000K	86	1400	24,000	No	25	24
109802	F17T8/835/ECO	Fluorescent F17 T8 Tube	17W	Medium Bi-Pin	3500K	86	1400	24,000	No	25	24
109804	F17T8/841/ECO	Fluorescent F17 T8 Tube	17W	Medium Bi-Pin	4100K	86	1400	24,000	No	25	24
35180	F17T8/850/ECO	Fluorescent F17 T8 Tube	17W	Medium Bi-Pin	5000K	86	1400	24,000	No	25	24
Fluorescent F25 T8 Tube											
109342	F25T8/735/ECO	Fluorescent F25 T8 Tube	25W	Medium Bi-Pin	3500K	78	2150	24,000	No	25	36
109344	F25T8/741/ECO	Fluorescent F25 T8 Tube	25W	Medium Bi-Pin	4100K	78	2150	24,000	No	25	36
109346	F25T8/750/ECO	Fluorescent F25 T8 Tube	25W	Medium Bi-Pin	5000K	78	2150	24,000	No	25	36
109808	F25T8/835/ECO	Fluorescent F25 T8 Tube	25W	Medium Bi-Pin	3500K	86	2250	24,000	No	25	36
109810	F25T8/841/ECO	Fluorescent F25 T8 Tube	25W	Medium Bi-Pin	4100K	86	2250	24,000	No	25	36
35172	F25T8ES/835/ECO	Fluorescent F25 T8 Tube	25W	Medium Bi-Pin	3500K	86	2500	24,000	No	25	48
35173	F25T8ES/841/ECO	Fluorescent F25 T8 Tube	25W	Medium Bi-Pin	4100K	86	2500	24,000	No	25	48
35174	F25T8ES/850/ECO	Fluorescent F25 T8 Tube	25W	Medium Bi-Pin	5000K	86	2500	24,000	No	25	48

Continue to next page for additional product information



Fluorescent F28 T8 Tube											
35175	F28T8/830/ECO	Fluorescent F28 T8 Tube	28W	Medium Bi-Pin	3000K	86	2800	24,000	No	25	48
109364	F28T8/835/ECO	Fluorescent F28 T8 Tube	28W	Medium Bi-Pin	3500K	86	2800	24,000	No	25	48
109366	F28T8/841/ECO	Fluorescent F28 T8 Tube	28W	Medium Bi-Pin	4100K	86	2800	24,000	No	25	48
109368	F28T8/850/ECO	Fluorescent F28 T8 Tube	28W	Medium Bi-Pin	5000K	86	2800	24,000	No	25	48
Fluorescent F32 T8 Tube											
109398	F32T8/830/ECO	Fluorescent F32 T8 Tube	32W	Medium Bi-Pin	3000K	86	3050	24,000	No	25	48
109400	F32T8/835/ECO	Fluorescent F32 T8 Tube	32W	Medium Bi-Pin	3500K	86	3050	24,000	No	25	48
109402	F32T8/841/ECO	Fluorescent F32 T8 Tube	32W	Medium Bi-Pin	4100K	86	3050	24,000	No	25	48
109404	F32T8/850/ECO	Fluorescent F32 T8 Tube	32W	Medium Bi-Pin	5000K	86	3050	24,000	No	25	48
109428	F32T8/865/ECO	Fluorescent F32 T8 Tube	32W	Medium Bi-Pin	6500K	86	3050	24,000	No	25	48
35176	F32T8/835/ECO/HL	Fluorescent F32 T8 Tube High Lumen	32W	Medium Bi-Pin	3500K	86	3150	24,000	No	25	48
35177	F32T8/841/ECO/HL	Fluorescent F32 T8 Tube High Lumen	32W	Medium Bi-Pin	4100K	86	3150	24,000	No	25	48
35178	F32T8/850/ECO/HL	Fluorescent F32 T8 Tube High Lumen	32W	Medium Bi-Pin	5000K	86	3150	24,000	No	25	48
Fluorescent F58 T8 Tube											
35179	F58T8/840	Fluorescent F58 T8 Tube	58W	Medium Bi-Pin	4000K	86	5300	24,000	No	25	60
Fluorescent F70 T8 Tube											
62573	F70T8/840/M	Fluorescent F70 T8 Tube	70W	Medium Bi-Pin	4100K	85	6300	20,000	Yes	25	70
Fluorescent F96 T8 Tube											
22149	F96T8/841/M	Fluorescent F96 T8 Tube	59W	Single Pin	4100K	82	5900	18,000	Yes	24	96
22173	F96T8/850/M	Fluorescent F96 T8 Tube	59W	Single Pin	5000K	80	5900	15,000	Yes	24	96
Fluorescent F24 T12 Tube HO											
25313	F24T12CWHO/M	Fluorescent F24 T12 Tube HO	35W	Recessed Double Contact	4200K	60	1650	9,000	Yes	30	24
25314	F24T12DLHO/M	Fluorescent F24 T12 Tube HO	35W	Recessed Double Contact	6500K	76	1400	9,000	Yes	30	24
Fluorescent F30 T12 Tube HO											
25322	F30T12CWHO/M	Fluorescent F30 T12 Tube HO	45W	Recessed Double Contact	4200K	76	2500	9,000	Yes	30	28
Fluorescent F42 T12 Tube HO											
25342	F42CWHO/M	Fluorescent F42 T12 Tube HO	55W	Recessed Double Contact	4200K	60	3400	9,000	Yes	30	42
25343	F42DLHO/M	Fluorescent F42 T12 Tube HO	55W	Recessed Double Contact	6500K	76	3050	9,000	Yes	30	42
Fluorescent F48 T12 Tube HO											
369785	F48CWHO/M	Fluorescent F48 T12 Tube HO	60W	Recessed Double Contact	4100K	59	4050	12,000	Yes	15	48
369843	F48DLHO/M	Fluorescent F48 T12 Tube HO	60W	Recessed Double Contact	6500K	73	3400	12,000	Yes	15	48

Continue to next page for additional product information



Fluorescent F60 T12 Tube HO											
22513-25126	F60CWHO/M	Fluorescent F60 T12 Tube HO	75W	Recessed Double Contact	4200K	60	5200	12,000	Yes	30	60
22512-25120	F60DLHO/M	Fluorescent F60 T12 Tube HO	75W	Recessed Double Contact	6500K	76	4600	12,000	Yes	30	60
Fluorescent F72 T12 Tube HO											
366518	F72CWHO/M	Fluorescent F72 T12 Tube HO	85W	Recessed Double Contact	4100K	62	6350	12,000	Yes	15	72
366534	F72DLHO/M	Fluorescent F72 T12 Tube HO	85W	Recessed Double Contact	6500K	79	5600	12,000	Yes	15	72
Fluorescent F84 T12 Tube HO											
25384/SYL	F84CWHO/M	Fluorescent F84 T12 Tube HO	100W	Recessed Double Contact	4100K	62	7490	12,000	Yes	15	84
	F84DLHO/M	Fluorescent F84 T12 Tube HO	100W	Recessed Double Contact	6500K	76	6700	12,000	Yes	15	84
Fluorescent F96 T12 Tube HO											
381774	F96DLHO/A	Fluorescent F96 T12 Tube HO	110W	Recessed Double Contact	6500K	79	7800	12,000	Yes	15	96



SPEC SHEET AVAILABLE HERE.



RoHS
compliant



2
YR
WARRANTY



Fluorescent Tube U-Bend T12/T8

Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
Fluorescent U-Bend FB40 T12 Tube													
35203	FB40CW/6/ECO	Fluorescent U-Bend FB40 T12 Tube	40W	Medium Bi-Pin		4100K	90	2200	18,000	Yes	12	22.5	
219931	FB40DX/6/M	Fluorescent U-Bend FB40 T12 Tube	40W	Medium Bi-Pin		6500K	90	2250	18,000	Yes	12	22.44	
Fluorescent U-Bend FB40 T12 Tube													
35320	FB28/835/6/ECO	Fluorescent U-Bend FB28 T8 Tube	28W	Medium Bi-Pin		3500K	86	2650	24,000	No	25	22.6	
35321	FB28/841/6/ECO	Fluorescent U-Bend FB28 T8 Tube	28W	Medium Bi-Pin		4100K	86	2650	24,000	No	25	22.6	
30301	FB31/830/ECO	Fluorescent U-Bend FB31 T8 Tube	31W	Medium Bi-Pin		3000K	86	2750	24,000	No	12	22.6	
30302	FB31/835/ECO	Fluorescent U-Bend FB31 T8 Tube	31W	Medium Bi-Pin		3500K	86	2750	24,000	No	12	22.6	
30303	FB31/841/ECO	Fluorescent U-Bend FB31 T8 Tube	31W	Medium Bi-Pin		4100K	86	2750	24,000	No	12	22.6	
30304	FB31/850/ECO	Fluorescent U-Bend FB31 T8 Tube	31W	Medium Bi-Pin		5000K	86	2750	24,000	No	12	22.6	
109812	FB32/830/6/ECO	Fluorescent U-Bend FB32 T8 Tube	32W	Medium Bi-Pin		3000K	86	2900	24,000	No	20	22.6	
109814	FB32/835/6/ECO	Fluorescent U-Bend FB32 T8 Tube	32W	Medium Bi-Pin		3500K	86	2900	24,000	No	20	22.6	
109816	FB32/841/6/ECO	Fluorescent U-Bend FB32 T8 Tube	32W	Medium Bi-Pin		4100K	86	2900	24,000	No	20	22.6	
109818	FB32/850/6/ECO	Fluorescent U-Bend FB32 T8 Tube	32W	Medium Bi-Pin		5000K	86	2900	24,000	No	20	22.6	



SPEC SHEET AVAILABLE HERE.

Incandescent Miniature Bayonet/Wedge



Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
Incandescent Miniature Bayonet													
1141	1141	Incandescent Miniature Bayonet		BA15S	12.8V		99		1,000	Yes	1000	2	
1156	1156	Incandescent Miniature Bayonet		BA15S	12.8V		99		1,200	Yes	1000	2	
1383	1383	Incandescent Miniature Bayonet		BA15S	28V		99		500	Yes	1000	2.63	
755	755	Incandescent Miniature Bayonet		BA9S	6.3V		99		20,000	Yes	1000	1.2	
93	93	Incandescent Miniature Bayonet		BA15S	12.8V		99		700	Yes	1000	2	
Incandescent Miniature Wedge													
912	912	Incandescent Miniature Wedge		Wedge	12.8V		99		1,000	Yes	1000	1.49	
918	918	Incandescent Miniature Wedge		Wedge	12.8V		99		500	Yes	1000	1.49	
921	921	Incandescent Miniature Wedge		Wedge	12.8V		99		500	Yes	1000	1.49	
65030	3155K	Incandescent Mini Plastic Wedge		Plastic Wedge	12.8V		99		2,000	Yes	1000	2.09	
65032	3156K	Incandescent Mini Plastic Wedge		Plastic Wedge	12.8V		99		2,000	Yes	1000	2.09	
3156	3156	Incandescent Mini Plastic Wedge		Plastic Wedge	12.8V		99		1,200	Yes	1000	2.09	

SPEC SHEET AVAILABLE HERE.

Incandescent Decorative Clear Flame Tip



Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
Incandescent Decorative Clear Flame Tip													
2502	CFTC3	Clear Flicker Flame Tip	3W	Candelabra	130V				2,000	Yes	25	2.87	
2003	CFC25	Decorative Clear Flame Tip	25W	Candelabra	130V			180	3,000	Yes	25	4.12	
2005	CFTC7.5	Decorative Clear Flame Tip	7.5W	Candelabra	130V			35	2,000	Yes	25	2.87	
2012	EFC25	Decorative Clear Flame Tip	25W	Medium (E26)	130V			180	3,000	Yes	25	4.12	
3001	F15CL25	Decorative Flame Clear	25W	Medium (E26)	130V			180	1,500	Yes	25	4.5	
2001	CFC15	Decorative Clear Flame Tip	15W	Candelabra	130V			100	2,000	Yes	25	4.12	
2020	CFCP15	Decorative Clear Flame Tip 25MM	15W	Candelabra	130V			100	2,000	Yes	25	3.58	
2021	CFCP25	Decorative Clear Flame Tip 25MM	25W	Candelabra	130V			220	1,500	Yes	25	3.58	



[SPEC SHEET AVAILABLE HERE.](#)

Incandescent Decorative Globe



1 YR
WARRANTY



Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
Incandescent Decorative Clear Globe													
4001	G16CL15	Decorative Clear Globe	15W	Candelabra	130V			100	2,000	Yes	25	3	
4002	G16CL25	Decorative Clear Globe	25W	Candelabra	130V			220	1,500	Yes	25	3	
5001	G25CL25	Decorative Clear Globe	25W	Medium (E26)	130V			150	3,500	Yes	10	4.5	
5003	G25CL40	Decorative Clear Globe	40W	Medium (E26)	130V			300	3,500	Yes	10	4.5	
Incandescent Decorative White Globe													
4015	G16WH15	Decorative White Globe	15W	Candelabra	130V			90	2,000	Yes	25	3	
4016	G16WH25	Decorative White Globe	25W	Candelabra	130V			180	1,500	Yes	25	3	
5002	G25WH25	Decorative White Globe	25W	Medium (E26)	130V			130	3,500	Yes	10	4.5	
5004	G25WH40	Decorative White Globe	40W	Medium (E26)	130V			280	3,500	Yes	10	4.5	

[SPEC SHEET AVAILABLE HERE.](#)

Incandescent Decorative Torpedo



1 YR
WARRANTY




Product #	Product Code	Description	Wattage	Base	Voltage	Color Temp.	CRI	Lumens	Useful Life	Dimmable	Pkg. Qty	MOL	Eq. Wattage
Incandescent Decorative Clear Torpedo													
1001	CTC15	Decorative Clear Torpedo	15W	Candelabra	130V			100	2,000	Yes	25	3.87	
1003	CTC25	Decorative Clear Torpedo	25W	Candelabra	130V			180	3,000	Yes	25	3.87	
121023	CTC25/E14	Decorative Clear Torpedo	25W	E14	120V			220	1,500	Yes	25	3.87	
1020	CTCP15	Decorative Clear Torpedo	15W	Candelabra	130V			100	2,000	Yes	25	3.42	
1021	CTCP25	Decorative Clear Torpedo	25W	Candelabra	130V			220	1,500	Yes	25	3.42	
1012	ETC25	Decorative Clear Torpedo	25W	Medium (E26)	130V			180	3,000	Yes	25	3.87	
3006	F15AMB40	Decorative Flame Amber	40W	Medium (E26)	130V				1,500	Yes	25	4.5	
Incandescent Decorative Frosted Torpedo													
100192	CTF25	Decorative Frosted Torpedo	25W	Candelabra	130V			170	3,000	Yes	25	3.87	
1013	ETF25	Decorative Frosted Torpedo	25W	Medium (E26)	130V			170	3,000	Yes	25	3.87	

Electronics



Electronic Sign Ballast



EFLU Ballast



CDM70 Ballast



Compact Fluorescent Ballasts

[View Family Spec](#)

Compact Fluorescent Ballast



Product #	Product Code	Description
52200	E1CF13RS/120/GU24	Compact Fluor Ballast 13W 1 Lamp 120V Rapid start GU24 Base
52102	EP2CF13PS/MV/DC/K	Compact Fluor Ballast 13W 2 Lamp Prog Start Direct Curr Kit
52104	EP2CF18PS/MV/DC/K	Compact Fluor Ballast 18W 2 Lamp Prog Start Direct Curr Kit
52106	EP2CF26PS/MV/DC/K	Compact Fluor Ballast T5 26W 2 Lamp Prog Start Direct Curr Kit
52108	EP2CF42PS/MV/DC/K	Compact Fluor Ballast T5 42W 2 Lamp Prog Start Direct Curr Kit

Electromagnetic HID Ballast

[View Family Spec](#)

Electromagnetic Ballast - HID High Pressure Sodium Lamps



Product #	Product Code	Description
55120	S50/250CWA/4T/K	Electromagnetic HID Ballast 250W (LU250) 4-Tap CWA Kit
55122	S50/250CWA/5T/K	Electromagnetic HID Ballast 250W (LU250) 5-Tap CWA Kit
55124	S51/400CWA/4T/K	Electromagnetic HID Ballast 400W (LU400) 4-Tap CWA Kit
55126	S51/400CWA/5T/K	Electromagnetic HID Ballast 400W (LU400) 5-Tap CWA Kit
55128	S52/1000CWA/4T/K	Electromagnetic HID Ballast 1000W (LU1000) 4-Tap CWA Kit
55130	S52/1000CWA/5T/K	Electromagnetic HID Ballast 1000W (LU1000) 5-Tap CWA Kit
55112	S54/100HX/4T/K	Electromagnetic HID Ballast 100W (LU100) 4-Tap HX Kit
55116	S55/150HX/4T/K	Electromagnetic HID Ballast 150W (LU150) 4-Tap HX Kit
55114	S55/150R/120/K	Electromagnetic HID Ballast 150W (LU150) 120V Kit
55108	S62/70HX/4T/K	Electromagnetic HID Ballast 70W (LU70) 4-Tap HX Kit
55106	S62/70R/120/K	Electromagnetic HID Ballast 70W (LU70) 120V Kit
55118	S66/200CWA/4T/K	Electromagnetic HID Ballast 200W (LU200) 4-Tap CWA Kit
55104	S68/50R/120/K	Electromagnetic HID Ballast 50W (LU50) 120V Kit
55102	S76/35R/120/K	Electromagnetic HID Ballast 35W (LU35) 120V Kit



[View Family Spec](#)



Electromagnetic Ballast - HID Metal Halide
Pulse Start

Product #	Product Code	Description
55138	M102/150HX/4T/K	Electromagnetic HID Ballast 150W (MH150) 4-Tap HX Pulse Start Kit
55192	M110/50HX/4T/K	Electromagnetic HID Ballast 50W (MH50) 4-Tap HX Pulse Start Kit
55150	M131/350CWA/4T/K	Electromagnetic HID Ballast 350W (MH350) 4-Tap CWA Pulse Start Kit
55172	M131/350CWA/5T/K	Electromagnetic HID Ballast 350W (MH350) 5-Tap CWA Pulse Start Kit
55148	M132/320CWA/4T/K	Electromagnetic HID Ballast 320W (MH320) 4-Tap Pulse Start Kit
55176	M132/320CWA/5T/K	Electromagnetic HID Ballast 320W (MH320) 5-Tap CWA Pulse Start Kit
55162	M135/400CWA/4T/K	Electromagnetic HID Ballast 400W (MH400) 4-Tap CWA Pulse Start Kit
55178	M135/400CWA/5T/K	Electromagnetic HID Ballast 400W (MH400) 5-Tap CWA Pulse Start Kit
55160	M138/250CWA/4T/K	Electromagnetic HID Ballast 250W (MH250) 4-Tap Pulse Start CWA Kit
55174	M138/250CWA/5T/K	Electromagnetic HID Ballast 250W (MH250) 5-Tap CWA Pulse Start Kit
55184	M141/1000CWA/4T/K	Electromagnetic HID Ballast 1000W M141 CWA 4 Tap 1 Lamp Core Coil
55186	M141/1000CWA/5T/K	Electromagnetic HID Ballast 1000W M141 CWA 5 Tap 1 Lamp Core Coil
55190	M149/750CWA/5T/K	Electromagnetic HID Ballast 750W M149 CWA 5 Tap Mp Core Coil
55136	M90/100HX/4T/K	Electromagnetic HID Ballast 100W (MH100) 4-Tap HX Pulse Start Kit
55134	M98/70HX/4T/K	Electromagnetic HID Ballast 70W (MH70) 4-Tap HX Pulse Start Kit

Note - Product Code Example: M59/=ANSI, 400=Primary Lamp Watts CWA or HX=Circuit type , /5T=Voltage

[View Family Spec](#)



Electromagnetic Ballast - HID Metal Halide
Standard

Product #	Product Code	Description
55156	M47/1000CWA/4T/K	Electromagnetic HID Ballast 1000W (MH1000) 4-Tap CWA Kit
55158	M47/1000CWA/5T/K	Electromagnetic HID Ballast 1000W (MH1000) 5-Tap CWA Kit
55182	M48/1500CWA/5T/K	Electromagnetic HID Ballast M48 1500W CWA 5 Tap 1 Lamp Core Coil
55140	M57/175CWA/4T/K	Electromagnetic HID Ballast 175W (MH175) 4-Tap CWA Kit
55142	M57/175CWA/5T/K	Electromagnetic HID Ballast 175W (MH175) 5-Tap CWA Kit
55144	M58/250CWA/4T/K	Electromagnetic HID Ballast 250W (MH250) 4-Tap CWA Kit
55146	M58/250CWA/5T/K	Electromagnetic HID Ballast 250W (MH250) 5-Tap CWA Kit
55152	M59/400CWA/4T/K	Electromagnetic HID Ballast 400W (MH400) 4-Tap CWA Kit
55154	M59/400CWA/5T/K	Electromagnetic HID Ballast 400W (MH400) 5-Tap CWA Kit

Note - Product Code Example: M59/=ANSI, 400=Primary Lamp Watts CWA or HX=Circuit type , /5T=Voltage



Specialty Ballasts

[View Family Spec](#)

Electronic Sign Ballast



Product#	Product Code	Description
57114	ESB/0216/12	Electronic Sign Ballast 1-2 Lamp 2-16 Multi-voltage
57116	ESB/0432/14	Electronic Sign Ballast 1-4 Lamp 4-32 Multi-voltage
57120	ESB/0848/46	Electronic Sign Ballast 4-6 Lamp 8-48 Multi-voltage

Fluorescent Ballasts T12

[View Family Spec](#)

Electronic Fluorescent Ballast - T12



Product#	Product Code	Description
50164	EP2110PS/MV	Elec Fluor Ballast T12 (F96T12 HO) 2 Lamp Multi-Volt Prog Start
50162	EP2110RS/120	Elec Fluor Ballast T12 (F96T12) 2 Lamp Multi-volt Rapid Start
52118	EP240RS/MV/MC	Elec Fluor Ballast-T12 (F40T12) 2 Lamp Multi-Volt Rapid Start
52120	EP275IS/MV/SL	Elec Fluor Ballast-T12 (F96T12) 2 Lamp Multi-Volt Instant Start

Fluorescent Ballasts T5

[View Family Spec](#)

Electronic Fluorescent Ballast - T5



Product#	Product Code	Description
52112	EP228PS/MV/MC	Elec Fluor Ballast T5 (F28T5) 2 Lamp Multi-Volt Prog Start
50142	EP239HO/PS/MV	Elec Fluor Ballast T5 (F39T5 HO) 2 Lamp Multi-Volt Prog Start
50144	EP254HO/PS/MV	Elec Fluor Ballast T5 (F54T5 HO) 2 Lamp Multi-Volt Prog Start
52114	EP254HO/PS/MV/MC	Elec Fluor Ballast T5 (F54T5 HO) 2 Lamp Multi-Volt Prog Start
50186	EP454HO/PS/MV	Elec Fluor Ballast T5 (F54T5 HO) 4 Lamp Multi-Volt Prog Start



Fluorescent Ballasts T8

[View Family Spec](#)

Electronic Fluorescent Ballast - T8



Product#	Product Code	Description
50110	E220RS/120	Elec Fluor Ballast T8 (F20T12) 2 Lamp 120V Rapid Start
50158	E432IS/120/R/MC	Elec Fluor Ballast T8 (F32T8) 4 Lamp 120V Instant Start Restart
50176	EP232IS/120/MC	Elec Fluor Ballast T8 (F32T8) 2 Lamp 120V Instant Start Micro Can Enclosure
50119	EP232IS/L/MV/HE	Elec Fluor Ballast T8 (F32T) 2 Lamp LBF Multi-Volt Instant Start High Perf
50123	EP232IS/MV/HE	Elec Fluor Ballast T8 (F32T8) 2 Lamp Multi-Volt Instant Start High Perf
50136	EP259IS/MV	Elec Fluor Ballast T8 (F96T8) 2 Lamp Multi-Volt Instant Start
50168	EP332IS/L/MV/HE	Elec Fluor Ballast T8 (F32T8) 3 Lamp Multi-Volt Instant Start High Perf LBF
50170	EP332IS/MV/HE	Elec Fluor Ballast T8 (F32T8) 3 Lamp Multi-Volt Instant Start High Perf
50124	EP432IS/120/MC	Elec Fluor Ballast T8 (F32T8) 4 Lamp 120V Instant Start
50172	EP432IS/L/MV/HE	Elec Fluor Ballast T8 (F32T8) 4 Lamp Multi-Volt Instant Start High Perf LBF
50174	EP432IS/MV/HE	Elec Fluor Ballast T8 (F32T8) 4 Lamp Multi-Volt Instant Start High Perf



ELECTRONIC FLUORESCENT BALLASTS Cross Reference Guide

Halco SKU	HALCO	ADVANCE	UNIVERSAL/MAGNETEK	HOWARD
	E114RS/120	-	-	-
52200	E120RS/120	-	-	-
50110	E220RS/120	-	-	-
50162	EP2110RS/120	-	B295SR120HP	E2/110RS-120
	EP2110RS/MV	ICN-2S110-SC	B295SRUNVHP	EP2/110RS-MV
52112	EP228PS/MV/MC	ICN-2S28-N	B228PUNV-N	EP2/28T5/PRS/MV
	EP132IS/MV/MC	ICN-1P32-N	B132IUNVHP-N	-
	E232IS/120/R/MC	REB-2P32-SC	B232I120RES-G	E2/32IS-120MC
50176	EP232IS/120/MC	-	B232I120RH-A	EP2/32IS-120MC
	EP232IS/MV/MC	ICN-2P32-N	B232IUNVHP-N	EP2/32IS/MV/MC
50115	EP232IS/H/MV/HE	IOPA-2P32-HL-N	B232IUNVHEH-A	EPH2/32IS/MV/MC/HE
50119	EP232IS/L/MV/HE	IOPA-2P32-LW-N	B232IUNVEL-A	EPL2/32IS/MV/MC/HE
50123	EP232IS/MV/HE	IOPA-2P32-N	B232IUNVHE-A	EP2/32IS/MV/MC/HE
	EP232PS/MV/HE	IOP-2PSP32-SC	B232PUNVHE-B	EP2/PRS/MV/MC/HE
	EP232PS/L/MV/HE	IOP-2PSP32-LW-SC	B232PUNVEL-B	-
50142	EP239HO/PS/MV	ICN-2S39	B239PUNV-D	EP2/39HO/PRS/MV
52118	EP240RS/120	RELB-2S40-N	B240R120HP	E2/40RS-120MC
52118	EP240RS/MV	ICN-2S40-N	-	EP2/40RS/MV/MC
50144	EP254HO/PS/MV	ICN-2S54	B254PUNV-D	EP2/54HO/PRS/MV/90CW
52114	EP254HO/PS/MV/MC	ICN-2S54-N	-	EP2/54HO/PRS/MV/W/MC
50136	EP259IS/MV	IOP-2P59-SC	B259IUNVHP-A	EP2/59IS/MV/MC
	EP260IS/120	-	B260I120M-A	-
	EP260IS/277	-	-	-
52120	EP275IS/MV	ICN-2P60-SC	B260IUNVHP	EP2/75IS/MV/SC
	EP332IS/MV/MC	ICN-3P32-N	B332IUNVHP-A	-
	EP332IS/H/MV/HE	IOPA-3P32-HL-N	B332IUNVHEH-A	-
50168	EP332IS/L/MV/HE	IOPA-3P32-LW-N	B332IUNVEL-A	EPL3/32IS/MV/SC/HE
50170	EP332IS/MV/HE	IOPA-3P32-N	B332IUNVHE-A	EP3/32IS/MV/MC/HE
	E432IS/120/R/SL	REB-4P32-SC	B432I120RES-A	-
	EP432IS/120/SL	-	B432I120RH-A	-
	EP432IS/MV/MC	ICN-4P32-N	B432IUNVHP-A	-
50172	EP432IS/L/MV/HE	IOPA-4P32-LW-N	B432IUNVEL-A	EPL4/32IS/MV/MC/HE
50174	EP432IS/MV/HE	IOPA-4P32-N	B432IUNVHE-A	EP4/32IS/MV/MC/HE
	EP432PS/MV/HE	IOP-4PSP32-SC	B432PUNVHE-A	EP4/32PPRS/MV/SC/HE
	EP432PS/L/MV/HE	IOP-4PSP32LW-SC	B432PUNVEL-A	-
50186	EP454HO/PS/MV	IOP-4PSP54-2LS-G	B454PUNV-E	-
50150	E1CR22RS/120/PT	-	-	-
50148	E2CR72RS/120/PT	-	-	-

**ELECTRONIC FLUORESCENT BALLASTS** Cross Reference Guide**Electronic CFL Ballast Order Information**

HALCO SKU	HALCO PRODUCT CODE	HALCO DESCRIPTION
52102	EP2CF13PS/MV/DC/K	CFL13W 2LAMP ELEC MV PS DC KIT
52104	EP2CF18PS/MV/DC/K	CFL18W 2LAMP ELEC MV PS DC KIT
52108	EP2CF42PS/MV/DC/K	CFL42W 2LAMP ELEC MV PS DC KIT
52108	EP2CF42PS/MV/DC/K	CFL42W 2LAMP ELEC MV PS DC KIT
52108	EP2CF42PS/MV/DC/K	CFL42W 2LAMP ELEC MV PS DC KIT

ELECTRONIC SIGN BALLASTS Cross Reference Guide

HALCO SKU	HALCO	ADVANCE	UNIVERSAL/MAGNETEK	HOWARD
57114	ESB/0216/12	ASB-0412-12-E	ESB216-12	-
57116	ESB/0432/14	ASB-1232-24-E	ESB432-14	-
57120	ESB/0848/46	ASB-2048-46-E	ESB848-46	EBO-6-8-48

Electronic Sign Ballast Order Information

HALCO SKU	HALCO PRODUCT CODE	HALCO DESCRIPTION
57114	ESB/0216/12	Fluorescent 1-2 lamp 216 Multi-voltage T12/HO Instant Start
57120	ESB/0848/46	Fluorescent 4-6 Lamp 8-48 Multi-voltage T12/HO Instant start
57116	ESB/0432/14	Fluorescent 1-4 Lamp 4-32 Multi-voltage T12/HO Instant start

COMPACT FLUORESCENT BALLASTS Cross Reference Guide and Lamp Compatibility Specifications


Halco SKU	HALCO	ADVANCE	UNIVERSAL/MAGNETEK	HOWARD
52102	EP2CF13PS/MV/DC/K	ICF-2S13-H1-LD	C213UNV	EP2/13CF/MV/K
52104	EP2CF18PS/MV/DC/K	ICF-2S18-H1-LD	C218UNV	EP2/18CF/MV/K
52106	EP2CF26PS/MV/DC/K	ICF-2S26-H1-LD	C2642UNV	EP2/26CF/MV/K2
52108	EP2CF42PS/MV/DC/K	ICF-2S42-M2-LD	C242UNV	EP2/42CF/MV/K2



ELECTRONIC HID BALLASTS Cross Reference Guide

HALCO SKU	HALCO PRODUCT CODE	ADVANCE	UNIVERSAL/MAGNETEK	HOWARD
55138	M102/150HX/4T/K	71A5492-001D	M150MLTLC3M500K	M0150-71C-512-K
55192	M110/50HX/4T/K	71A5191-001D	M50MLTLC3M500K	M0050-23C-511-K
55184	M141/1000CWA/4T/K	71A6593-001	P1000MLTAC5M500K	M1000-71C-612-K
55186	M141/1000CWA/5T/K	71A6552-001D	P1000ML5AC5M500K	M1000-81C-611-K
xxxx	M149/750CWA/4T/K	71A64F2-001D	P750MLTAC5M500K	M0750-71C-612-K
55190	M149/750CWA/5T/K	71A6452-001D	P750ML5AC5M500K	M0750-81C-612-K
55150	M131/350CWA/4T/K	71A5993-001D	P350MLTAC4M500K	M0350-71C-6E4-K
55172	M131/350CWA/5T/K	71A5953-001D	P350ML5AC4M500K	-
55148	M132/320CWA/4T/K	71A5892-001D	P320MLTAC4O500K	M0320-71C-6E4-K
55176	M132/320CWA/5T/K	71A5852-001D	P320ML5AC4L500K	-
55162	M135/400CWA/4T/K	71A6092-001D	P400MLTAC4L500K	M0400-71C-6E3-K
55178	M135/400CWA/5T/K	-	P400ML5AC4M500K	-
55160	M138/250CWA/4T/K	71A5792-001D	P250MLTAC4L500K	M0250-71C-611-K
55174	M138/250CWA/5T/K	-	P250ML5AC4M500K	-
xxxx	M150/125CWA/4T/K	-	-	-
55136	M90/100HX/4T/K	71A5390-001D	M100MLTLC3M500K	M0100-71C-512-K
55134	M98/70HX/4T/K	71A5292-001D	M70MLTLC3M500K	M0070-71C-511-K
52118	EP240RS/MV	ICN-2S40-N	-	EP2/40RS/MV/MC

HALCO SKU	HALCO PRODUCT CODE	HALCO DESCRIPTION
55136	M90/100HX/4T/K	100W MH M90 4T PS KIT
55138	M102/150HX/4T/K	150W MH M102 4T PS KIT
55192	NEEDED	NEEDED
55134	M98/70HX/4T/K	70W MH M98 4T PS KIT
55174	M138/250CWA/5T/K	250W MH M138 5T PS KIT
55176	M132/320CWA/5T/K	320W MH M132 5T PS KIT
55178	M135/400CWA/5T/K	400W MH M135 5T PS KIT
55186	M141/1000CWA/5T/K	M141 1000W CWA 5 TAP 120V 208V 240V 277V 1 LAMP CORE COIL BALLAST
55182	M48/1500CWA/5T/K	M48 1500W CWA 5 TAP 120V 208V 240V 277V 480V 1 LAMP CORE COIL BALLAST
55142	M57/175CWA/5T/K	175W MH M57/H39 5T KIT
55146	M58/250CWA/5T/K	250W MH M58/H37 5T KIT
55154	M59/400CWA/5T/K	400W MH M59/H33 5T KIT
55190	M149/750CWA/5T/K	M149 750W CWA 5 TAP 120V 208V 240V 277V 480V MP CORE COIL BALLAST



ELECTROMAGNETIC HID BALLASTS Cross Reference Guide

Halco SKU	HALCO	ADVANCE	UNIVERSAL/MAGNETEK	HOWARD
Pulse Start Metal Halide				
55138	M102/150HX/4T/K	71A5492-001D	M150MLTLC3M500K	M0150-71C-512-K
55192	M110/50HX/4T/K	71A5191-001D	M50MLTLC3M500K	M0050-23C-511-K
55184	M141/1000CWA/4T/K	71A6593-001	P1000MLTAC5M500K	M1000-71C-612-K
55186	M141/1000CWA/5T/K	71A6552-001D	P1000ML5AC5M500K	M1000-81C-611-K
	M149/750CWA/4T/K	71A64F2-001D	P750MLTAC5M500K	M0750-71C-612-K
55190	M149/750CWA/5T/K	71A6452-001D	P750ML5AC5M500K	M0750-81C-612-K
55150	M131/350CWA/4T/K	71A5993-001D	P350MLTAC4M500K	M0350-71C-6E4-K
55172	M131/350CWA/5T/K	71A5953-001D	P350ML5AC4M500K	-
55148	M132/320CWA/4T/K	71A5892-001D	P320MLTAC40500K	M0320-71C-6E4-K
55176	M132/320CWA/5T/K	71A5852-001D	P320ML5AC4L500K	-
55162	M135/400CWA/4T/K	71A6092-001D	P400MLTAC4L500K	M0400-71C-6E3-K
55178	M135/400CWA/5T/K	-	P400ML5AC4M500K	-
55160	M138/250CWA/4T/K	71A5792-001D	P250MLTAC4L500K	M0250-71C-611-K
55174	M138/250CWA/5T/K	-	P250ML5AC4M500K	-
	M150/125CWA/4T/K	-	-	-
55136	M90/100HX/4T/K	71A5390-001D	M100MLTLC3M500K	M0100-71C-512-K
55134	M98/70HX/4T/K	71A5292-001D	M70MLTLC3M500K	M0070-71C-511-K
Standard Metal Halide				
	M48/1500CWA/4T/K	71A6772-001D	M1500MLTAC5M500K	M1500-71C-214-K
55182	M48/1500CWA/5T/K	-	-	-
5156	M47/1000CWA/4T/K	71A6572-001	M1000MLTAC5M500K	M1000-71C-214-K
55158	M47/1000CWA/5T/K	71A6552-001	M1000ML5AC5M500K	M1000-81C-213-K
55140	M57/175CWA/4T/K	71A5570-001D	M175MLTAC3M500K	M0175-71C-214-K
55142	M57/175CWA/5T/K	-	M175ML5AC3M500K	M0175-81C-214-K
55144	M58/250CWA/4T/K	71A5771-001D	M250MLTAC3M500K	M0250-71C-215-K
55146	M58/250CWA/5T/K	71A5750-001D	M250ML5AC3M500K	M0250-81C-215-K
55152	M59/400CWA/4T/K	71A6071-001D	M400MLTAC4M500K	M0400-71C-213-K
55154	M59/400CWA/5T/K	71A6051-001D	M400ML5AC4M500K	M0400-81C-212-K

Ignitor Guide

Halco SKU	Product Code	Ballast	Diam. (mm)	Diam. (in)	Height (mm)	Height (in)
55901	IGN/HPS1	35W - 150W HPS				
55903	IGN/HPS2	200W - 400W HPS				



PULSE START MH BALLASTS Cross Reference & Ignitor Guide

HALCO SKU	HALCO PRODUCT CODE	ADVANCE	UNIVERSAL/MAGNETEK	HOWARD
High Pressure Sodium				
55120	S50/250CWA/4T/K	71A8271-001D	S250MLTAC4M500K	S0250-71C-214-K
55122	S50/250CWA/5T/K	71A8251-001D	S250ML5AC4M500K	S0250-81C-212-K
55124	S51/400CWA/4T/K	71A8473-001D	S400MLTAC5M500K	S0400-71C-212-K
55126	S51/400CWA/5T/K	71A8453-001D	S400ML5AC5M500K	S0400-81C-212-K
55128	S52/1000CWA/4T/K	71A8773-001	S1000MLTAC5M500K	S1000-71C-212-K
55130	S52/1000CWA/5T/K	71A8753-001	S1000ML5AC5M500K	S1000-81C-212-K
55112	S54/100HX/4T/K	71A8071-001D	S100MLTLC3M500K	S0100-71C-512-K
	S54/100R/120/K	71A8007-001DB	-	S0100-02C-111-K
55116	S55/150HX/4T/K	71A8172-001D	S150MLTLC3M500K	S0150-71C-512-K
55114	S55/150R/120/K	71A8107-001DB	-	S0150-02C-111-K
55108	S62/70HX/4T/K	71A7971-001D	S70MLTLC3M500K	S0070-71C-512-K
55106	S62/70R/120/K	71A7907-001DB	-	S0070-02C-111-K
55118	S66/200CWA/4T/K	71A8970-001D	S200MLTAC4M500K	S0200-71U-211-K
55104	S68/50R/120/K	71A7807-001DB	-	S0050-02C-111-K
55102	S76/35R/120/K	71A7707-001DB	-	S0035-02C-111-K

Ignitor Guide

Halco SKU	HALCO PRODUCT CODE	Ballast	Diam. (mm)	Diam. (in)	Height (mm)	Height (in)
55901	IGN/HPS1	35W - 150W HPS				
55903	IGN/HPS2	200W - 400W HPS				



Cross Reference Guide

HPS Ballast Ordering Information

HALCO SKU	HALCO PRODUCT CODE	HALCO DESCRIPTION
55130	S52/1000CWA/5T/K	1000W LU S52 5T KIT
55112	S54/100HX/4T/K	100W LU S54 4T KIT
55116	S55/150HX/4T/K	150W LU S55 4T KIT
55120	S50/250CWA/4T/K	250W LU S50 4T KIT
55126	S51/400CWA/5T/K	400W LU S51 5T KIT
55124	S51/400CWA/4T/K	400W LU S51 4T KIT
55104	S68/50R/120/K	50W LU S68 120V KIT
55108	S62/70HX/4T/K	70W LU S62 4T KIT

PS MH Ballast Ordering Information

HALCO SKU	HALCO PRODUCT CODE	HALCO DESCRIPTION
55136	M90/100HX/4T/K	100W MH M90 4T PS KIT
55138	M102/150HX/4T/K	150W MH M102 4T PS KIT
55192	M110/50HX/4T/K	50W MH M110 4T PS KIT
55134	M98/70HX/4T/K	70W MH M98 4T PS KIT
55174	M138/250CWA/5T/K	250W MH M138 5T PS KIT
55176	M132/320CWA/5T/K	320W MH M132 5T PS KIT
55178	M135/400CWA/5T/K	400W MH M135 5T PS KIT

Standard MH Ballast Ordering Information

HALCO SKU	HALCO PRODUCT CODE	HALCO DESCRIPTION
55186	M141/1000CWA/5T/K	M141 1000W CWA 5 TAP 120V 208V 240V 277V 1 LAMP CORE COIL BALLAST
55182	M48/1500CWA/5T/K	M48 1500W CWA 5 TAP 120V 208V 240V 277V 480V 1 LAMP CORE COIL BALLAST
55142	M57/175CWA/5T/K	175W MH M57/H39 5T KIT
55146	M58/250CWA/5T/K	250W MH M58/H37 5T KIT
55154	M59/400CWA/5T/K	400W MH M59/H33 5T KIT
55190	M149/750CWA/5T/K	M149 750W CWA 5 TAP 120V 208V 240V 277V 480V MP CORE COIL BALLAST



Cross Reference Guide

T12 Ballast Ordering Information

HALCO SKU	HALCO PRODUCT CODE	HALCO DESCRIPTION
52118	EP240RS/MV/MC	F40T12 2 LAMP ELEC MV RS
52120	EP275IS/MV/SL	F96T12 2 LAMP ELEC MV IS
50164	EP2110RS/MV	F96 T12 HO 2 LAMP ELEC MV RS

T5 Ballast Ordering Information

HALCO SKU	HALCO PRODUCT CODE	HALCO DESCRIPTION
52112	EP228PS/MV/MC	F28T5 2LAMP ELEC MV PS
50144	EP254HO/PS/MV	F54 T5 HO 2 LAMP ELEC MV PS
50186	EP454HO/PS/MV	F54 T5 HO 4 LAMP ELEC MV PS

T8 Ballast Ordering Information

HALCO SKU	HALCO PRODUCT CODE	HALCO DESCRIPTION
50123	EP232IS/MV/HE	F32T8 2LAMP ELEC MV IS HIGH PERF
50123	EP232IS/MV/HE	F32T8 2LAMP ELEC MV IS HIGH PERF
50180	EP232PS/MV/HE	F32T8 2 LAMP PROGRAMMED START HIGH PERFORMANCE NORMAL BALLAST FACTOR NON-DIMMABLE
50170	EP332IS/MV/HE	F32T8 3LAMP ELEC MV IS HIGH PERF
50174	EP432IS/MV/HE	F32T8 4LAMP ELEC MV IS HIGH PERF


ELECTROMAGNETIC HID BALLASTS Capacitor Guide

Halco SKU	Product Code	Halco Ballast Code	Mfd	Volts	Diam. (mm)	Diam. (in)	Height (mm)	Height (in)
DRY FILM								
55859	CAP/MH175	M57/175CWA/4T/K M57/175CWA/5T/K	10	400	35	1.38	78	3.08
55868	CAP/MH400/DRY	M59/400/CWA/4T/K	24	400	45	1.77	93	3.66
OIL-FILLED								
55869	CAP/MH1000	M47/1000CWA/4T/K M47/1000CWA/5T/K	24	480	50	1.97	103	4.06


* Product will be discontinued when inventory is depleted



LED LAMPS
Bulb & Base Shapes




Base Types





COMPACT FLUORESCENT LAMPS

Bulb & Base Shapes




Single Tube
2-Pin




Single Tube
4-Pin




Double Tube
2-Pin/4-Pin




Triple Tube
4-Pin




Flat Quad
4-Pin



Double
15mm




PLL
4-Pin




BR38



R20




R30/R40




Plug-In R40




A-Shape




G
Globe



PAR20



PAR30



PAR38



B13
Torpedo



Spiral
GU24



TS EX39




Spiral



T20
Tubular

Base Types




G23



GX23



GX23-2



G24q-1




G24q-2




G24q-3



G24d-2




GU24




GX24q-3




GX24q-4




GX24q-5




GX24d-3



2G11



2GX7



Medium
E26/27




E12




EX39



INCANDESCENT LAMPS
Bulb & Base Shapes




Base Types






HALOGEN LAMPS

Bulb & Base Shapes




Base Types






HID LAMPS
Bulb & Base Shapes




Base Types






SPECIALTY LAMPS

Bulb & Base Shapes




Base Types





LINEAR FLUORESCENT LAMPS
Bulb & Base Shapes



Circleline



T5



T6



T8



T12




U-Bend


Base Types




Miniature
Bi-Pin



Medium
Bi-Pin



Recessed DC



Single Pin

HALCO MERCHANDISE-Contact your Regional Sales Manager or Halco Customer Service for More Details 1-800-677-3334.



Slat Wall Cover



Rolling Rack



Light Bar



Counter Banner



Counter Stool




Counter Banner



Here is a sampling of just some of the ballasts we offer at Halco. To see the full listing, please visit www.halcolighting.com.

BALLASTS

PRODUCT SKU	Description	Commodity
50174	EP432IS/MV/HE 50174 F32T8 4LAMP ELEC MV IS HIGH PERF	T8 Ballasts
50123	EP232IS/MV/HE 50123 F32T8 2LAMP ELEC MV IS HIGH PERF	T8 Ballasts
55158	M47/1000CWA/5T/K 55158 1000W MH M47/H36 5T KIT	Standard MH Ballast
55154	M59/400CWA/5T/K 55154 400W MH M59/H33 5T KIT	Standard MH Ballast
55182	M48/1500CWA/5T/K 55182 M48 1500W CWA 5 TAP 120V 208V 240V 277V 480V 1 LAMP CORE COIL BALLAST	Standard MH Ballast
50170	EP332IS/MV/HE 50170 F32T8 3LAMP ELEC MV IS HIGH PERF	T8 Ballasts
52106	EP2CF26PS/MV/DC/K 52106 CFL26W 2LAMP ELEC MV PS DC KIT	Elec CFL Ballast
50144	EP254HO/PS/MV 50144 F54 T5 HO 2 LAMP ELEC MV PS	T5 Ballasts
50186	EP454HO/PS/MV 50186 F54 T5 HO 4 LAMP ELEC MV PS	T5 Ballasts
52108	EP2CF42PS/MV/DC/K 52108 CFL42W 2LAMP ELEC MV PS DC KIT	Elec CFL Ballast
57116	ESB/0432/14 57116 ELEC SIGN BLST 1-4 LAMP 4-32 MV	Specialty Ballasts
55126	S51/400CWA/5T/K 55126 400W LU S51 5T KIT	HPS Ballast
52118	EP240RS/MV/MC 52118 F40T12 2 LAMP ELEC MV RS	T12 Ballasts
52112	EP228PS/MV/MC 52112 F28T5 2LAMP ELEC MV PS	T5 Ballasts
52120	EP275IS/MV/SL 52120 F96T12 2 LAMP ELEC MV IS	T12 Ballasts
55112	S54/100HX/4T/K 55112 100W LU S54 4T KIT	HPS Ballast
55130	S52/1000CWA/5T/K 55130 1000W LU S52 5T KIT	HPS Ballast
55146	M58/250CWA/5T/K 55146 250W MH M58/H37 5T KIT	Standard MH Ballast
55116	S55/150HX/4T/K 55116 150W LU S55 4T KIT	HPS Ballast
55152	M59/400CWA/4T/K 55152 55168 400W MH M59/H33 4T KIT	Standard MH Ballast




Scan to view Halco Lighting website

Sign Up for MyHalco Today



Scan to view the Digital Guide



MyHalco is an online portal that lets you access your account 24/7...

- Obtain Product Pricing
- Check Product Availability
- Place Orders and Review Open Orders
- Track Shipments
- Download Invoices and Monthly Statements

Best of all – you can download your price list any time you want!

Signing up is easy. Scan the code at the top left corner to be directed to halcolighting.com. Look for MyHalco at the top of the home page. Complete a short online application and within 24 hours you will receive a password to begin using MyHalco.

Don't delay – sign up at halcolighting.com!



800.677.3334
FAX: 800.880.0822
www.halcolighting.com

Atlanta
2940 Pacific Drive
Norcross, GA 30071

Houston
6323 Brookhill Drive
Houston, TX 77087

Chicago
845 Lively Blvd
Wood Dale, IL 60191

Phoenix
3103 E. Broadway, Ste 100
Phoenix, AZ 85040

Cleveland
3501 Croton Avenue
Cleveland, OH 44115