

Exit & Emergency

Evade Indoor/Outdoor Remote Series

- LED Adjustable Indoor/Outdoor Remotes
- Single or Double Head Configurations
- Round or Square Style
- Compatible with Select Evade Product Series
- All Models Include Mounting Plate
- LED Life Cycle Exceeding 10 Years
-

Specifications

Description

The Evade Exit/Emergency LED Remotes are high performance, high-impact, adjustable, lamp heads enclosed in a thermoplastic housing designed to optimize center-to-center spacing along the path of egress.

Construction & Mounting

- Rugged, injection-molded, flame-retardant, high temperature thermoplastic housing/lens
- Suitable for ceiling or wall mount
- Mounting canopy and hardware included
- For use with standard 4" j-box
- Suitable for indoor or outdoor applications

Certifications

- UL924
- NFPA 101 and NFPA 70
- CEC T20 compliant
- Wet or Damp location listed (model dependent)



Evade Indoor/Outdoor Remote Series

Ordering Information

Product SKU	Product Code	Product Description
95010	EV-RH-1-IND	Evade Single Remote Indoor Round Head
95011	EV-RH-2-IND	Evade Double Remote Indoor Round Head
96012	EV-RH-1-OUT	Evade Single Remote Outdoor Round Head
95013	EV-RH-2-OUT	Evade Double Remote Outdoor Round Head
95015	EV-RHE-1-IND	Evade Single Remote Indoor Square Head
95016	EV-RHE-2-IND	Evade Double Remote Indoor Square Head

Remote Head Specifications

Product SKU	Product Code	Input Voltage	Wattage	Lumens	Operating Temperature
95010	EV-RH-1-IND	3.6VDC	.8W	85	0°C-50°C
95011	EV-RH-2-IND	3.6VDC	1.5W	170	0°C-50°C
96012	EV-RH-1-OUT	3.6-24VDC	2.4W	90	-25°C-50°C
95013	EV-RH-2-OUT	3-12VDC	1.5W	180	-25°C-50°C
95015	EV-RHE-1-IND	4.8VDC	.8W	53	0°C-50°C
95016	EV-RHE-2-IND	4.8VDC	1.4W	96	0°C-50°C

Exit and Emergency

Evade Indoor/Outdoor Remote Series

Remote Head



EV-RH-1-IND

- Single white remote indoor head
- Suitable for damp location. UL cUL listed
- Compatible w/EV-EME and EV-EXC series



EV-RH-2-IND

- Double white remote indoor head
- Suitable for damp location. UL, cUL listed
- Compatible w/EV-EME and EV-EXC series



EV-RH-1-OUT

- Single gray remote outdoor head
- Suitable for wet location. UL, cUL listed
- Compatible w/EV-EME, EV-EXC and EV-EXE series



EV-RH-2-OUT

- Double white remote outdoor heads
- Suitable for wet location. UL, cUL listed
- Compatible w/EV-EME, EV-EXC and EVE-EXE series



EV-RHE-1-IND

- Single white remote indoor head
- Suitable for damp location. UL, cUL listed
- Compatible w/EV-EXE series



EV-RHE-2-IND

- Double white remote indoor head
- Suitable for damp location. UL, cUL listed
- Compatible w/EV-EXE series

Dimensions

