

VersaConnect LED T8 96in 42W CCT Select Type B FA8 & R17D - Specification Sheet

Product #: 87210 Product Code: 96T8VC-42-8CS-DE-BYP-LED-CG



Product Details	
Watts	42W
Color Temp	Selectable 3000K, 3500K, 4000K, 5000K or 6500K
Lumens	4620-5000
Voltage	120-277V
Bulb Type	T8
Base Type	FA8 AND R17D
Dimmable	Yes (0-10V)
Equivalent Watts	
Amps	0.388
Input Frequency	50/60Hz
Length	96in
Size	
Warranty (years)	5
Color Selectable	Yes
Wattage Selectable	No
Filament Type	
Technology	LED
Market	Commercial, Industrial
Applications	Industrial, Commercial Warehouse, Signage, & Commercial

For Submittals	
Date	
Location	
Type	
Project	
Notes	

Certifications	
UL Listed	Yes
ETL Listed	
DLC Qualified	Yes
Energy Star Certified	
IC Rated	
IP Rating	
JA-8	
Title 20	
Title 24	
RoHs	Yes
Certifications	UL Listed - DLC 5.1 Standard - NSF - FCC -Rohs

Product Identifiers	
Short Name	VersaConnect T8 Type B (Bypass) 96in Linear Tube
Product Name	VersaConnect LED T8 96in (2 X 48in) 42 Watt Color Selectable 3000K-3500K-4000K-5000K-6500K Type B (Ballast Bypass) with FA8 and R17D End Caps Coated Glass
Product Id	87210
Product Code	96T8VC-42-8CS-DE-BYP-LED-CG
UPC	807154872107
Manufacturer	Halco Lighting Technologies
Brand	Halco

Performance	
Average Life	50,000
Color Rendering Index (CRI)	83
Power Factor	0.96
Beam Angle	160
Beam Type (Spread)	
Light Dist. Type	
Open -Closed Rated	Closed
Environment (wet, damp,etc)	
Operating Position	

Packaging & Weights	
Sold in Multiples of	10
Inner Package Size	10
Master Carton Size	10
Contains Single Inner Sleeve	No
Weight per Item	



VersaConnect LED T8 96in 42W CCT Select Type B FA8 & R17D - Specification Sheet

Product #: 87210 Product Code: 96T8VC-42-8CS-DE-BYP-LED-CG

Construction	
Base Material	
Housing Material	
Finish	Frosted
Trim Color	
Trim Design	
Mount Included	No
Mount Options	
Lens	
With Lens Guard	

Other Features	
Emergency Backup Available	
Included Accessory	
Integrated Controls Available	

Ballast Features	
Ballast Type	
Ballast Lamp Type	
Number of Lamps	
Primary Lamp	
Start Type	
Ballast Lamp Watts	
Ballast Lamp Connection	



96T8VC-42-8CS-DE-BYP-LED-CG

LENGTH / SHAPE	WATTAGE	CRI / CCT	WIRING	COMPATIBILITY	TECHNOLOGY	CONSTRUCTION
96 = 96 Inch Application T8 = T8 Shape (1" Diameter) VC = VersaConnect	42 = 42 Watts	8 = 83 CRI CS = Color Selectable 3000K-3500K-4000K-5000K-6500K	DE = Doubled Ended	BYP = Type B Ballast Bypass	LED	CG = Coated Glass

Highlights

- Connects two 48in tubes to create one 96in T8
- Easy shipping and storage – sold in 10 x 96in packs
- Five CCT Field Selectable (3000K, 3500K, 4000K, 5000K or 6500K)
- Field adjustable end caps – Both FA8 and R17D included in the box
- High Lumen Output (5000Lumen)

Media Gallery

