



Halco sollos
LIGHTING TECHNOLOGIES® LANDSCAPE LIGHTING®

DecoStrand™ Lighting

Create a distinctive and unique look to your indoor/outdoor space with DecoStrand accent lighting. With the variety of reflectors and available lighting options, DecoStrand is certain to make an impactful impression in any setting.

Large Selection of LED, Incandescent and Specialty Lamps

Plug and Sockets Allow for System Expansion and Continual Run Capabilities

2-Year Limited Warranty



Low Maintenance

2 YR
WARRANTY

2-Year Warranty



Reflector sold separately

Halco®
LIGHTING TECHNOLOGIES®

Contact Your Customer Care Specialist
For Pricing, Orders And Technical Support.

800.677.3334 www.halcolighting.com

Commercial DecoStrand™ Lighting

Product #: _____ Type: _____
 Project: _____ Date: _____
 Comments: _____ Initials: _____

Specifications


- 52' cable length with 25, 4" medium base (E26) socket drops
- Heavy duty 14 AWG SJTW molded silicone resin cable for maximum durability, indoors and out
- Fully grounded, three-conductor wire provides peace of mind safety
- Three conductor socket on one end allows for system expansion and continual run capabilities
- Available reflectors (sold separately) create uniquely styled appearance
- DecoStrand features one of the industry's broadest offering of LED, Incandescent and Specialty lamp options with the Halco Lighting family of dependable lamps

Electrical

- Voltage: 120V Only
- 15A Capacity Circuit Typical
- Maximum Lamp Wattage: 50 Watts
- 3 – Prong grounded plug
- 3 – Prong grounded receptacle

Dimensions

- Cord Length: 52 ft. (15.8 m)
- Number of Sockets: 25
- Socket Spacing: 2 ft. (0.6 m)
- Socket Drop Length: 4 in. (0.1 m)



Lamp Wattage Range	Total System Watts	Total # of DecoStrands per Circuit*
40-50 Watts	1000 - 1250	1
17-25 Watts	425 - 625	2
13-16 Watts	325 - 400	3
11-12 Watts	275 - 300	4
9-10 Watts	225 - 250	5
8 Watts	200	6
7 Watts	175	7
6 Watts	150	8
5 Watts	125	9
4 Watts	100	10

*Circuit capacity based on typical 15 Amps system. Larger circuit sizes may be able to accommodate more Decostrand strings. Consult an Electrical Engineer for complete circuit load confirmation.

Ordering Information



Product #	Product Code	Description	Weight	Pkg. Qty.
99962	DSL/52254M/3G-BK	Decorative Strand Lighting 52ft long 25 E26 sockets 4in drops 3 wire Grounded	8.55 lbs	1/1

Warranty – Commercial / Industrial: This product is warranted for 2 years from the date of purchase.

Residential DecoStrand™ Lighting

Product #: _____ Type: _____

Project: _____ Date: _____

Comments: _____ Initials: _____

Specifications

- 26' cable length with 12, 4" medium base (E26) socket drops
- SPT 16 AWG 2-wire cable with 8A fuse
- Two conductor socket on one end allows for system expansion and continual run capabilities
- (12) E26 medium bases with 25W maximum per base
- Available reflectors (sold separately) creates uniquely styled appearance
- DecoStrand features one of the industry's broadest offering of LED, Incandescent and Specialty lamp options with the Halco Lighting family of dependable lamps

Electrical

- Voltage: 120V Only
- 15A Capacity Circuit Typical
- Maximum Lamp Wattage: 25 Watts
- 2 – Prong plug with 8A fuse
- 2 – Prong receptacle


Dimensions

Cord Length: 26 ft. (7.9 m)

Number of Sockets: 12

Socket Spacing: 2 ft. (0.6 m)

Socket Drop Length: 4 in. (0.1 m)



Lamp Wattage Range	Total System Watts	Total # of DecoStrands per Circuit*
13-25 Watts	156-300	1
9-12 Watts	108-144	2
7-8 Watts	84-96	3
6 Watts	72	4
5 Watts	60	5
4 Watts	48	6
3 Watts	36	8

*Circuit capacity based on typical 15 Amps system. Larger circuit sizes may be able to accommodate more Decostrand strings. Consult an Electrical Engineer for complete circuit load confirmation.

Ordering Information



Product #	Product Code	Description	Weight	Pkg. Qty.
99603	DSL/26124M/2G-BK	Decorative Strand Lighting 26ft long, (12) E26 sockets, 4in drops, 2-wire with 8A fuse	2.5 lbs	1/1

NEW ITEM

Warranty – Commercial / Industrial: This product is warranted for 2 years from the date of purchase.

DecoStrand™ Lighting

Product #: _____ Type: _____

Project: _____ Date: _____

Comments: _____ Initials: _____

DecoStrand™ Reflectors:

- Decorative reflector for use on DecoStrand decorative string lighting systems
- Adds a unique and charming appearance for a variety of environments
- Formed steel or aluminum in a variety of attractive designs
- Available in natural, copper, antique brass, textured black and textured bronze finishes
- Easily mounts to the DecoStrand socket, without tools, in seconds



4" Textured Bronze



7.5" Textured Bronze




4" Textured Black



7.5" Textured Black



Natural



Copper



Antique Brass

Ordering Information

2
YR
WARRANTY

Product #	Product Code	Description	Weight	Pkg. Qty.
99963	DSL/FSR-NF	Decorative Strand Steel Reflector Natural Finish	0.20	1/25
99604	DSL/FSR-CU	Decorative Strand Steel Reflector Copper Finish	0.20	1/25
99605	DSL/FSR-AB	Decorative Strand Steel Reflector Antique Brass Finish	0.20	1/25
99606	DSL/PSH040-TZ	4" Straight Hat DecoStrand Reflector Textured Bronze Finish	0.05	1/12
99607	DSL/PSH040-TB	4" Straight Hat DecoStrand Reflector Textured Black Finish	0.05	1/12
99608	DSL/PSH075-TZ	7.5" Straight Hat DecoStrand Reflector Textured Bronze Finish	0.15	1/12
99609	DSL/PSH075-TB	7.5" Straight Hat DecoStrand Reflector Textured Black Finish	0.15	1/12

o NEW ITEM

Warranty – Commercial / Industrial: This product is warranted for 2 years from the date of purchase.

Recommended Lamps

Product #	Product Code	Watts	Color Temp.
-----------	--------------	-------	-------------

80522*	S14CL1C/827/LED	1.4	2700K
--------	-----------------	-----	-------

20006	ST18ANT40	40	2500K
-------	-----------	----	-------

9051	S14CL11	11	-
------	---------	----	---

20002	A21ANT40	40	2500K
-------	----------	----	-------

Product #	Product Code	Watts	Color Temp.
-----------	--------------	-------	-------------

81140*	S14AMB2ANT/822/LED	2	2200K
--------	--------------------	---	-------

81139*	S14CL2ANT/827/LED	2	2700K
--------	-------------------	---	-------

81132**	ST19AMB5ANT/722/LED	5	2200K
---------	---------------------	---	-------

81129**	A19AMB4ANT/722/LED	4.5	2200K
---------	--------------------	-----	-------

* Wet location listed.

** Damp location listed.

For the complete ProLED offering of lamps see HalcoLighting.com